

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: PATCHOULI AMBRE KE52012

Product code: 51635.

UFI: 3T5G-40Y9-D00T-SP4Y

1.2. Relevant identified uses of the substance or mixture and uses advised against

Fragrance compounds

1.3. Details of the supplier of the safety data sheet

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: ORFILA/INRS + 33 (0)1 45 42 59 59 (24h/24 7j/7).

Other emergency numbers

+33 (0)4 13 940 009: available between 9 AM - 12 AM and 13h30 PM - 18h30PM at GMT +1

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS07

GHS09

Signal Word:

WARNING

Product identifiers:

EC 202-983-3 ALPHA-HEXYLCINNAMALDEHYDE

EC 259-174-3 2-ACETONAPHTHONE-1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL

EC 250-954-9 4-TERT-BUTYLCYCLOHEXYL ACETATE

EC 201-134-4 LINALOOL EC 227-813-5 D-LIMONENE EC 202-086-7 COUMARIN

EC 201-746-1 BETA-CARYOPHYLLENE

Hazard statements:

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ ...

Precautionary statements - Response:

P302 + P352IF ON SKIN: Wash with plenty of water/... P321 Specific treatment (see ... on this label).

P333 + P313If skin irritation or rash occurs: Get medical advice/attention. P362 + P364Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Precautionary statements - Disposal:

P501 Dispose of contents/container to ...

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 101-86-0	GHS07, GHS09		$0 \le x \% < 2.5$
EC: 202-983-3	Wng		
REACH: 01-2119533092-50-0000	Skin Sens. 1B, H317		
	Aquatic Chronic 2, H411		
ALPHA-HEXYLCINNAMALDEHYDE	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 54464-57-2	GHS07, GHS09		0 <= x % < 2.5
EC: 259-174-3	Wng		
REACH: 01-2119489989-04-XXXX	Skin Irrit. 2, H315		
The state of the s	Skin Sens. 1B, H317		
2-ACETONAPHTHONE-1,2,3,4,5,6,7,8-OCTA	Aquatic Chronic 1, H410		
HYDRO-2,3,8,8-TETRAMETHYL	M Chronic = 1		
CAS: 3407-42-9	GHS07, GHS09		$0 \le x \% < 2.5$
EC: 222-294-1	Wng		0 1 17 70 1210
REACH: 01-2119979583-21-XXXX	Eye Irrit. 2, H319		
REFIELD OF ELLEYPHYSOS EL TERMIN	Aquatic Chronic 2, H411		
3-(5,5,6-TRIMETHYLBICYCLO[2.2.1]HEPT-2			
-YL)CYCLOHEXAN-1-OL	M Acute = 1		
CAS: 32210-23-4	GHS07		$0 \le x \% < 2.5$
EC: 250-954-9	Wng		0 (- N /0 (2.5
REACH: 01-2119976286-24-0008	Skin Sens. 1B, H317		
REFIELD 01 2119970200 21 0000	Skin Sens. 13, 11317		
4-TERT-BUTYLCYCLOHEXYL ACETATE			
CAS: 78-70-6	GHS07		$0 \le x \% < 2.5$
EC: 201-134-4	Wng		
REACH: 01-2119474016-42-0000	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
LINALOOL	Eye Irrit. 2, H319		
CAS: 5989-27-5	GHS02, GHS07, GHS08, GHS09		$0 \le x \% < 2.5$
EC: 227-813-5	Dgr		
REACH: 01-2119529223-47-xxxx	Flam. Liq. 3, H226		
	Asp. Tox. 1, H304		
D-LIMONENE	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Chronic 3, H412		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Acute 1, H400		

CAS: 91-64-5	GHS07		0 <= x % < 2.5
EC: 202-086-7	Wng		
REACH: 01-2119943756-26-0001	Acute Tox. 4, H302		
	Skin Sens. 1B, H317		
COUMARIN	,		
INDEX: 609-069-00-7	GHS08, GHS09	[2]	0 <= x % < 2.5
CAS: 81-14-1	Wng		
EC: 201-328-9	Carc. 2, H351		
REACH: 01-2120766629-37-XXXX	Aquatic Acute 1, H400		
	M Acute = 1		
MUSK KETONE	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 1506-02-1	GHS07, GHS09		0 <= x % < 2.5
EC: 216-133-4	Wng		
REACH: 01-2119539433-40-XXXX	Acute Tox. 4, H302		
	Aquatic Acute 1, H400		
6-ACETYL-1,1,2,4,4,7-HEXAMETHYLTETRA	M Acute = 1		
LINE (TONALIDE, FIXOLIDE, AHTN)	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 87-44-5	GHS07, GHS08		0 <= x % < 2.5
EC: 201-746-1	Dgr		
REACH: 01-2120745237-53-XXXX	Asp. Tox. 1, H304		
	Skin Sens. 1B, H317		
BETA-CARYOPHYLLENE	Aquatic Chronic 4, H413		
CAS: 469-61-4	GHS08, GHS09		$0 \le x \% < 2.5$
EC: 207-418-4	Dgr		
REACH: EXEMPTION	Asp. Tox. 1, H304		
	Aquatic Acute 1, H400		
ALPHA-CEDRENE	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 10		
CAS: 546-28-1	GHS09		$0 \le x \% < 2.5$
EC: 208-898-8	Wng		
	Aquatic Acute 1, H400		
BETA-CEDRENE	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 10		

(Full text of H-phrases: see section 16)

Information on ingredients:

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

LINALOOL (CAS: 78-70-6)

Final use: Workers.

Exposure method: Dermal contact.

Potential health effects: Short term systemic effects.

DNEL: 5 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Short term local effects.

DNEL: 15 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 2.5 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term local effects.

DNEL: 15 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Short term systemic effects.

DNEL: 2.5 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Short term systemic effects.

DNEL: 16.5 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 2.8 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Short term systemic effects.

DNEL: 1.2 mg/kg body weight/day

Exposure method: Ingestion.

Potential health effects: Long term systemic effects.

DNEL: 0.2 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Short term local effects.

DNEL: 15 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 1.25 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term local effects.

DNEL: 15 mg of substance/cm2

Exposure method: Inhalation.

Potential health effects: Short term systemic effects.

DNEL: 4.1 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 0.7 mg of substance/m3

2-ACETONAPHTHONE-1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL (CAS: 54464-57-2)

Final use: Workers.

Exposure method: Dermal contact.

Potential health effects: Short term local effects.

DNEL: 101.1 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 1.73 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 1.76 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic

Potential health effects: Long term systemic effects.

DNEL: 0.25 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Short term local effects.

DNEL: 50.6 µg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 0.86 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects.

DNEL: 0.43 mg of substance/m3

ALPHA-HEXYLCINNAMALDEHYDE (CAS: 101-86-0)

Final use:

Exposure method:
Potential health effects:
DNEL:

Workers.

Dermal contact.
Short term local effects.
0.525 mg of substance/cm2

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.

DNEL: 18.2 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term local effects.

DNEL: 0.525 mg of substance/cm2

Exposure method: Inhalation.

Potential health effects: Short term local effects.
DNEL: 6.28 mg of substance/m3

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 0.078 mg of substance/m3

Predicted no effect concentration (PNEC):

LINALOOL (CAS: 78-70-6)

Environmental compartment: Soil.

PNEC: 0.327 mg/kg

Environmental compartment: Fresh water. PNEC : 0.2 mg/l

 $\begin{array}{ll} \mbox{Environmental compartment:} & \mbox{Sea water.} \\ \mbox{PNEC:} & \mbox{0.02 mg/l} \end{array}$

Environmental compartment: Intermittent waste water.

PNEC: 2 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 2.22 mg/kg

Environmental compartment: Marine sediment.

PNEC: 0.222

 $2\text{-}ACETONAPHTHONE-1,2,3,4,5,6,7,8-}OCTAHYDRO-2,3,8,8-TETRAMETHYL\ (CAS:\ 54464-57-2)$

Environmental compartment: Soil. PNEC: 0.705 mg/kg

 $\begin{array}{ll} Environmental \ compartment: & Fresh \ water. \\ PNEC: & 2.8 \ \mu g/l \end{array}$

Environmental compartment: Sea water.

PNEC : $0.28 \,\mu\text{g/l}$

Environmental compartment: Intermittent waste water.

PNEC: $13 \mu g/l$

Environmental compartment: Fresh water sediment.

PNEC: 3.73 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.75 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 10 mg/l

ALPHA-HEXYLCINNAMALDEHYDE (CAS: 101-86-0)

Environmental compartment: Soil. PNEC: 9.51 mg/kg

Environmental compartment: Fresh water. PNEC: 0.03 mg/l

Environmental compartment: Sea water. PNEC: 0.003 mg/l

Environmental compartment: Fresh water sediment.

PNEC: 4.7 mg/kg

Environmental compartment: Marine sediment. PNEC: 4.77 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 10 mg/l

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVA (Polyvinyl alcohol)

Recommended properties:

- Impervious gloves in accordance with standard EN ISO 374-2

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact. Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Fluid liquid.

Important health, safety and environmental information

 $\begin{array}{lll} pH: & Not \ relevant. \\ Boiling \ point/boiling \ range: & Not \ specified. \\ Flash \ Point \ Interval: & FP > 100 ^{\circ}C. \\ Vapour \ pressure \ (50 ^{\circ}C): & Not \ relevant. \\ Density: & Not \ stated. \\ Water \ solubility: & Insoluble. \\ \end{array}$

 $\begin{tabular}{lll} Viscosity: & v < 7 mm2/s (40 {\rm ^{\circ}C}) \\ Melting point/melting range: & Not specified. \\ Self-ignition temperature: & Not specified. \\ Decomposition point/decomposition range: & Not specified. \\ \end{tabular}$

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

Stockage: 1 year secure from air and light and heat

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Stockage: 6 months secure from light and air, in packing of origin. Stockage: 1 year secure from light and air, in packing of origin.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Splashes in the eyes may cause irritation and reversible damage

May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity:

 $6\text{-}ACETYL-1,1,2,4,4,7\text{-}HEXAMETHYLTETRALINE} \ (TONALIDE, FIXOLIDE, AHTN) \ (CAS: 1506-02-1)$

Oral route : LD50 = 1000 mg/kg

LINALOOL (CAS: 78-70-6)

Oral route: LD50 = 2790 mg/kg

4-TERT-BUTYLCYCLOHEXYL ACETATE (CAS: 32210-23-4)

Oral route : LD50 = 3370 mg/kg

ALPHA-HEXYLCINNAMALDEHYDE (CAS: 101-86-0)

Oral route : LD50 = 3100 mg/kg

11.1.2. Mixture

No toxicological data available for the mixture.

Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 123-35-3: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 93-15-2: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 5989-27-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

 $CAS\ 128\text{-}37\text{-}0: IARC\ Group\ 3: The\ agent\ is\ not\ classifiable\ as\ to\ its\ carcinogenicity\ to\ humans.$

CAS 111-42-2 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 97-53-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 123-35-3: IARC Group 2B: The agent is possibly carcinogenic to humans.

CAS 102-71-6: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 91-64-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 5989-27-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12: ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2019 - IMDG 2018 - ICAO/IATA 2020).

14.1. UN number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(alpha-hexylcinnamaldehyde)

14.3. Transport hazard class(es)

- Classification:



9

14.4. Packing group

III

14.5. Environmental hazards

- Environmentally hazardous material :



14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375	E1	3	-
							601			

Not subject to this regulation if $Q \le 51/5 \text{ kg}$ (ADR 3.3.1 - DS 375)

IN	ИDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation
									Handling	
		9	-	III	5 L	F-A, S-F	274 335 969	E1	Category A	-

Not subject to this regulation if $Q \le 51/5$ kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ

9	-	III	964	450 L	964	450 L	A97 A158	E1
							A197	
9	-	III	Y964	30 kg G	-	-	A97 A158	E1
							A197	

Not subject to this regulation if $Q \le 51/5 \text{ kg}$ (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(alpha-hexylcinnamaldehyde)

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/1182 (ATP 15)
- Container information:

No data available.

- Particular provisions :

No data available.

 $\hbox{-} Standardised\ American\ system\ for\ the\ identification\ of\ hazards\ presented\ by\ the\ product\ in\ view\ of\ emergency\ procedures\ (NFPA\ 704):$

NFPA 704, Labelling: Health=2 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Abbreviations:

DNEL: Derived No-Effect Level

PNEC: Predicted No-Effect Concentration CMR: Carcinogenic, mutagenic or reprotoxic.

UFI : Unique Formula Identifier STEL : Short-term exposure limit TWA : Time Weighted Averages

TMP : French Occupational Illness table TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

 $WGK: Wasserge fahrdungsklasse \ (Water\ Hazard\ Class).$

GHS07 : Exclamation mark GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.