



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : SARMENT DE NOEL KE15667

Product code : 45939.

UFI : H7XK-F0WK-Q00V-RKAF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Fragrance compounds

1.3. Details of the supplier of the safety data sheet

Зарегистрированное имя компании :

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : ORFILA/INRS + 33 (0)1 45 42 59 59 (24h/24 7j/7).

Other emergency numbers

+33 (0)4 13 940 009: available between 9 AM - 12 AM and 13h30 PM - 18h30PM at GMT +1

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07



GHS09

Signal Word :

WARNING

Product identifiers :

| | |
|--------------|--|
| EC 227-813-5 | D-LIMONENE |
| EC 259-174-3 | 2-ACETONAPHTHONE-1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL |
| EC 204-116-4 | LINALYL ACETATE |
| EC 204-846-3 | ALPHA-ISO-METHYLIONONE |
| EC 250-954-9 | 4-TERT-BUTYLCYCLOHEXYL ACETATE |
| EC 202-086-7 | COUMARIN |
| EC 202-589-1 | EUGENOL |
| EC 279-822-9 | (Z)-3,4,5,6,6-PENTAMETHYLHEPT-3-EN-2-ONE |
| EC 203-213-9 | CINNAMALDEHYDE |
| EC 289-632-8 | GUAIAIC WOOD OIL |

Hazard statements :

| | |
|------|--|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H411 | Toxic to aquatic life with long lasting effects. |

Precautionary statements - Prevention :

| | |
|------|---|
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
|------|---|

| | |
|---------------------------------------|---|
| P264 | Wash ... thoroughly after handling. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P273 | Avoid release to the environment. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ ... |
| Precautionary statements - Response : | |
| P302 + P352 | IF ON SKIN: Wash with plenty of water/... |
| P321 | Specific treatment (see ... on this label). |
| P332 + P313 | If skin irritation occurs: Get medical advice/attention. |
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |
| P391 | Collect spillage. |
| Precautionary statements - Disposal : | |
| P501 | Dispose of contents/container to ... |

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contains substances $\geq 0.1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

| Identification | (EC) 1272/2008 | Note | % |
|--|---|------|---------------------|
| CAS: 60-12-8 EC: 200-456-2 REACH: 01-2119963921-31-XXXX PHENETHYL ALCOHOL | GHS07 Wng Acute Tox. 4, H302 Eye Irrit. 2, H319 | | 2.5 \leq x % < 10 |
| HYDROCARBONS | GHS08 Dgr Asp. Tox. 1, H304 | | 2.5 \leq x % < 10 |
| CAS: 5989-27-5 EC: 227-813-5 REACH: 01-2119529223-47-xxxx D-LIMONENE | GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1 | | 2.5 \leq x % < 10 |
| CAS: 54464-57-2 EC: 259-174-3 REACH: 01-2119489989-04-XXXX 2-ACETONAPHTHONE-1,2,3,4,5,6,7,8-OCTA HYDRO-2,3,8,8-TETRAMETHYL | GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 1, H410 M Chronic = 1 | | 2.5 \leq x % < 10 |
| CAS: 115-95-7 EC: 204-116-4 REACH: 01-2119454789-19-0001 LINALYL ACETATE | GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319 | | 2.5 \leq x % < 10 |
| CAS: 127-51-5 EC: 204-846-3 REACH: 01-2120138569-45-xxxx ALPHA-ISO-METHYLIONONE | GHS07, GHS09 Wng Skin Sens. 1B, H317 Aquatic Chronic 2, H411 | | 0 \leq x % < 2.5 |
| CAS: 32210-23-4 EC: 250-954-9 REACH: 01-2119976286-24-0008 4-TERT-BUTYLCYCLOHEXYL ACETATE | GHS07 Wng Skin Sens. 1B, H317 | | 0 \leq x % < 2.5 |

| | | | |
|--|--|--|----------------|
| CAS: 91-64-5 EC: 202-086-7 REACH: 01-2119943756-26-0001 COUMARIN | GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317 | | 0 <= x % < 2.5 |
| CAS: 97-53-0 EC: 202-589-1 REACH: 01-2119971802-33-XXXX EUGENOL | GHS07 Wng Skin Sens. 1B, H317 Eye Irrit. 2, H319 | | 0 <= x % < 2.5 |
| CAS: 81786-73-4 EC: 279-822-9 REACH: 01-2119980043-42-0000 (Z)-3,4,5,6,6-PENTAMETHYLHEPT-3-EN-2-ONE | GHS07, GHS09 Wng Skin Sens. 1B, H317 Aquatic Chronic 2, H411 | | 0 <= x % < 2.5 |
| CAS: 104-55-2 EC: 203-213-9 REACH: 01-2119935242-45-XXXX CINNAMALDEHYDE | GHS07 Wng Acute Tox. 4, H312 Skin Irrit. 2, H315 Skin Sens. 1A, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 | | 0 <= x % < 2.5 |
| CAS: 8016-23-7 EC: 289-632-8 REACH: 01-2120138621-63 GUAIAIC WOOD OIL | GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411 | | 0 <= x % < 2.5 |
| CAS: 123-35-3 EC: 204-622-5 REACH: 01-2119514321-56-0000 MYRCENE | GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Aquatic Acute 1, H400 M Acute = 1 | | 0 <= x % < 2.5 |

Specific concentration limits:

| Identification | Specific concentration limits | ATE |
|--|-------------------------------|--|
| CAS: 60-12-8 EC: 200-456-2 REACH: 01-2119963921-31-XXXX PHENETHYL ALCOHOL | | oral: ATE = 1610 mg/kg BW |
| CAS: 32210-23-4 EC: 250-954-9 REACH: 01-2119976286-24-0008 4-TERT-BUTYLCYCLOHEXYL ACETATE | | oral: ATE = 3370 mg/kg BW |
| CAS: 104-55-2 EC: 203-213-9 REACH: 01-2119935242-45-XXXX CINNAMALDEHYDE | | dermal: ATE = 1100 mg/kg BW oral: ATE = 2200 mg/kg BW |

Information on ingredients :

(Full text of H-phrases: see section 16)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media**Suitable methods of extinction**

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO₂)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

MYRCENE (CAS: 123-35-3)

Final use:

Exposure method:

Potential health effects:

DNEL :

Exposure method:

Potential health effects:

DNEL :

Final use:

Exposure method:

Potential health effects:

DNEL :

Exposure method:

Potential health effects:

DNEL :

Exposure method:

Potential health effects:

DNEL :

Workers.

Dermal contact.

Long term systemic effects.

0.83 mg/kg body weight/day

Inhalation.

Long term systemic effects.

5.83 mg of substance/m³

Consumers.

Ingestion.

Long term systemic effects.

0.42 mg/kg body weight/day

Dermal contact.

Long term systemic effects.

0.42 mg/kg body weight/day

Inhalation.

Long term systemic effects.

1.25 mg of substance/m³

LINALYL ACETATE (CAS: 115-95-7)

Final use:

Exposure method:
 Potential health effects:
 DNEL :

Workers.

Dermal contact.
 Short term local effects.
 8 mg of substance/cm²

Exposure method:
 Potential health effects:
 DNEL :

Dermal contact.
 Long term systemic effects.
 2.5 mg/kg body weight/day

Exposure method:
 Potential health effects:
 DNEL :

Dermal contact.
 Long term local effects.
 8 mg of substance/cm²

Exposure method:
 Potential health effects:
 DNEL :

Inhalation.
 Long term systemic effects.
 2.75 mg of substance/m³

Final use:

Exposure method:
 Potential health effects:
 DNEL :

Consumers.

Ingestion.
 Long term systemic effects.
 0.2 mg/kg body weight/day

Exposure method:
 Potential health effects:
 DNEL :

Dermal contact.
 Short term local effects.
 8 mg of substance/cm²

Exposure method:
 Potential health effects:
 DNEL :

Dermal contact.
 Long term systemic effects.
 1.25 mg/kg body weight/day

Exposure method:
 Potential health effects:
 DNEL :

Dermal contact.
 Long term local effects.
 8 mg of substance/cm²

Exposure method:
 Potential health effects:
 DNEL :

Inhalation.
 Long term systemic effects.
 0.68 mg of substance/m³

2-ACETONAPHTHONE-1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL (CAS: 54464-57-2)
Final use:

Exposure method:
 Potential health effects:
 DNEL :

Workers.

Dermal contact.
 Short term local effects.
 101.1 mg/kg body weight/day

Exposure method:
 Potential health effects:
 DNEL :

Dermal contact.
 Long term systemic effects.
 1.73 mg/kg body weight/day

Exposure method:
 Potential health effects:
 DNEL :

Inhalation.
 Long term systemic effects.
 1.76 mg of substance/m³

Final use:

Exposure method:
 Potential health effects:
 DNEL :

Consumers.

Ingestion.
 Long term systemic effects.
 0.25 mg/kg body weight/day

Exposure method:
 Potential health effects:

Dermal contact.
 Short term local effects.

| | |
|---------------------------|--------------------------------------|
| DNEL : | 50.6 µg of substance/cm ² |
| Exposure method: | Dermal contact. |
| Potential health effects: | Long term systemic effects. |
| DNEL : | 0.86 mg/kg body weight/day |
| Exposure method: | Inhalation. |
| Potential health effects: | Long term systemic effects. |
| DNEL : | 0.43 mg of substance/m ³ |

Predicted no effect concentration (PNEC):

MYRCENE (CAS: 123-35-3)

| | |
|----------------------------|------------------------------|
| Environmental compartment: | Soil. |
| PNEC : | 1.015 mg/kg |
| Environmental compartment: | Fresh water. |
| PNEC : | 8 µg/l |
| Environmental compartment: | Sea water. |
| PNEC : | 0.8 µg/l |
| Environmental compartment: | Fresh water sediment. |
| PNEC : | 5.022 mg/kg |
| Environmental compartment: | Marine sediment. |
| PNEC : | 0.502 mg/kg |
| Environmental compartment: | Waste water treatment plant. |
| PNEC : | 0.2 mg/l |

LINALYL ACETATE (CAS: 115-95-7)

| | |
|----------------------------|------------------------------|
| Environmental compartment: | Soil. |
| PNEC : | 0.115 mg/kg |
| Environmental compartment: | Fresh water. |
| PNEC : | 0.011 mg/l |
| Environmental compartment: | Sea water. |
| PNEC : | 0.0011 mg/l |
| Environmental compartment: | Intermittent waste water. |
| PNEC : | 0.11 mg/l |
| Environmental compartment: | Fresh water sediment. |
| PNEC : | 0.609 mg/kg |
| Environmental compartment: | Marine sediment. |
| PNEC : | 0.0609 mg/kg |
| Environmental compartment: | Waste water treatment plant. |
| PNEC : | 10 mg/l |

2-ACETONAPHTHONE-1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL (CAS: 54464-57-2)

| | |
|----------------------------|--------------|
| Environmental compartment: | Soil. |
| PNEC : | 0.705 mg/kg |
| Environmental compartment: | Fresh water. |
| PNEC : | 2.8 µg/l |
| Environmental compartment: | Sea water. |

| | |
|--------------------------------------|---|
| PNEC : | 0.28 µg/l |
| Environmental compartment: PNEC : | Intermittent waste water. 13 µg/l |
| Environmental compartment: PNEC : | Fresh water sediment. 3.73 mg/kg |
| Environmental compartment: PNEC : | Marine sediment. 0.75 mg/kg |
| Environmental compartment: PNEC : | Waste water treatment plant. 10 mg/l |

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- PVA (Polyvinyl alcohol)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state : Fluid liquid.

Colour

Unspecified

Odour

Odour threshold : Not stated.

Melting point

Melting point/melting range : Not specified.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range : Not specified.

Flammability

Flammability (solid, gas) : Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) : Not stated.

Explosive properties, upper explosivity limit (%) : Not stated.

Flash point

Flash Point : 100.00 °C.

Auto-ignition temperature

Self-ignition temperature : Not specified.

Decomposition temperature

Decomposition point/decomposition range : Not specified.

pH

pH : Not relevant.

pH (aqueous solution) : Not stated.

Kinematic viscosity

Viscosity : Not stated.

Viscosity: $\nu < 7 \text{ mm}^2/\text{s}$ (40°C)

Solubility

Water solubility : Insoluble.

Fat solubility : Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water : Not stated.

Vapour pressure

Vapour pressure (50°C) : Not relevant.

Density and/or relative density

Density : Not stated.

Relative vapour density

Vapour density : Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY**10.1. Reactivity**

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

Stockage : 1 year secure from air and light and heat

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Stockage : 6 months secure from light and air, in packing of origin.

Stockage : 1 year secure from light and air, in packing of origin.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Splashes in the eyes may cause irritation and reversible damage

May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity :

CINNAMALDEHYDE (CAS: 104-55-2)

Oral route : LD50 = 2200 mg/kg

Dermal route : LD50 = 1100 mg/kg

4-TERT-BUTYLCYCLOHEXYL ACETATE (CAS: 32210-23-4)

Oral route : LD50 = 3370 mg/kg

PHENETHYL ALCOHOL (CAS: 60-12-8)

Oral route : LD50 = 1610 mg/kg

11.1.2. Mixture

No toxicological data available for the mixture.

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 108-88-3 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.

CAS 98-01-1 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 98-01-1 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 123-35-3 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 97-53-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 91-64-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2021 - IMDG 2020 - ICAO/IATA 2021).

14.1. UN number or ID number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(d-limonene)

14.3. Transport hazard class(es)

- Classification :



9

14.4. Packing group

III

14.5. Environmental hazards

- Environmentally hazardous material :



14.6. Special precautions for user

| ADR/RID | Class | Code | Pack gr. | Label | Ident. | LQ | Provis. | EQ | Cat. | Tunnel |
|---------|-------|------|----------|-------|--------|-----|--------------------|----|------|--------|
| | 9 | M6 | III | 9 | 90 | 5 L | 274 335 375 601 | E1 | 3 | - |

Not subject to this regulation if Q ≤ 5 l / 5 kg (ADR 3.3.1 - DS 375)

| IMDG | Class | 2°Label | Pack gr. | LQ | EMS | Provis. | EQ | Stowage Handling | Segregation |
|------|-------|---------|----------|-----|----------|-------------|----|---------------------|-------------|
| | 9 | - | III | 5 L | F-A, S-F | 274 335 969 | E1 | Category A | - |

Not subject to this regulation if Q ≤ 5 l / 5 kg (IMDG 3.3.1 - 2.10.2.7)

| IATA | Class | 2°Label | Pack gr. | Passager | Passager | Cargo | Cargo | note | EQ |
|------|-------|---------|----------|----------|----------|-------|-------|-----------------------|----|
| | 9 | - | III | 964 | 450 L | 964 | 450 L | A97 A158 A197 A215 | E1 |
| | 9 | - | III | Y964 | 30 kg G | - | - | A97 A158 A197 A215 | E1 |

Not subject to this regulation if Q ≤ 5 l / 5 kg (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(d-limonene)

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

- Container information:

No data available.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

| | |
|------|---|
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.