

CP42956 - KATOUCHA MY CITY



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : KATOUCHA MY CITY

Product code : CP42956

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product reserved for professional use in the perfumery industry

1.3. Details of the supplier of the safety data sheet

JEAN CALUDE

107023

Россия

г. Москва, ул. Суворовская, д. 6\5

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA <http://www.centres-antipoison.net>.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07

Signal Word :

WARNING

Product identifiers :

EC 204-262-9	BENZYL SALICYLATE
EC 201-134-4	LINALOOL
EC 233-732-6	3,7-DIMETHYL-1,6-NONADIEN-3-OL
EC 204-116-4	LINALYL ACETATE
EC 214-881-6	ALPHA-METHYL-1,3-BENZODIOXOLE-5-PROPIONALDEHYDE
EC 228-408-6	HEXYL SALICYLATE
EC 202-983-3	ALPHA-HEXYLCINNAMALDEHYDE
EC 203-375-0	DL-CITRONELLOL
EC 203-377-1	GERANIOL
EC 251-649-3	6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE
EC 227-813-5	D-LIMONENE
EC 906-083-8	REACTION MASS OF GERANYL ACETATE AND NERYL ACETATE
EC 203-161-7	2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE

CP42956 - KATOUCHA MY CITY



EC 222-908-8 4-HYDROXY-2,5-DIMETHYL-3(2H)-FURANONE

Hazard statements :

- H317 May cause an allergic skin reaction.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - Prevention :

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ ...

Precautionary statements - Response :

- P302 + P352 IF ON SKIN: Wash with plenty of water/...
- P321 Specific treatment (see ... on this label).
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary statements - Disposal :

- P501 Dispose of contents/container to ...

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances $\geq 0.1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	(EC) 1272/2008	Note	%
INDEX: I84_66_2 CAS: 84-66-2 EC: 201-550-6 DIETHYL PHTHALATE		[1]	50 \leq x % < 100
INDEX: I25265_71_8 CAS: 25265-71-8 EC: 246-770-3 DIPROPYLENE GLYCOL (ISOMER UNSPECIFIED)		[1]	2.5 \leq x % < 10
INDEX: I118_58_1 CAS: 118-58-1 EC: 204-262-9 BENZYL SALICYLATE	GHS07 Wng Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412		0 \leq x % < 2.5
INDEX: I78_70_6 CAS: 78-70-6 EC: 201-134-4 LINALOOL	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319		0 \leq x % < 2.5
INDEX: S055 CAS: 10339-55-6 EC: 233-732-6 REACH: 01-2119969272-32 3,7-DIMETHYL-1,6-NONADIEN-3-OL	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319		0 \leq x % < 2.5
INDEX: I115_95_7 CAS: 115-95-7 EC: 204-116-4	GHS07 Wng Skin Irrit. 2, H315		0 \leq x % < 2.5

CP42956 - KATOUCHA MY CITY



LINALYL ACETATE	Skin Sens. 1B, H317 Eye Irrit. 2, H319		
INDEX: I1205_17_0 CAS: 1205-17-0 EC: 214-881-6 ALPHA-METHYL-1,3-BENZODIOXOLE-5-PROPIONALDEHYDE	GHS07, GHS08, GHS09 Wng Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411	[2]	0 <= x % < 2.5
INDEX: I6259_76_3 CAS: 6259-76-3 EC: 228-408-6 HEXYL SALICYLATE	GHS07, GHS09 Wng Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5
INDEX: I101_86_0 CAS: 101-86-0 EC: 202-983-3 ALPHA-HEXYLCINNAMALDEHYDE	GHS07, GHS09 Wng Skin Sens. 1B, H317 Aquatic Chronic 2, H411 Aquatic Acute 1, H400 M Acute = 1		0 <= x % < 2.5
INDEX: I106_22_9 CAS: 106-22-9 EC: 203-375-0 DL-CITRONELLOL	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319		0 <= x % < 2.5
INDEX: I106_24_1 CAS: 106-24-1 EC: 203-377-1 GERANIOL	GHS05, GHS07 Dgr Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318		0 <= x % < 2.5
INDEX: I33704_61_9 CAS: 33704-61-9 EC: 251-649-3 6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE	GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411		0 <= x % < 2.5
INDEX: I601029007A CAS: 5989-27-5 EC: 227-813-5 D-LIMONENE	GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1	[1]	0 <= x % < 2.5
INDEX: LM4921 EC: 906-083-8 REACTION MASS OF GERANYL ACETATE AND NERYL ACETATE	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412		0 <= x % < 2.5
INDEX: I1506_02_1 CAS: 1506-02-1 EC: 216-133-4 1-(5,6,7,8-TETRAHYDRO-3,5,5,6,8,8-HEXAMETHYL-2-NAPHTHYL)ETHAN-1-ONE (FIXOLID)	GHS07, GHS09 Wng Acute Tox. 4, H302 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 2.5

CP42956 - KATOUCHA MY CITY

* JEAN *
CLAUDE

INDEX: I103_95_7 CAS: 103-95-7 EC: 203-161-7 2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	0 <= x % < 2.5
INDEX: I3658_77_3 CAS: 3658-77-3 EC: 222-908-8 4-HYDROXY-2,5-DIMETHYL-3(2H)-FURANONE	GHS05, GHS07 Dgr Acute Tox. 4, H302 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318	0 <= x % < 2.5

Specific concentration limits:

Identification	Specific concentration limits	ATE
INDEX: I118_58_1 CAS: 118-58-1 EC: 204-262-9 BENZYL SALICYLATE		oral: ATE = 2200 mg/kg BW
INDEX: I78_70_6 CAS: 78-70-6 EC: 201-134-4 LINALOOL		oral: ATE = 2790 mg/kg BW
INDEX: S055 CAS: 10339-55-6 EC: 233-732-6 REACH: 01-2119969272-32 3,7-DIMETHYL-1,6-NONADIEN-3-OL		oral: ATE = 5000 mg/kg BW
INDEX: I1205_17_0 CAS: 1205-17-0 EC: 214-881-6 ALPHA-METHYL-1,3-BENZODIOXOLE-5-PROPIONALDEHYDE		oral: ATE = 3562 mg/kg BW
INDEX: I101_86_0 CAS: 101-86-0 EC: 202-983-3 ALPHA-HEXYLCINNAMALDEHYDE		oral: ATE = 3100 mg/kg BW
INDEX: I106_22_9 CAS: 106-22-9 EC: 203-375-0 DL-CITRONELLOL		dermal: ATE = 2650 mg/kg BW oral: ATE = 3450 mg/kg BW
INDEX: I106_24_1 CAS: 106-24-1 EC: 203-377-1 GERANIOL		oral: ATE = 3600 mg/kg BW
INDEX: I33704_61_9 CAS: 33704-61-9 EC: 251-649-3 6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE		oral: ATE = 2900 mg/kg BW
INDEX: I1506_02_1 CAS: 1506-02-1 EC: 216-133-4 1-(5,6,7,8-TETRAHYDRO-3,5,5,6,8,8-HEXAMETHYL-2-NAPHTHYL)ETHAN-1-ONE (FIXOLID)		oral: ATE = 1000 mg/kg BW
INDEX: I103_95_7 CAS: 103-95-7		oral: ATE = 3810 mg/kg BW

CP42956 - KATOUCHA MY CITY



EC: 203-161-7 2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE		
INDEX: I3658_77_3 CAS: 3658-77-3 EC: 222-908-8 4-HYDROXY-2,5-DIMETHYL-3(2H)-FURANONE		oral: ATE = 1608 mg/kg BW

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

CP42956 - KATOUCHA MY CITY



- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

CP42956 - KATOUCHA MY CITY



- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
84-66-2	5 mg/m ³			A4	

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :

CAS	VME :	VME :	Excess	Notes
25265-71-8		100 E mg/m ³		2(II)
5989-27-5		5 ppm 28 mg/m ³		4(II)

- France (INRS - ED984 / 2020-1546) :

CAS	VME-ppm :	VME-mg/m ³ :	VLE-ppm :	VLE-mg/m ³ :	Notes :	TMP No :
84-66-2	-	5	-	-	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
84-66-2	5 mg/m ³	10 mg/m ³			

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state : Fluid liquid.

Colour

Unspecified

Odour

Odour threshold : Not stated.

CP42956 - KATOUCHA MY CITY



Melting point

Melting point/melting range : Not specified.

Freezing point

Freezing point / Freezing range : Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range : Not specified.

Flammability

Flammability (solid, gas) : Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) : Not stated.

Explosive properties, upper explosivity limit (%) : Not stated.

Flash point

Flash Point : 94.00 °C.

Auto-ignition temperature

Self-ignition temperature : Not specified.

Decomposition temperature

Decomposition point/decomposition range : Not specified.

pH

pH : Not relevant.

pH (aqueous solution) : Not stated.

Kinematic viscosity

Viscosity : Not stated.

Viscosity: $v < 7 \text{ mm}^2/\text{s}$ (40°C)

Solubility

Water solubility : Insoluble.

Fat solubility : Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water : Not stated.

Vapour pressure

Vapour pressure (50°C) : Below 110 kPa (1.10 bar).

Density and/or relative density

Density : 1.089-1.099@20°C

Relative vapour density

Vapour density : Not stated.

9.2. Other information

Index of refraction : 1.491-1.501@20°C

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

CP42956 - KATOUCHA MY CITY



No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Splashes in the eyes may cause irritation and reversible damage
May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity :

4-HYDROXY-2,5-DIMETHYL-3(2H)-FURANONE (CAS:
3658-77-3)

Oral route : LD50 = 1608 mg/kg

2-METHYL-3-(P-ISOPROPYLPHENYL)PROPIONALDEHYDE
(CAS: 103-95-7)

Oral route : LD50 = 3810 mg/kg

1-(5,6,7,8-TETRAHYDRO-3,5,5,6,8,8-HEXAMETHYL-2-
NAPHTHYL)ETHAN-1-ONE (FIXOLID) (CAS: 1506-02-1)

Oral route : LD50 = 1000 mg/kg

6,7-DIHYDRO-1,1,2,3,3-PENTAMETHYL-4(5H)-INDANONE
(CAS: 33704-61-9)

Oral route : LD50 = 2900 mg/kg

GERANIOL (CAS: 106-24-1)

Oral route : LD50 = 3600 mg/kg

DL-CITRONELLOL (CAS: 106-22-9)

Oral route : LD50 = 3450 mg/kg

Dermal route : LD50 = 2650 mg/kg

ALPHA-HEXYLCINNAMALDEHYDE (CAS: 101-86-0)

Oral route : LD50 = 3100 mg/kg

ALPHA-METHYL-1,3-BENZODIOXOLE-5-
PROPIONALDEHYDE (CAS: 1205-17-0)

Oral route : LD50 = 3562 mg/kg

3,7-DIMETHYL-1,6-NONADIEN-3-OL (CAS: 10339-55-6)

Oral route : LD50 = 5000 mg/kg

LINALOOL (CAS: 78-70-6)

Oral route : LD50 = 2790 mg/kg

BENZYL SALICYLATE (CAS: 118-58-1)

Oral route : LD50 = 2200 mg/kg

11.1.2. Mixture

No toxicological data available for the mixture.

CP42956 - KATOUCHA MY CITY



Monograph(s) from the IARC (International Agency for Research on Cancer) :

- CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.
- CAS 97-53-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.
- CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.
- CAS 123-35-3 : IARC Group 2B : The agent is possibly carcinogenic to humans.
- CAS 128-37-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.
- CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.
- CAS 140-11-4 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.
The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

14.4. Packing group

-

CP42956 - KATOUCHA MY CITY



14.5. Environmental hazards

-

14.6. Special precautions for user

-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

- Container information:

No data available.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

CMR: Carcinogenic, mutagenic or reprotoxic.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

CP42956 - KATOUCHA MY CITY



IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.