

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 11/6/2023 Version: 1.0

SECTION 1: Identification

1.4. Emergency telephone number	
Emergency number	: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazard(s) identification	on	
2.1. Classification of the substance or	mixture	
GHS-US classification		
Flammable liquids, Category 4	H227	Combustible liquid
Skin sensitisation, Category 1	H317	May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361	Suspected of damaging fertility or the unborn child.
Full text of H-statements: see section 16		
2.2. GHS Label elements, including pr	ecautionary statements	
GHS US labelling		
Hazard pictograms (GHS US)		
Signal word (GHS US)	: Warning	
	: Warning : H227 - Combustible liquid	
Signal word (GHS US)	: H227 - Combustible liquid H317 - May cause an aller	
Signal word (GHS US) Hazard statements (GHS US)	: H227 - Combustible liquid H317 - May cause an aller H361 - Suspected of dama	iging fertility or the unborn child.
Signal word (GHS US)	: H227 - Combustible liquid H317 - May cause an aller H361 - Suspected of dama : P201 - Obtain special instr	iging fertility or the unborn child. uctions before use.
Signal word (GHS US) Hazard statements (GHS US)	 H227 - Combustible liquid H317 - May cause an aller H361 - Suspected of dama P201 - Obtain special instr P202 - Do not handle until 	ging fertility or the unborn child. uctions before use. all safety precautions have been read and understood.
Signal word (GHS US) Hazard statements (GHS US)	 H227 - Combustible liquid H317 - May cause an aller H361 - Suspected of dama P201 - Obtain special instr P202 - Do not handle until P210 - Keep away from her 	iging fertility or the unborn child. uctions before use.
Signal word (GHS US) Hazard statements (GHS US)	 H227 - Combustible liquid H317 - May cause an aller H361 - Suspected of dama P201 - Obtain special instr P202 - Do not handle until P210 - Keep away from he smoking. 	ging fertility or the unborn child. uctions before use. all safety precautions have been read and understood. eat, hot surfaces, sparks, open flames and other ignition sources. No
Signal word (GHS US) Hazard statements (GHS US)	 H227 - Combustible liquid H317 - May cause an aller H361 - Suspected of dama P201 - Obtain special instr P202 - Do not handle until P210 - Keep away from he smoking. P261 - Avoid breathing du 	ging fertility or the unborn child. uctions before use. all safety precautions have been read and understood.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Linalyl acetate	CAS-No.: 115-95-7	2.5 – 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
benzyl benzoate	CAS-No.: 120-51-4	1.3 – 2.5972	Acute Tox. 4 (Oral), H302
Linalool	CAS-No.: 78-70-6	1.037203 – 2.0607055	Flam. Liq. 4, H227 Skin Sens. 1, H317 Aquatic Acute 3, H402
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	CAS-No.: 63500-71-0	0.8 – 1.5538	Eye Irrit. 2A, H319
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0	0.501875 – 1.0034375	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Citrus medica limonum (Lemon) peel oil	CAS-No.: 8008-56-8	0.5 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 1, H410
Orange Oil	CAS-No.: 8028-48-6	0.2 – 0.3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures 4.1. Description of first aid measures First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest. : First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects (acute and delayed)		
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects Symptoms/effects after inhalation	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. 	

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.	
5.2. Specific hazards arising from the chemical		
Fire hazard Explosion hazard	: Combustible liquid. : May form flammable/explosive vapour-air mixture.	
5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipm	ent and emergency procedures	
General measures :	Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures :	Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment :	Equip cleanup crew with proper protection.	
Emergency procedures :	Ventilate area.	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includ	ling any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters
FIG LYCHEE FR22589
No additional information available
Linalyl acetate (115-95-7)
No additional information available
benzyl benzoate (120-51-4)
No additional information available
Linalool (78-70-6)
No additional information available
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)
No additional information available
Hexyl cinnamic aldehyde (101-86-0)
No additional information available
Citrus medica limonum (Lemon) peel oil (8008-56-8)
No additional information available
Orange Oil (8028-48-6)
No additional information available
8.2. Appropriate engineering controls

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:
Wear protective gloves.
Eye protection:
Chemical goggles or safety glasses
Respiratory protection:
Wear appropriate mask

Personal protective equipment symbol(s):



Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties	
9.1. Information on basic physical and chemical properties	
Physical state	: Liquid
Colour	: light yellow amber
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 92 °C
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: Not applicable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Evaluative properties	: No data available
Explosive properties	

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Not established.	
10.3. Possibility of hazardous reactions	
Not established.	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials	

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity (dermal)	Not classified Not classified Not classified
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)
ATE US (oral)	14550 mg/kg bodyweight
benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
ATE US (oral)	500 mg/kg bodyweight
ATE US (dermal)	4000 mg/kg bodyweight
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 5 mg/l/4h
ATE US (oral)	3100 mg/kg bodyweight

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Citrus medica limonum (Lemon) peel oil (8008-56-8)	
LD50 oral rat	2840 mg/kg (Source: NLM_CIP)
ATE US (oral)	2840 mg/kg bodyweight
Orange Oil (8028-48-6)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential adverse human health effects and	: Based on available data, the classification criteria are not met.
symptoms Symptoms/offects	· Not expected to present a significant bazerd under anticipated conditions of normal use
Symptoms/effects Symptoms/effects after inhalation	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1. Toxicity		
Linalyl acetate (115-95-7)		
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)	
benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
12.2. Persistence and degradability		
FIG LYCHEE FR22589		
Persistence and degradability	Not established.	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
FIG LYCHEE FR22589		
Bioaccumulative potential	Not established.	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

benzyl benzoate (120-51-4)	
Bioaccumulative potential	Not established.
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)	
Partition coefficient n-octanol/water (Log Pow)1.65 (at 23 °C (at pH >6.09-<6.74)	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other information :	Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Product/Packaging disposal recommendations Additional information Ecology - waste materials	 Dispose in a safe manner in accordance with local/national regulations. Handle empty containers with care because residual vapours are flammable. Avoid release to the environment.

SECTION 14: Transport information	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Not applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
14.4. Packing group	
Packing group (DOT)	: Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT No data available	

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information		
15.1. US Federal regulations		
All components of this product are present and listed a (TSCA) inventory, except for:	s Active on the United States Environme	ental Protection Agency Toxic Substances Control Act
Orange Oil	CAS-No. 8028-48-6	0.2 - 0.3%
15.2. International regulations		
CANADA		
Linalyl acetate (115-95-7)		
Listed on the Canadian DSL (Domestic Substances List	st)	
benzyl benzoate (120-51-4)		
Listed on the Canadian DSL (Domestic Substances List	st)	
Linalool (78-70-6)		
Listed on the Canadian DSL (Domestic Substances Lis	st)	
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500	-71-0)
Listed on the Canadian DSL (Domestic Substances List	st)	
Hexyl cinnamic aldehyde (101-86-0)	*	
Listed on the Canadian DSL (Domestic Substances Lis	51)	
Citrus medica limonum (Lemon) peel oil (800	8-56-8)	
Listed on the Canadian DSL (Domestic Substances List	st)	
Orange Oil (8028-48-6) Listed on the Canadian DSL (Domestic Substances List	st)	
EU-Regulations		
Linalyl acetate (115-95-7) Listed on the EEC inventory EINECS (European Inven	tory of Existing Commercial Chemical Su	(hstances)
benzyl benzoate (120-51-4)		
Listed on the EEC inventory EINECS (European Inven	tory of Existing Commercial Chemical Su	ubstances)
Linglool (78,70,6)		
Linalool (78-70-6) Listed on the EEC inventory EINECS (European Inven	tory of Existing Commercial Chemical Si	Jostances)
Hexyl cinnamic aldehyde (101-86-0)		
Listed on the EEC inventory EINECS (European Inven	tory of Existing Commercial Chemical Su	ubstances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Orange Oil (8028-48-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Linalyl acetate (115-95-7)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory) Listed on Thailand Existing Chemicals Inventory (DIW)

benzyl benzoate (120-51-4)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory)

Linalool (78-70-6)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hexyl cinnamic aldehyde (101-86-0)

- Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
- Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
- Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

- Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
- Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Citrus medica limonum (Lemon) peel oil (8008-56-8)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

- Listed on the TCSI (Taiwan Chemical Substance Inventory)
- Listed on the NCI (Vietnam National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

Orange Oil (8028-48-6)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Refined Soybean oil(8001-22-7)	U.S Pennsylvania - RTK (Right to Know) List
benzyl alcohol(100-51-6)	U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
ethyl acetate(141-78-6)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Dimethyl sulfide(75-18-3)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Diphenyl oxide(101-84-8)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Alcohol C-10(112-30-1)	U.S Pennsylvania - RTK (Right to Know) List
Diethyl malonate(105-53-3)	U.S New Jersey - Right to Know Hazardous Substance List
Aldehyde C-6(66-25-1)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Caproic acid(142-62-1)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Other information : None.


Full text of H-statements	
H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

NFPA fire hazard NFPA reactivity

irritation.

: 1 - Materials that must be preheated before ignition can occur.

: 0 - Material that in themselves are normally stable, even under fire conditions.



This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body.