

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 11/7/2023 Version: 1.0

## **SECTION 1: Identification**

## 1.1. Identification

Product form : Mixture

Product name : MULLED WINE FR57654

Product code : FR57654

Market number :

## 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Perfumes, fragrances Recommended use : Perfumes, fragrances

## 1.3. Supplier

info@hyggeland.ru

Hyggeland Company Stasova 184, 7 - Krasnodar - Russian Federation Phone.: +7 (953) 073-39-63

## 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil:

+0-800-591-6042; India: +000-800-100-4086

## SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Flammable liquids, Category 4

Skin corrosion/irritation, Category 2

H315

Causes skin irritation.

Serious eye damage/eye irritation, Category 2A

H319

Causes serious eye irritation.

Skin sensitisation, Category 1

H317

May cause an allergic skin reaction.

Carcinogenicity, Category 1B

H350

May cause cancer.

Reproductive toxicity, Category 2 H361 Suspected of damaging fertility or the unborn child.

Full text of H-statements: see section 16

## 2.2. GHS Label elements, including precautionary statements

## **GHS US labelling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H227 - Combustible liquid

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H350 - May cause cancer.

H361 - Suspected of damaging fertility or the unborn child.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands thoroughly after handling

P272 - Contaminated work clothing must not be allowed out of the workplace.

## 2.3. Other hazards which do not result in classification

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

Not applicable

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Orange oil	CAS-No.: 8008-57-9	3.8 – 7.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Eugenol	CAS-No.: 97-53-0	2.3 – 4.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
Cinnamic aldehyde	CAS-No.: 104-55-2	2 – 4	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1A, H317
trans-Anethole	CAS-No.: 4180-23-8	1.8 – 3.5	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
benzaldehyde	CAS-No.: 100-52-7	1.6 – 3.25	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302
Linalool	CAS-No.: 78-70-6	1.5 – 3	Flam. Liq. 4, H227 Skin Sens. 1, H317 Aquatic Acute 3, H402
Aldehyde C-10	CAS-No.: 112-31-2	1 – 2	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Chronic 3, H412
Terpineol	CAS-No.: 8000-41-7	0.8 – 1.5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Linalyl acetate	CAS-No.: 115-95-7	0.5 – 1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Cinnamon leaf oil	CAS-No.: 8015-91-6	0.1 – 0.25	Flam. Liq. 4, H227 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 STOT SE 3, H335
Calamus oil	CAS-No.: 8015-79-0	0.1 – 0.1	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
Nutmeg Oil	CAS-No.: 8008-45-5	0.1 – 0.1	Flam. Liq. 3, H226 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Repr. 2, H361 Asp. Tox. 1, H304
Anise oil (Spanish)	CAS-No.: 8007-70-3	0.1 – 0.1	Flam. Liq. 4, H227 Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351
Ginger oil	CAS-No.: 8007-08-7	0.1 – 0.1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe

fresh air. Allow the victim to rest.

First-aid measures after skin contact Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin

irritation occurs: Get medical advice/attention.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse immediately

with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

## 4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/effects

Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation Symptoms/effects after skin contact

: Irritation. May cause an allergic skin reaction.

May cause an allergic skin reaction.

11/7/2023 (Issue date) EN (English) 3/18

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects after eye contact : Eye irritation.

## 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Specific hazards arising from the chemical

Fire hazard : Combustible liquid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing. Do not enter fire area without proper protective

equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

# **6.2. Environmental precautions**

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving

work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product. Contaminated work clothing should not be

allowed out of the workplace.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well

ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **MULLED WINE FR57654**

No additional information available

#### Orange oil (8008-57-9)

No additional information available

## Eugenol (97-53-0)

No additional information available

#### Cinnamic aldehyde (104-55-2)

No additional information available

## trans-Anethole (4180-23-8)

No additional information available

#### benzaldehyde (100-52-7)

## **USA - AIHA - Occupational Exposure Limits**

WEEL TWA [ppm]	2 ppm
WEEL STEL [ppm]	4 ppm (15-min. STEL)
AIHA chemical category	Skin sensitizer

## Linalool (78-70-6)

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Aldehyde C-10 (112-31-2)

No additional information available

## **Terpineol (8000-41-7)**

No additional information available

## Linalyl acetate (115-95-7)

No additional information available

#### Cinnamon leaf oil (8015-91-6)

No additional information available

## Calamus oil (8015-79-0)

No additional information available

#### Nutmeg Oil (8008-45-5)

No additional information available

## Anise oil (Spanish) (8007-70-3)

No additional information available

#### Ginger oil (8007-08-7)

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures/Personal protective equipment

## Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Protective gloves. Wear protective gloves.

## Eye protection:

Safety glasses. Chemical goggles or safety glasses

## Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

#### Personal protective equipment symbol(s):







#### Other information:

Do not eat, drink or smoke during use.

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow amber
Odour : characteristic
Odour threshold : No data available
pH : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : 70 °C

Relative evaporation rate (butylacetate=1) : No data available Flammability : Not applicable. Vapour pressure : No data available Relative vapour density at 20°C : No data available

Relative density : ≈ 0.934

Solubility No data available Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature No data available Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosive limits** No data available Explosive properties No data available Oxidising properties No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions. Not established.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 11: Toxicological information**

Acute toxicity (inhalation) : Not classified  Orange oil (808-57-9)  LD50 oral rat	11.1. Information on toxicological effects			
Not classified   Corange oil (8008-57-9)	, ,			
Drange oil (8008-57-9)   LD50 oral rat				
D50 dermal rabbit   > 5000 mg/kg (Source: CHEMVIEW)				
ATE US (oral)  LUSO oral rat  1930 mg/kg (Source: NZ_CCID)  ATE US (oral)  1930 mg/kg (Source: NZ_CCID)  LD50 oral rat  2220 mg/kg (Source: NLM_CIP)  LD50 dermal rabbit  1260 mg/kg (Source: PA_HPV)  ATE US (oral)  2220 mg/kg bodyweight  trans-Anethole (4180-23-8)  LD50 oral rat  2090 mg/kg (Source: NLM_CIP)  LD50 dermal rabbit  > 4900 mg/kg (Source: NLM_CIP)  LD50 dermal rabbit  > 4900 mg/kg (Source: PA_API)  LC50 Inhalation - Rat  > 5.1 mg/l/4h  ATE US (oral)  2090 mg/kg (Source: PA_API)  LD50 dermal rabbit  > 1292 mg/kg (Source: JAPAN_GHS)  ATE US (oral)  2129 mg/kg (Source: JAPAN_GHS)  ATE US (oral)  1292 mg/kg (Source: NLM_HSDB)  ATE US (oral)  2730 mg/kg (Source: NLM_HSDB)  ATE US (oral)  3730 mg/kg (Source: NLM_HSDB)  ATE US (oral)  2900 mg/kg (Source: IUCLID)  LD50 dermal rabbit  > 3000 mg/kg (Source: IUCLID)  LD50 dermal rabbit  > 3000 mg/kg (Source: IUCLID)  ATE US (oral)  2900 mg/kg (Source: IUCLID)  ATE US (oral)  2900 mg/kg (Source: IUCLID)	LD50 oral rat	4400 mg/kg (Source: NZ_CCID)		
LD50 oral rat	LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
LD50 oral rat 1930 mg/kg (Source: NZ_CCID)  ATE US (oral) 1930 mg/kg bodyweight  Cinnamic aldehyde (104-55-2)  LD50 oral rat 2220 mg/kg (Source: NLM_CIP)  LD50 dermal rabbit 1260 mg/kg (Source: EPA_HPV)  ATE US (oral) 2220 mg/kg bodyweight  ATE US (dermal) 1260 mg/kg bodyweight  ATE US (dermal) 1260 mg/kg bodyweight  ATE US (dermal) 2090 mg/kg bodyweight  LD50 oral rat 2090 mg/kg (Source: NLM_CIP)  LD50 oral rat 2090 mg/kg (Source: NLM_CIP)  LD50 oral rat 2090 mg/kg (Source: ECHA_API)  LC50 Inhalation - Rat 35.1 mg/l/dh  ATE US (oral) 2090 mg/kg bodyweight  benzaldehyde (100-52-7)  LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS)  LD50 dermal rabbit 1292 mg/kg (Source: JAPAN_GHS)  ATE US (oral) 1292 mg/kg (Source: NLM_HSDB)  ATE US (oral) 1292 mg/kg (Source: NLM_HSDB)  ATE US (oral) 3730 mg/kg (Source: NLM_HSDB)  ATE US (oral) 3730 mg/kg (Source: NLM_HSDB)  Terpineol (8000-41-7)  LD50 oral rat 2900 mg/kg (Source: IUCLID)  ATE US (oral) 2900 mg/kg (Source: IUCLID)  ATE US (oral) 2900 mg/kg (Source: IUCLID)  ATE US (oral) 2900 mg/kg (Source: IUCLID)	ATE US (oral)	4400 mg/kg bodyweight		
ATE US (oral) 1930 mg/kg bodyweight  Cinnamic aldehyde (104-55-2)  LD50 oral rat 2220 mg/kg (Source: NLM_CIP)  LD50 dermal rabbit 1260 mg/kg (Source: EPA_HPV)  ATE US (oral) 2220 mg/kg bodyweight  ATE US (dermal) 1260 mg/kg bodyweight  trans-Anethole (4180-23-8)  LD50 oral rat 2090 mg/kg (Source: NLM_CIP)  LD50 dermal rabbit > 4900 mg/kg (Source: ECHA_API)  LC50 Inhalation - Rat > 5.1 mg/l/4h  ATE US (oral) 2090 mg/kg Source: JAPAN_GHS)  LD50 oral rat 1292 mg/kg Source: JAPAN_GHS)  LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS)  ATE US (oral) 1292 mg/kg bodyweight  LD50 dermal rabbit > 1250 mg/kg (Source: NLM_HSDB)  ATE US (oral) 1292 mg/kg Source: NLM_HSDB)  ATE US (oral) 3730 mg/kg (Source: NLM_HSDB)  ATE US (dermal) 5040 mg/kg bodyweight  Terpineol (8000-41-7)  LD50 oral rat 2900 mg/kg (Source: IUCLID)  ATE US (oral) 2900 mg/kg (Source: IUCLID)  ATE US (oral) 2900 mg/kg bodyweight  LInalyl acctate (115-95-7)	Eugenol (97-53-0)			
Cinnamic aldehyde (104-55-2)   LD50 oral rat   2220 mg/kg (Source: NLM_CIP)     LD50 dermal rabbit   1260 mg/kg (Source: EPA_HPV)     ATE US (oral)   2220 mg/kg bodyweight     ATE US (dermal)   1260 mg/kg (Source: EPA_HPV)     ATE US (dermal)   1260 mg/kg bodyweight     Itans-Anethole (4180-23-8)     LD50 oral rat   2090 mg/kg (Source: NLM_CIP)     LD50 dermal rabbit   > 4900 mg/kg (Source: ECHA_API)     LC50 Inhalation - Rat   > 5.1 mg/l/4h     ATE US (oral)   2090 mg/kg bodyweight     Denzaldehyde (100-52-7)     LD50 oral rat   1292 mg/kg (Source: JAPAN_GHS)     LD50 dermal rabbit   > 1250 mg/kg (Source: JAPAN_GHS)     ATE US (oral)   1292 mg/kg bodyweight     ATE US (oral)   1292 mg/kg bodyweight     LD50 oral rat   3730 mg/kg (Source: NLM_HSDB)     LD50 dermal rabbit   5040 mg/kg (Source: NLM_HSDB)     ATE US (oral)   3730 mg/kg (Source: NLM_HSDB)     ATE US (dermal)   5040 mg/kg (So	LD50 oral rat	1930 mg/kg (Source: NZ_CCID)		
LD50 oral rat 2220 mg/kg (Source: NLM_CIP)  LD50 dermal rabbit 1260 mg/kg (Source: EPA_HPV)  ATE US (oral) 2220 mg/kg bodyweight  ATE US (dermal) 1260 mg/kg bodyweight  trans-Anethole (4180-23-8)  LD50 oral rat 2090 mg/kg (Source: NLM_CIP)  LD50 dermal rabbit > 4900 mg/kg (Source: ECHA_API)  LC50 Inhalation - Rat > 5.1 mg/l/4h  ATE US (oral) 2090 mg/kg (Source: JAPAN_GHS)  benzaldehyde (100-52-7)  LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS)  LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS)  ATE US (oral) 1292 mg/kg (Source: NLM_HSDB)  ATE US (oral) 1292 mg/kg (Source: NLM_HSDB)  AIdehyde C-10 (112-31-2)  LD50 oral rat 3730 mg/kg (Source: NLM_HSDB)  ATE US (oral) 3730 mg/kg (Source: NLM_HSDB)  ATE US (oral) 3730 mg/kg (Source: NLM_HSDB)  ATE US (oral) 3730 mg/kg (Source: NLM_HSDB)  ATE US (dermal) 5040 mg/kg (Source: NLM_HSDB)  ATE US (dermal) 5040 mg/kg (Source: IUCLID)  ATE US (oral) 2900 mg/kg (Source: IUCLID)  ATE US (oral) 2900 mg/kg (Source: IUCLID)  ATE US (oral) 2900 mg/kg bodyweight  LInalyl acetate (115-95-7)	ATE US (oral)	1930 mg/kg bodyweight		
LD50 dermal rabbit	Cinnamic aldehyde (104-55-2)			
ATE US (oral) 2220 mg/kg bodyweight ATE US (dermal) 1260 mg/kg bodyweight  trans-Anethole (4180-23-8)  LD50 oral rat 2090 mg/kg (Source: NLM_CIP) LD50 dermal rabbit > 4900 mg/kg (Source: ECHA_API)  LC50 Inhalation - Rat > 5.1 mg/l/4h  ATE US (oral) 2090 mg/kg bodyweight  benzaldehyde (100-52-7) LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS)  LD50 dermal rabbit > 1292 mg/kg (Source: JAPAN_GHS)  ATE US (oral) 1292 mg/kg (Source: JAPAN_GHS)  ATE US (oral) 1292 mg/kg bodyweight  Aldehyde C-10 (112-31-2) LD50 oral rat 3730 mg/kg (Source: NLM_HSDB) ATE US (oral) 3730 mg/kg (Source: NLM_HSDB)  ATE US (oral) 3730 mg/kg bodyweight  ATE US (dermal) 5040 mg/kg (Source: NLM_HSDB)  ATE US (dermal) 5040 mg/kg bodyweight  Terpineol (8000-41-7) LD50 oral rat 2900 mg/kg (Source: IUCLID)  LD50 dermal rabbit > 3000 mg/kg (Source: IUCLID)  ATE US (oral) 2900 mg/kg bodyweight  Linalyl acetate (115-95-7)	LD50 oral rat	2220 mg/kg (Source: NLM_CIP)		
ATE US (dermal)  trans-Anethole (4180-23-8)  LDS0 oral rat  2090 mg/kg (Source: NLM_CIP)  LD50 dermal rabbit  > 4900 mg/kg (Source: ECHA_API)  LC50 Inhalation - Rat  > 5.1 mg/l/4h  ATE US (oral)  2090 mg/kg (Source: JAPAN_GHS)  LD50 dermal rabbit  > 1292 mg/kg (Source: JAPAN_GHS)  LD50 dermal rabbit  > 1292 mg/kg (Source: JAPAN_GHS)  ATE US (oral)  1292 mg/kg (Source: JAPAN_GHS)  ATE US (oral)  2090 mg/kg (Source: NLM_HSDB)  LD50 dermal rabbit  3730 mg/kg (Source: NLM_HSDB)  LD50 dermal rabbit  5040 mg/kg (Source: NLM_HSDB)  ATE US (oral)  3730 mg/kg bodyweight  ATE US (oral)  3730 mg/kg bodyweight  Terpineol (8000-41-7)  LD50 dermal rabbit  2900 mg/kg (Source: IUCLID)  ATE US (oral)  2900 mg/kg (Source: IUCLID)  ATE US (oral)  2900 mg/kg bodyweight  Linalyl acetate (115-95-7)	LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)		
trans-Anethole (4180-23-8)           LD50 oral rat         2090 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         > 4900 mg/kg (Source: ECHA_API)           LC50 Inhalation - Rat         > 5.1 mg/l/4h           ATE US (oral)         2090 mg/kg bodyweight           benzaldehyde (100-52-7)           LD50 oral rat         1292 mg/kg (Source: JAPAN_GHS)           LD50 dermal rabbit         > 1250 mg/kg (Source: JAPAN_GHS)           ATE US (oral)         1292 mg/kg bodyweight           Aldehyde C-10 (112-31-2)         LD50 oral rat           LD50 dermal rabbit         5040 mg/kg (Source: NLM_HSDB)           ATE US (oral)         3730 mg/kg (Source: NLM_HSDB)           ATE US (oral)         3730 mg/kg bodyweight           Terpineol (8000-41-7)           LD50 dermal rabbit         > 3000 mg/kg (Source: IUCLID)           LD50 dermal rabbit         > 3000 mg/kg (Source: IUCLID)           ATE US (oral)         2900 mg/kg (Source: IUCLID)           ATE US (oral)         2900 mg/kg bodyweight           Linalyl acetate (115-95-7)	ATE US (oral)	2220 mg/kg bodyweight		
LD50 oral rat         2090 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         > 4900 mg/kg (Source: ECHA_API)           LC50 Inhalation - Rat         > 5.1 mg/l/4h           ATE US (oral)         2090 mg/kg bodyweight           benzaldehyde (100-52-7)           LD50 oral rat         1292 mg/kg (Source: JAPAN_GHS)           LD50 dermal rabbit         > 1250 mg/kg (Source: JAPAN_GHS)           ATE US (oral)         1292 mg/kg bodyweight           Aldehyde C-10 (112-31-2)         1292 mg/kg (Source: NLM_HSDB)           LD50 oral rat         3730 mg/kg (Source: NLM_HSDB)           ATE US (oral)         3730 mg/kg (Source: NLM_HSDB)           ATE US (oral)         3730 mg/kg bodyweight           ATE US (dermal)         5040 mg/kg bodyweight           Terpineol (8000-41-7)           LD50 oral rat         2900 mg/kg (Source: IUCLID)           LD50 dermal rabbit         > 3000 mg/kg (Source: IUCLID)           ATE US (oral)         2900 mg/kg bodyweight           Linalyl acetate (115-95-7)	ATE US (dermal)	1260 mg/kg bodyweight		
LD50 dermal rabbit   > 4900 mg/kg (Source: ECHA_API)	trans-Anethole (4180-23-8)			
LC50 Inhalation - Rat       > 5.1 mg/l/4h         ATE US (oral)       2090 mg/kg bodyweight         benzaldehyde (100-52-7)	LD50 oral rat	2090 mg/kg (Source: NLM_CIP)		
ATE US (oral)         2090 mg/kg bodyweight           benzaldehyde (100-52-7)           LD50 oral rat         1292 mg/kg (Source: JAPAN_GHS)           LD50 dermal rabbit         > 1250 mg/kg (Source: JAPAN_GHS)           ATE US (oral)         1292 mg/kg bodyweight           Aldehyde C-10 (112-31-2)         LD50 oral rat           LD50 dermal rabbit         5040 mg/kg (Source: NLM_HSDB)           ATE US (oral)         3730 mg/kg bodyweight           ATE US (dermal)         5040 mg/kg bodyweight           Terpineol (8000-41-7)         LD50 oral rat           LD50 dermal rabbit         > 3000 mg/kg (Source: IUCLID)           LD50 dermal rabbit         > 3000 mg/kg (Source: IUCLID)           ATE US (oral)         2900 mg/kg bodyweight	LD50 dermal rabbit	> 4900 mg/kg (Source: ECHA_API)		
benzaldehyde (100-52-7)           LD50 oral rat         1292 mg/kg (Source: JAPAN_GHS)           LD50 dermal rabbit         > 1250 mg/kg (Source: JAPAN_GHS)           ATE US (oral)         1292 mg/kg bodyweight           Aldehyde C-10 (112-31-2)         1292 mg/kg (Source: NLM_HSDB)           LD50 oral rat         3730 mg/kg (Source: NLM_HSDB)           ATE US (oral)         3730 mg/kg bodyweight           ATE US (dermal)         5040 mg/kg bodyweight           Terpineol (8000-41-7)         12900 mg/kg (Source: IUCLID)           LD50 oral rat         2900 mg/kg (Source: IUCLID)           ATE US (oral)         2900 mg/kg bodyweight           Linalyl acetate (115-95-7)	LC50 Inhalation - Rat	> 5.1 mg/l/4h		
LD50 oral rat       1292 mg/kg (Source: JAPAN_GHS)         LD50 dermal rabbit       > 1250 mg/kg (Source: JAPAN_GHS)         ATE US (oral)       1292 mg/kg bodyweight         Aldehyde C-10 (112-31-2)         LD50 oral rat       3730 mg/kg (Source: NLM_HSDB)         LD50 dermal rabbit       5040 mg/kg (Source: NLM_HSDB)         ATE US (oral)       3730 mg/kg bodyweight         ATE US (dermal)       5040 mg/kg bodyweight         Terpineol (8000-41-7)         LD50 oral rat       2900 mg/kg (Source: IUCLID)         LD50 dermal rabbit       > 3000 mg/kg (Source: IUCLID)         ATE US (oral)       2900 mg/kg bodyweight	ATE US (oral)	2090 mg/kg bodyweight		
LD50 dermal rabbit	benzaldehyde (100-52-7)			
ATE US (oral)  1292 mg/kg bodyweight  Aldehyde C-10 (112-31-2)  LD50 oral rat  3730 mg/kg (Source: NLM_HSDB)  LD50 dermal rabbit  5040 mg/kg (Source: NLM_HSDB)  ATE US (oral)  3730 mg/kg bodyweight  ATE US (dermal)  5040 mg/kg bodyweight  Terpineol (8000-41-7)  LD50 oral rat  2900 mg/kg (Source: IUCLID)  LD50 dermal rabbit  > 3000 mg/kg (Source: IUCLID)  ATE US (oral)  2900 mg/kg bodyweight  Linalyl acetate (115-95-7)	LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)		
Aldehyde C-10 (112-31-2)         LD50 oral rat       3730 mg/kg (Source: NLM_HSDB)         LD50 dermal rabbit       5040 mg/kg (Source: NLM_HSDB)         ATE US (oral)       3730 mg/kg bodyweight         ATE US (dermal)       5040 mg/kg bodyweight         Terpineol (8000-41-7)         LD50 oral rat       2900 mg/kg (Source: IUCLID)         LD50 dermal rabbit       > 3000 mg/kg (Source: IUCLID)         ATE US (oral)       2900 mg/kg bodyweight	LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)		
LD50 oral rat       3730 mg/kg (Source: NLM_HSDB)         LD50 dermal rabbit       5040 mg/kg (Source: NLM_HSDB)         ATE US (oral)       3730 mg/kg bodyweight         ATE US (dermal)       5040 mg/kg bodyweight         Terpineol (8000-41-7)         LD50 oral rat       2900 mg/kg (Source: IUCLID)         LD50 dermal rabbit       > 3000 mg/kg (Source: IUCLID)         ATE US (oral)       2900 mg/kg bodyweight	ATE US (oral)	1292 mg/kg bodyweight		
LD50 dermal rabbit 5040 mg/kg (Source: NLM_HSDB)  ATE US (oral) 3730 mg/kg bodyweight  ATE US (dermal) 5040 mg/kg bodyweight  Terpineol (8000-41-7)  LD50 oral rat 2900 mg/kg (Source: IUCLID)  LD50 dermal rabbit > 3000 mg/kg (Source: IUCLID)  ATE US (oral) 2900 mg/kg bodyweight  Linalyl acetate (115-95-7)	Aldehyde C-10 (112-31-2)			
ATE US (oral)  3730 mg/kg bodyweight  5040 mg/kg bodyweight  Terpineol (8000-41-7)  LD50 oral rat  2900 mg/kg (Source: IUCLID)  LD50 dermal rabbit  > 3000 mg/kg (Source: IUCLID)  ATE US (oral)  2900 mg/kg bodyweight  Linalyl acetate (115-95-7)	LD50 oral rat	3730 mg/kg (Source: NLM_HSDB)		
ATE US (dermal)  5040 mg/kg bodyweight  Terpineol (8000-41-7)  LD50 oral rat  2900 mg/kg (Source: IUCLID)  LD50 dermal rabbit  > 3000 mg/kg (Source: IUCLID)  ATE US (oral)  2900 mg/kg bodyweight  Linalyl acetate (115-95-7)	LD50 dermal rabbit	5040 mg/kg (Source: NLM_HSDB)		
Terpineol (8000-41-7)           LD50 oral rat         2900 mg/kg (Source: IUCLID)           LD50 dermal rabbit         > 3000 mg/kg (Source: IUCLID)           ATE US (oral)         2900 mg/kg bodyweight           Linalyl acetate (115-95-7)	ATE US (oral)	3730 mg/kg bodyweight		
LD50 oral rat  2900 mg/kg (Source: IUCLID)  LD50 dermal rabbit  > 3000 mg/kg (Source: IUCLID)  ATE US (oral)  2900 mg/kg bodyweight  Linalyl acetate (115-95-7)	ATE US (dermal)	5040 mg/kg bodyweight		
LD50 dermal rabbit > 3000 mg/kg (Source: IUCLID)  ATE US (oral) 2900 mg/kg bodyweight  Linalyl acetate (115-95-7)	Terpineol (8000-41-7)			
ATE US (oral)  2900 mg/kg bodyweight  Linalyl acetate (115-95-7)	LD50 oral rat	2900 mg/kg (Source: IUCLID)		
Linalyl acetate (115-95-7)	LD50 dermal rabbit	> 3000 mg/kg (Source: IUCLID)		
	ATE US (oral)	2900 mg/kg bodyweight		
	Linalyl acetate (115-95-7)			
LD50 oral rat 14550 mg/kg (Source: EPA_HPV)	LD50 oral rat	14550 mg/kg (Source: EPA_HPV)		

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalyl acetate (115-95-7)	
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)
ATE US (oral)	14550 mg/kg bodyweight
Cinnamon leaf oil (8015-91-6)	
LD50 oral rat	2650 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	702 mg/kg (Source: ECHA_API)
	2650 mg/kg bodyweight
ATE US (oral)	
ATE US (dermal)	702 mg/kg bodyweight
Calamus oil (8015-79-0)	
LD50 oral rat	777 mg/kg (Source: NLM_CIP)
ATE US (oral)	777 mg/kg bodyweight
Nutmeg Oil (8008-45-5)	
LD50 oral rat	2620 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 10 g/kg (Source: NLM_HSDB)
ATE US (oral)	2620 mg/kg bodyweight
Anise oil (Spanish) (8007-70-3)	
LD50 oral rat	2250 mg/kg (Source: NLM_CIP)
ATE US (oral)	2250 mg/kg bodyweight
Ginger oil (8007-08-7)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
Cinnamon leaf oil (8015-91-6)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general :	Toxic to aquatic life with long lasting effects.
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
benzaldehyde (100-52-7)	
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
Aldehyde C-10 (112-31-2)	
LC50 - Fish [1]	1.45 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)

## 12.2. Persistence and degradability

A	л	ш			3		N	A	П	NI	Е				70	2	
ш	и	u	ш	ы	=	u	N	V.	41	IN	┏.	г	ĸ	O.	7 8	Э.	)4

MIII I ED WINE ER57654

Persistence and degradability Not established.

# 12.3. Bioaccumulative potential

WOLLED WINE I KS/034			
Bioaccumulative potential	Not established.		
Eugenol (97-53-0)			
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)		
Cinnamic aldehyde (104-55-2)			
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)		
benzaldehyde (100-52-7)			
BCF - Fish [1]	(no significant bioaccumulation)		
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)		

Partition coefficient n-octanorwater (Log Pow)	1.4 (at 25 °C)
Aldehyde C-10 (112-31-2)	
Partition coefficient n-octanol/water (Log Pow)	3.8 (at 35 °C)

# Linalyl acetate (115-95-7)

Partition coefficient n-octanol/water (Log Pow) 3.9 (at 25 °C)

# 12.4. Mobility in soil

No additional information available

## 12.5. Other adverse effects

Other information : Avoid release to the environment.

11/7/2023 (Issue date) EN (English) 10/18

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 13: Disposal considerations**

## 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

## **14.1. UN number**

DOT NA No : Not applicable

## 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable

## 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

## 14.4. Packing group

Packing group (DOT) : Not applicable

## 14.5. Environmental hazards

Other information : No supplementary information available.

## 14.6. Special precautions for user

#### DOT

No data available

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

## 15.2. International regulations

## CANADA

## Orange oil (8008-57-9)

Listed on the Canadian DSL (Domestic Substances List)

## **Eugenol (97-53-0)**

Listed on the Canadian DSL (Domestic Substances List)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Cinnamic aldehyde (104-55-2)

Listed on the Canadian DSL (Domestic Substances List)

## trans-Anethole (4180-23-8)

Listed on the Canadian DSL (Domestic Substances List)

### benzaldehyde (100-52-7)

Listed on the Canadian DSL (Domestic Substances List)

## Linalool (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

## Aldehyde C-10 (112-31-2)

Listed on the Canadian DSL (Domestic Substances List)

#### **Terpineol (8000-41-7)**

Listed on the Canadian DSL (Domestic Substances List)

#### Linalyl acetate (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

## Cinnamon leaf oil (8015-91-6)

Listed on the Canadian DSL (Domestic Substances List)

## Calamus oil (8015-79-0)

Listed on the Canadian DSL (Domestic Substances List)

## Nutmeg Oil (8008-45-5)

Listed on the Canadian DSL (Domestic Substances List)

#### Anise oil (Spanish) (8007-70-3)

Listed on the Canadian DSL (Domestic Substances List)

## **Ginger oil (8007-08-7)**

Listed on the Canadian DSL (Domestic Substances List)

## **EU-Regulations**

## Eugenol (97-53-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## Cinnamic aldehyde (104-55-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### trans-Anethole (4180-23-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### benzaldehyde (100-52-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Linalool (78-70-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## Aldehyde C-10 (112-31-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## **Terpineol (8000-41-7)**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

#### Linalyl acetate (115-95-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

## **National regulations**

## Orange oil (8008-57-9)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

#### **Eugenol (97-53-0)**

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Cinnamic aldehyde (104-55-2)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

#### trans-Anethole (4180-23-8)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

#### benzaldehyde (100-52-7)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

## Linalool (78-70-6)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Aldehyde C-10 (112-31-2)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

#### **Terpineol (8000-41-7)**

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

## Linalyl acetate (115-95-7)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

## Cinnamon leaf oil (8015-91-6)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

11/7/2023 (Issue date) EN (English) 15/18

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Calamus oil (8015-79-0)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

## Nutmeg Oil (8008-45-5)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

## Anise oil (Spanish) (8007-70-3)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

Listed on Thailand Existing Chemicals Inventory (DIW)

## Ginger oil (8007-08-7)

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Listed on the NCI (Vietnam - National Chemical Inventory)

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Refined Soybean oil(8001-22-7)	U.S Pennsylvania - RTK (Right to Know) List
benzaldehyde(100-52-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Aldehyde C-8(124-13-0)	U.S Massachusetts - Right To Know List

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Ethyl butyrate(105-54-4)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Ethyl caprylate(106-32-1)	U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
ethyl propionate(105-37-3)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List
Ethyl benzoate(93-89-0)	U.S Pennsylvania - RTK (Right to Know) List
ethyl acetate(141-78-6)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Acetoin(513-86-0)	U.S New Jersey - Right to Know Hazardous Substance List
butyric acid(107-92-6)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List; U.S Massachusetts - Right To Know List; U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Other information : None.

Full text of I	I-statements
H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

# Safety Data Sheet

NFPA fire hazard


NFPA reactivity

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

: 1 - Materials that must be preheated before ignition can occur.

: 0 - Material that in themselves are normally stable, even under fire



This SDS is current to the date listed above. However, the GHS classifications may change due to hazard communication updates by the overseeing governing body.