

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/7/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: FRESH LINEN FR28765
Product code	: FR28765
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use,Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Hyggeland Company **Russian Federation** Krasnodar Stasova st. 184, 7 Phone.: +7 (953) 073-39-63 info@hyggeland.ru

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/200	08 [CLP]
Acute toxicity (oral), Category 4	H302
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	


Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	 benzyl benzoate; Hexyl cinnamic aldehyde; benzyl alcohol; Ethyl maltol; (R)-p-mentha-1,8- diene; d-limonene; Patchouli oil; ACETYL HEXAMETHYL TETRALIN; Linalool; Hexyl salicylate; Cyclamal; Vertenex; COUMARIN; Linalyl acetate
Hazard statements (CLP)	 H302 - Harmful if swallowed. H317 - May cause an allergic skin reaction. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	20 – 40.088	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	2.05 – 4.175	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	1.9 – 3.7	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	1.700625 – 3.4015625	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Ethyl maltol	CAS-No.: 4940-11-8 EC-No.: 225-582-5	1.6 – 3.2	Acute Tox. 4 (Oral), H302
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	0.65 – 2.564	Eye Irrit. 2, H319

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	1.2 – 2.4	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Patchouli oil	CAS-No.: 8014-09-3 EC-No.: 616-944-7 EC Index-No.: 616-944-7	1.1 – 2.2	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	0.8 – 1.6	Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.7285268 – 1.4021912	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol	CAS-No.: 139504-68-0 EC-No.: 412-300-2 EC Index-No.: 603-154-00-2 REACH-no: 01-0000015959- 52	0.6 – 1.2	Aquatic Chronic 2, H411
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.553276 – 1.131962	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.3516376 – 0.6774564	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.213 – 0.655	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.3 – 0.6	Skin Sens. 1B, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.3 – 0.5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
cis-3-Hexenyl salicylate	CAS-No.: 65405-77-8 EC-No.: 265-745-8	0.2 - 0.4	Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Repr. 2, H361
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.2 – 0.3	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Cedarwood oil, Texas	CAS-No.: 68990-83-0 EC-No.: 294-461-7	0.1 - 0.2	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.007651 – 0.0114765	Flam. Liq. 3, H226
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0056	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0014	Flam. Liq. 3, H226
Caproic acid substance with national workplace exposure limit(s) (BG, LT, LV)	CAS-No.: 142-62-1 EC-No.: 205-550-7	0 – 0.0001	Eye Dam. 1, H318 Skin Corr. 1C, H314
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.0000035 – 0.00000875	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit Full text of H- and EUH-statements: see section 16	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	0.0000008 – 0.0000012	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.4. Description of first sides	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/ Get medical advice/attention. Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor if you feel unwell. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effec	ts, both acute and delayed
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. May cause an allergic skin reaction.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the subst	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective	6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".			
Emergency procedures	: Ventilate area.			
6.2. Environmental precautions				

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for cont	ainment and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Always wash hands after handling the product.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight.	
Storage temperature	: 25 °C	
Storage area	: Store in a well-ventilated place. Store away from heat.	
Special rules on packaging	: Store in a closed container.	
Packaging materials	: Do not store in corrodable metal.	
Switzerland		
Storage class (LK)	: LK 10/12 - Liquids	

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m ³	
Czech Republic - Occupational Exposure Limits	·	
PEL (OEL TWA)	40 mg/m ³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m ³	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 90)0)	
AGW (OEL TWA)	22 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m ³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
	5 ppm	
OEL STEL	44 mg/m ³	

Safety Data Sheet

Switzerland - Occupational Exposure Limits 22 mg/m² (aerosol, vapour) Spm(aerosol, vapour) 5 pm(aerosol, vapour) OEL chemical category Skin notation OEL chemical category Skin notation Finland - Occupational Exposure Limits 140 mg/m² HTP (OEL TWA) 140 mg/m² 25 pm 25 pm HTP (OEL STEL) 280 mg/m² 6 germany - Occupational Exposure Limits (TRGS 90) 380 mg/m² AGW (OEL TWA) 28 mg/m² (he risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) S prom (he risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 50 pm (he risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Stownia - Occupational Exposure Limits 28 mg/m² Chemical category Skin notation, Skin sensitization Stownia - Occupational Exposure Limits 29 mg/m² OEL TWA 28 mg/m² Spin - Occupational Exposure Limits 30 pm OEL chemical category 9 permical catenous absorption Spin - Occupational Exposure Limits 30 pm OEL chemical category 9 permical catenous absorption	benzyl alcohol (100-51-6)	
Switzerland - Occupational Exposure Limits 22 mg/m² (aerosol, vapour) Spm(aerosol, vapour) 5 pm(aerosol, vapour) OEL chemical category Skin notation OEL chemical category Skin notation Finland - Occupational Exposure Limits 140 mg/m² HTP (OEL TWA) 140 mg/m² 25 pm 25 pm HTP (OEL STEL) 280 mg/m² 6 germany - Occupational Exposure Limits (TRGS 90) 380 mg/m² AGW (OEL TWA) 28 mg/m² (he risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) S prom (he risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 50 pm (he risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Stownia - Occupational Exposure Limits 28 mg/m² Chemical category Skin notation, Skin sensitization Stownia - Occupational Exposure Limits 29 mg/m² OEL TWA 28 mg/m² Spin - Occupational Exposure Limits 30 pm OEL chemical category 9 permical catenous absorption Spin - Occupational Exposure Limits 30 pm OEL chemical category 9 permical catenous absorption		10 ppm
MAK (OEL TWA) 22 mg/m² (aerosol, vapour) GEL chemical category Skin notation OEL chemical category Skin notation (R)-premtha-1,8-diene; d-limonene (6989-27-5 Finland - Occupational Exposure Limits HTP (OEL TWA) 140 mg/m² 25 ppm 25 ppm HTP (OEL STEL) 280 mg/m² Germany - Occupational Exposure Limits (TRGS 50) 50 ppm AGW (OEL TWA) 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Solvenia - Occupational Exposure Limits 50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Solvenia - Occupational Exposure Limits 29 mg/m² OEL TWA 20 pgm OEL Chemical category Potential for cutaneous absorption Spin - Occupational Exposure Limits 20 pgm OEL chemical category Song/m² Spin - Occupational Exposure Limits 20 pgm OEL chemical category Song/m² Spin - Occupational Exposure Limits 20 pgm OEL chemical category Song/m²	OEL chemical category	Potential for cutaneous absorption
Spm (aerosol, vapour) OEL chemical category Skin notation (R)-p-mentha-1,8-diene; d-limonene (5989-27- Finland - Occupational Exposure Limits HTP (OEL TWA) 140 mg/m² 25 ppm HTP (OEL STEL) 26 0mg/m² Germany - Occupational Exposure Limits (TROS 9000000000000000000000000000000000000	Switzerland - Occupational Exposure Limits	
OEL chemical category Skin notation (R)-p-montha-1,8-diency d-limonone (5989-27-5- Finland - Occupational Exposure Limits HTP (OEL TWA) 140 mg/m² 25 ppm 50 ppm HTP (OEL STEL) 50 ppm 60 mg/m² 50 ppm Germany - Occupational Exposure Limits (TRGS 900 80 mg/m² AGW (OEL TWA) 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 0 ppm 0 ppm 0 EL themical category Potential for cutaneous absorption 0 ppm 30 ppm 0 EL themical category<	MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)
Ki-p-mentha-1, 3-diene; d-limonene (5989-27-5) Finland - Occupational Exposure Limits HTP (OEL STEL) 280 mg/m² 60 ppm Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Storenia Category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits 28 mg/m² OEL TWA 28 mg/m² OEL TWA 28 mg/m² OEL TWA 28 mg/m² OEL TWA 28 mg/m² OEL Chemical category Skin notation, Skin sensitization Siovenia - Occupational Exposure Limits 112 mg/m² VLA-ED COEL TWA) 168 mg/m² 30 ppm 0EL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m² Grenseverdi (OEL TWA) 140 mg/m² 25 ppm 25 ppm OEL chemical category Sensitizer, skin - potential for		5 ppm (aerosol, vapour)
Finand - Occupational Exposure Limits 140 mg/m³ HTP (OEL TWA) 140 mg/m³ 25 ppm 280 mg/m³ 30 ppm 30 ppm Germany - Occupational Exposure Limits (TRGS 90) 37 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Storenia - Occupational Exposure Limits 28 mg/m³ OEL TWA 28 mg/m³ Sppm 5 ppm OEL TWA 28 mg/m³ Storenia - Occupational Exposure Limits 5 ppm OEL Chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits 5 ppm VLA-ED (OEL TWA) 168 mg/m³ 30 ppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 7 ppm (value calculated) Norway - Occupational Exposure Limits	OEL chemical category	Skin notation
HTP (OEL TWA) 40 mg/m ³ 25 prm 50 prm Germany - Occupational Exposure Limits (TROS 90) 50 grm AGW (OEL TWA) 28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 prpm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 prpm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits 28 mg/m ³ OEL STEL 28 mg/m ³ OEL Chemical category Potential for cutaneous absorption OEL chemical category Potential for cutaneous absorption Spin - Occupational Exposure Limits 168 mg/m ² VLA-ED (OEL TWA) 168 mg/m ² Op pm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m ³ VLA-ED (OEL TWA) 168 mg/m ² Oppm 25 ppm Norway - Occupational Exposure Limits 25 ppm Norway - Occupational Exposure Limits 37 5 ppm (value calculated) <tr< td=""><td>(R)-p-mentha-1,8-diene; d-limonene (5989-27-</td><td>5)</td></tr<>	(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
25 ppm HTP (OEL STEL) 280 mg/m³ 60 ppm 50 ppm Germany - Occupational Exposure Limits (TROS 9000000000000000000000000000000000000	Finland - Occupational Exposure Limits	
HTP (OEL STEL) 280 mg/m³ Germany - Occupational Exposure Limits (TRGS 900) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits 28 mg/m³ OEL TWA 28 mg/m³ OEL themical category Potential for cutaneous absorption Spin Occupational Exposure Limits OEL chemical category 168 mg/m³ OEL chemical category Spin Norway - Occupational Exposure Limits 30 ppm OEL chemical category 140 mg/m³	HTP (OEL TWA)	140 mg/m ³
S0 ppm Germany - Occupational Exposure Limits (TRGS 90) AGW (OEL TWA) 28 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) S ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits 28 mg/m² OEL TWA 28 mg/m² OEL TWA 28 mg/m² OEL TWA 28 mg/m² OEL TWA 20 ppm OEL chemical category Potential for cutaneous absorption Spin Occupational Exposure Limits OEL chemical category Potential for cutaneous absorption Spin Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m² OEL chemical category Potential for cutaneous absorption Norway - Occupational Exposure Limits 30 ppm OEL chemical category 140 mg/m² Orenseverdi (OEL TWA) 140 mg/m² 25 ppm 25 ppm Korttidsverdi (OEL STEL) 175 mg/m² (value calculated) OEL chemical category Allergenic substance <td></td> <td>25 ppm</td>		25 ppm
Germany - Occupational Exposure Limits (TRGS 90) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Sppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Sppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits 28 mg/m³ OEL TWA 28 mg/m³ OEL TWA 28 mg/m³ OEL STEL 112 mg/m³ OEL chemical category Potential for cutaneous absorption Sppm Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ OEL chemical category Potential for cutaneous absorption Sppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m³ Grenseverdi (OEL TWA) 140 mg/m³ Type my (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits 37.5 ppm (value calculated)	HTP (OEL STEL)	280 mg/m ³
AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits 28 mg/m³ OEL TWA 28 mg/m³ 20 EVTWA 28 mg/m³ 20 EVTWA 112 mg/m³ 20 ppm 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits 128 mg/m³ VLA-ED (OEL TWA) 168 mg/m³ 30 ppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m³ Grenseverdi (OEL TWA) 140 mg/m³ Grenseverdi (OEL TWA) 140 mg/m³ OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 7.5 ppm (value calculated) Norway - Occupational Exposure Limits 37.5 ppm (value calculated) Nortidisverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance		50 ppm
BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits 28 mg/m ⁴ OEL TWA 28 mg/m ⁴ 5 ppm 5 ppm OEL STEL 12 mg/m ⁴ 20 ppm 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits 168 mg/m ⁴ VLA-ED (OEL TWA) 68 mg/m ⁴ 30 ppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 30 ppm Grenseverdi (OEL TWA) 140 mg/m ³ 25 ppm 25 ppm Korttidsverdi (OEL STEL) 75 ppm (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated) OCL chemical category Allergenic substance Switzerland - Occupational Exposure Limits	Germany - Occupational Exposure Limits (TRGS 90)0)
values are observed) values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits 28 mg/m³ OEL TWA 28 mg/m³ OEL STEL 112 mg/m³ OEL chemical category Potential for cutaneous absorption Spin - Occupational Exposure Limits values are observed) VLA-ED (OEL TWA) 168 mg/m³ OEL chemical category Potential for cutaneous absorption Spin - Occupational Exposure Limits 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 30 ppm OEL chemical category 140 mg/m³ Spin - Occupational Exposure Limits 25 ppm Kortidsverdi (OEL TWA) 175 mg/m³ (value calculated) QEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits 37.5 ppm (value calculated) Rotegory Allergenic substance Switzerland - Occupational Exposure Limits 37.5 ppm (value calculated)	AGW (OEL TWA)	
Slovenia - Occupational Exposure Limits 28 mg/m ³ 5 ppm OEL TWA 28 mg/m ³ 5 ppm OEL STEL 112 mg/m ³ OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VIA-ED (OEL TWA) 168 mg/m ³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Sitizeriand - Occupational Exposure Limits Korttidsverdi (OEL STEL) 175 mg/m ³ (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated) OEL chemical category Switzerland - Occupational Exposure Limits MAK (OEL TWA) <		
QEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits 168 mg/m³ VLA-ED (OEL TWA) 168 mg/m³ 0EL chemical category Sensitzer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Sensitzer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Sensitzer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m³ Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm 25 ppm Kortidsverdi (OEL STEL) 175 mg/m² (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits Allergenic substance MAK (OEL TWA) 40 mg/m³ Typm 7 ppm	Chemical category	Skin notation, Skin sensitization
Spm OEL STEL 112 mg/m³ 20 ppm 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits 168 mg/m³ VLA-ED (OEL TWA) 168 mg/m³ OEL chemical category Sensitizer, skin - potential for cutaneous absorption OEL chemical category Sensitizer, skin - potential for cutaneous absorption OEL chemical category Sensitizer, skin - potential for cutaneous absorption OEL chemical Category I40 mg/m³ OEL chemical Category 140 mg/m³ Sensitizer, skin - potential for cutaneous absorption 125 ppm Compone 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits Allergenic substance MAK (OEL TWA) 40 mg/m³ Typm 7 ppm	Slovenia - Occupational Exposure Limits	
OEL STEL 112 mg/m³ 20 ppm 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits 168 mg/m³ VLA-ED (OEL TWA) 168 mg/m³ 30 ppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m³ Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits 40 mg/m³ MAK (OEL TWA) 40 mg/m³	OEL TWA	28 mg/m³
20 pm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits 168 mg/m³ VLA-ED (OEL TWA) 168 mg/m³ 30 ppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m³ Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 0EL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) MAK (OEL TWA) 40 mg/m³ 7 ppm 7 ppm		5 ppm
OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits 168 mg/m ^a VLA-ED (OEL TWA) 168 mg/m ^a 30 ppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m ^a Grenseverdi (OEL TWA) 140 mg/m ^a 25 ppm 25 ppm Korttidsverdi (OEL STEL) 175 mg/m ^a (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits 40 mg/m ^a MAK (OEL TWA) 40 mg/m ^a	OEL STEL	112 mg/m³
Spain - Occupational Exposure Limits 168 mg/m ^a VLA-ED (OEL TWA) 168 mg/m ^a 30 ppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits I40 mg/m ^a Grenseverdi (OEL TWA) 140 mg/m ^a 25 ppm 25 ppm Korttidsverdi (OEL STEL) 175 mg/m ^a (value calculated) 0FL chemical category Allergenic substance Switzerland - Occupational Exposure Limits 40 mg/m ^a MAK (OEL TWA) 40 mg/m ^a		20 ppm
VLA-ED (OEL TWA) 168 mg/m³ 30 ppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m³ Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits 40 mg/m³ MAK (OEL TWA) 40 mg/m³	OEL chemical category	Potential for cutaneous absorption
30 pm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m³ Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits Allergenic substance MAK (OEL TWA) 40 mg/m³ pm 7 ppm	Spain - Occupational Exposure Limits	
OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m³ Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 0EL chemical category Allergenic substance Switzerland - Occupational Exposure Limits 40 mg/m³ MAK (OEL TWA) 40 mg/m³ 7 ppm 140 mg/m³	VLA-ED (OEL TWA)	168 mg/m³
Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm		30 ppm
Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits 40 mg/m³ MAK (OEL TWA) 40 mg/m³ 7 ppm 7 ppm	OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm	Norway - Occupational Exposure Limits	
Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm	Grenseverdi (OEL TWA)	140 mg/m³
37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits 40 mg/m³ MAK (OEL TWA) 40 mg/m³ 7 ppm		25 ppm
OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm	Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm		37.5 ppm (value calculated)
MAK (OEL TWA) 40 mg/m ³ 7 ppm	OEL chemical category	Allergenic substance
7 ppm	Switzerland - Occupational Exposure Limits	
	MAK (OEL TWA)	40 mg/m³
KZGW (OFL STEL) 80 ma/m ³		7 ppm
	KZGW (OEL STEL)	80 mg/m³
14 ppm		14 ppm

Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
OEL chemical category	Sensitizer	
citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m ³ (vapor and aerosol)	
	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA	5 ppm	
OEL STEL	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m ³	
NDSCh (OEL STEL)	54 mg/m ³	
Portugal - Occupational Exposure Limits		
OEL TWA	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
Toluene (108-88-3)		
EU - Indicative Occupational Exposure Limit (IOEL	.)	
IOEL TWA	192 mg/m ³	
	50 ppm	
IOEL STEL	384 mg/m ³	
	100 ppm	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	190 mg/m³	
	50 ppm	
MAK (OEL STEL)	380 mg/m³	
	100 ppm	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	77 mg/m ³	
	20 ppm	

Safety Data Sheet

Toluene (108-88-3)	
OEL STEL	384 mg/m ³
	100 ppm
OEL chemical category	Skin, Skin notation
Bulgaria - Occupational Exposure Limits	·
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m ³
	100 ppm
Bulgaria - Biological limit values	·
BLV	1.6 mmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of exposure or end of work shift
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	192 mg/m³
	50 ppm
KGVI (OEL STEL)	384 mg/m ³
	100 ppm
OEL chemical category	Skin notation
Croatia - Biological limit values	
BLV	1 mg/l Parameter: Toluene - Medium: blood - Sampling time: at the end of the work shift 20 ppm Parameter: Toluene - Medium: final exhaled air - Sampling time: during exposure 2.5 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine) 1 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine)
Cyprus - Occupational Exposure Limits	·
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m ³
	100 ppm
OEL chemical category	Skin-potential for cutaneous absorption
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	200 mg/m ³
OEL chemical category	Potential for cutaneous absorption

Safety Data Sheet

Toluene (108-88-3)	
Czech Republic - Biological limit values	;
BLV	 1.6 μmol/mmol Creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis) 1000 μmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.) 1.5 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis) 1600 mg/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid - Medium: urine - Sampling time: end of shift (after hydrolysis) 1600 mg/g creatinine Parameter: Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is >2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)
Denmark - Occupational Exposure Limi	ts
OEL TWA	94 mg/m ³
	25 ppm
OEL STEL	384 mg/m ³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Estonia - Occupational Exposure Limits	i i i i i i i i i i i i i i i i i i i
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m ³
	100 ppm
OEL chemical category	Skin notation
Finland - Occupational Exposure Limits	i
HTP (OEL TWA)	81 mg/m ³
	25 ppm
HTP (OEL STEL)	380 mg/m ³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Finland - Biological limit values	
BLV	500 nmol/L Parameter: Toluene - Medium: blood - Sampling time: in the morning after a working day
France - Occupational Exposure Limits	
VME (OEL TWA)	76.8 mg/m ³ (restrictive limit)
	20 ppm (restrictive limit)
VLE (OEL C/STEL)	384 mg/m³ (restrictive limit)
	100 ppm (restrictive limit)
OEL chemical category	Reproductive Toxin category 2, Risk of cutaneous absorption

Safety Data Sheet

Toluene (108-88-3)	
France - Biological limit values	
BLV	 20 μg/l Parameter: Toluene - Medium: blood - Sampling time: end of workweek (Semi-quantitative (ambiguous interpretation)) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source)
Germany - Occupational Exposure Limits (TRGS	900)
AGW (OEL TWA)	190 mg/m $^{\rm s}$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
Germany - Biological limit values (TRGS 903)	
Biological limit value	 600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: immediately after exposure 75 μg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: for long-term exposures: at the end of the shift after several shifts 1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: end of shift
Gibraltar - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m ³
	100 ppm
OEL chemical category	Skin notation
Greece - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m ³
	100 ppm
OEL chemical category	skin - potential for cutaneous absorption
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	190 mg/m³
CK (OEL STEL)	384 mg/m ³
OEL chemical category	Potential for cutaneous absorption
Ireland - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m ³
	100 ppm
OEL chemical category	Potential for cutaneous absorption

Safety Data Sheet

Toluene (108-88-3)	
Italy - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL chemical category	skin - potential for cutaneous absorption
Latvia - Occupational Exposure Limits	
OEL TWA	50 mg/m³
	14 ppm
OEL chemical category	skin - potential for cutaneous exposure
Latvia - Biological Exposure Indices	
BEI	1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	192 mg/m³
	50 ppm
TPRV (OEL STEL)	384 mg/m ³
	100 ppm
OEL chemical category	Reproductive toxin, Skin notation
Luxembourg - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m ³
	100 ppm
OEL chemical category	Possibility of significant uptake through the skin
Malta - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m ³
	100 ppm
OEL chemical category	Possibility of significant uptake through the skin
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	150 mg/m³
	39 ppm
TGG-15min (OEL STEL)	384 mg/m ³
	100 ppm
Poland - Occupational Exposure Limits	1
NDS (OEL TWA)	100 mg/m ³
NDSCh (OEL STEL)	200 mg/m ³
Portugal - Occupational Exposure Limits	
OEL TWA	192 mg/m³ (indicative limit value)

Safety Data Sheet

DEL STEL DEL chemical category Romania - Occupational Exposure Limits DEL TWA	50 ppm (indicative limit value) 384 mg/m³ (indicative limit value) 100 ppm (indicative limit value) A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value 192 mg/m³
DEL chemical category Romania - Occupational Exposure Limits	100 ppm (indicative limit value) A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value
Romania - Occupational Exposure Limits	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value
Romania - Occupational Exposure Limits	indicative limit value
	192 mg/m³
DEL TWA	192 mg/m³
	50 ppm
DEL STEL	384 mg/m ³
	100 ppm
DEL chemical category	Skin notation
Romania - Biological limit values	
BLV	2 g/l Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 3 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift
lovakia - Occupational Exposure Limits	
IPHV (OEL TWA)	192 mg/m³
	50 ppm
IPHV (OEL C)	384 mg/m ³
DEL chemical category	Potential for cutaneous absorption
lovakia - Biological limit values	
BLV	 600 μg/l Parameter: Toluene - Medium: blood - Sampling time: end of exposure or work shift 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: after all work shifts (for long-term exposure) 1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of exposure or work shift 1600 mg/g creatinine Parameter: Hippuric acid - Sampling time: end of exposure or work shift
lovenia - Occupational Exposure Limits	·
DEL TWA	192 mg/m³
	50 ppm
DEL STEL	384 mg/m ³
	100 ppm
DEL chemical category	Category 2, Potential for cutaneous absorption
pain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	192 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
'LA-EC (OEL STEL)	384 mg/m ³
	100 ppm
DEL chemical category	skin - potential for cutaneous absorption

Safety Data Sheet

Toluene (108-88-3)	
Spain - Biological limit values	
BLV	0.6 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: start of last shift of workweek 0.08 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	192 mg/m ³
	50 ppm
KGV (OEL STEL)	384 mg/m ³
	100 ppm
OEL chemical category	Skin notation
United Kingdom - Occupational Exposure I	Limits
WEL TWA (OEL TWA)	191 mg/m ³
	50 ppm
WEL STEL (OEL STEL)	384 mg/m ³
	100 ppm
WEL chemical category	Potential for cutaneous absorption
Norway - Occupational Exposure Limits	· · · · · ·
Grenseverdi (OEL TWA)	94 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	141 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Limit	S
MAK (OEL TWA)	190 mg/m ³
	50 ppm
KZGW (OEL STEL)	760 mg/m ³
	200 ppm
OEL chemical category	Skin notation, Category 2 reproductive toxin
Switzerland - BAT	
BAT	 600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 6.48 μmol/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift 2 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 0.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 4.62 μmol/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures) 75 μg/l Parameter: Toluol - Medium: urine - Sampling time: end of shift
USA - ACGIH - Occupational Exposure Lim	its
ACGIH OEL TWA	20 ppm

Safety Data Sheet

Toluene (108-88-3)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA - ACGIH - Biological Exposure Indices	
BEI	 0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek 0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift 0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling time: end of shift (background)
.betaPinene (127-91-3)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m ³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m³
	50 ppm
Portugal - Occupational Exposure Limits	
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m ³
	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m ³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)

Safety Data Sheet

.betaPinene (127-91-3)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m ³	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m ³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m ³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m ³	
	15 ppm	
OEL STEL	200 mg/m ³	
	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
Caproic acid (142-62-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m ³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m ³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m ³	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m ³	
	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m³	
NDSCh (OEL STEL)	80 mg/m ³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Boiling point	: Not available
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 93.3 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 0.000482663 mm Hg (calculated value)
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: 5.4909397 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard	I classes as defined in Re	gulation (EC) No 1272/2008

Acute toxicity (dermal) :	Harmful if swallowed. Not classified Not classified
FRESH LINEN FR28765	
ATE CLP (oral)	994.835 mg/kg bodyweight

Safety Data Sheet

benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
LD50 oral	1570 mg/kg	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139	504-68-0)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Ethyl maltol (4940-11-8)		
LD50 oral rat	1150 mg/kg (Source: NLM_CIP)	
LD50 oral	1200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
LD50 oral rat	570 mg/kg (Source: NLM_CIP)	
LD50 oral	1000 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)	
beta-lonone (14901-07-6)		
LD50 oral rat	4590 mg/kg (Source: NLM_HSDB)	
LD50 oral	3940 mg/kg bodyweight	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg	
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)		
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	

Safety Data Sheet

Hexyl salicylate (6259-76-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)	
LD50 oral	3810 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	3370 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)	
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)	
cis-3-Hexenyl salicylate (65405-77-8)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Toluene (108-88-3)		
LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat	12.5 mg/l/4h	
.betaPinene (127-91-3)		
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Alcohol C-10 (112-30-1)		
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)	
Caproic acid (142-62-1)		
LD50 oral rat	3 g/kg (Source: NLM_HSDB)	
LD50 oral	4000 mg/kg bodyweight	
LD50 dermal rabbit	630 mg/kg (Source: NLM_HSDB)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aldehyde C-6 (66-25-1)		
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)	
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Not classified Not classified May cause an allergic skin reaction. Not classified Not classified 	
(R)-p-mentha-1,8-diene; d-limonene (5989-2)	7-5)	
IARC group	3 - Not classifiable	
COUMARIN (91-64-5)		
IARC group	3 - Not classifiable	
Toluene (108-88-3)		
IARC group	3 - Not classifiable	
1 5	Not classified	
STOT-single exposure	: Not classified	
Toluene (108-88-3)	Management and the state of the	
STOT-single exposure STOT-repeated exposure	May cause drowsiness or dizziness.	
Toluene (108-88-3)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
	: Not classified	
benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.456 mm²/s	
(R)-p-mentha-1,8-diene; d-limonene (5989-2)	7-5)	
Hydrocarbon	Yes	
Toluene (108-88-3)		
Hydrocarbon	Yes	
.betaPinene (127-91-3)		
Hydrocarbon	Yes	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties No additional information available 11.2.2. Other information		

SECTION 12: Ecological information		
12.1 Toxicity		

Ecology - general Hazardous to the aquatic environment, short-term (acute)

Potential adverse human health effects and

: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.: Very toxic to aquatic life.

: Based on available data, the classification criteria are not met, Harmful if swallowed.

symptoms

Safety Data Sheet

Hazardous to the aquatic environment, long-term (chronic)	n : Toxic to aquatic life with long lasting effects.
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexame	ethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/I REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Ethyl maltol (4940-11-8)	
LC50 - Fish [1]	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: ECHA)
(R)-p-mentha-1,8-diene; d-limonene (598	39-27-5)
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)
citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)
Toluene (108-88-3)	
LC50 - Fish [1]	15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 - Crustacea [1]	5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 - Crustacea [2]	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])
EC50 96h - Algae [1]	> 433 mg/l (Species: Pseudokirchneriella subcapitata)

Safety Data Sheet

Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Caproic acid (142-62-1)		
LC50 - Fish [1]	306 – 334 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
12.2. Persistence and degradability		
FRESH LINEN FR28765		
Persistence and degradability	Not established.	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
benzyl alcohol (100-51-6)		
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
Persistence and degradability	Rapidly degradable	
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139	504-68-0)	
Persistence and degradability	Rapidly degradable	
Ethyl maltol (4940-11-8)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Persistence and degradability	Rapidly degradable	
Patchouli oil (8014-09-3)		
Persistence and degradability	Rapidly degradable	
ACETYL HEXAMETHYL TETRALIN (21145-77-7)		
Persistence and degradability	Rapidly degradable	
beta-lonone (14901-07-6)		
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)		
Persistence and degradability	Rapidly degradable	
Hexyl salicylate (6259-76-3)		
Persistence and degradability	Rapidly degradable	
Cyclamal (103-95-7)		
Persistence and degradability	Rapidly degradable	
Vertenex (32210-23-4)		
Persistence and degradability	Rapidly degradable	
Cedarwood oil, Texas (68990-83-0)		
Persistence and degradability	Not established.	
COUMARIN (91-64-5)		
Persistence and degradability	Rapidly degradable	
Linalyl acetate (115-95-7)		
Persistence and degradability	Rapidly degradable	
cis-3-Hexenyl salicylate (65405-77-8)		
Persistence and degradability	Rapidly degradable	
citral (5392-40-5)		
Persistence and degradability	Rapidly degradable	
Toluene (108-88-3)		
Persistence and degradability	Rapidly degradable	
.betaPinene (127-91-3)		
Persistence and degradability	Rapidly degradable	
Alcohol C-10 (112-30-1)		
Persistence and degradability	Rapidly degradable	
Caproic acid (142-62-1)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-6 (66-25-1)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
FRESH LINEN FR28765		
Bioaccumulative potential	Not established.	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1.05	

Safety Data Sheet

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)		
1-[(2-tert-butyl)cyclohexyloxy]-2-butanol (139504-68-0)			
BCF - Fish [1]	(173 dimensionless)		
Ethyl maltol (4940-11-8)			
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 25 °C)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)		
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)		
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)		
beta-lonone (14901-07-6)			
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)		
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)		
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)		
Hexyl salicylate (6259-76-3)			
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)		
Cyclamal (103-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)		
Vertenex (32210-23-4)			
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)		
Cedarwood oil, Texas (68990-83-0)			
Bioaccumulative potential	Not established.		
Linalyl acetate (115-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)		
cis-3-Hexenyl salicylate (65405-77-8)			
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C (at pH 7)		
citral (5392-40-5)			
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)		
Toluene (108-88-3)			
Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)		
Alcohol C-10 (112-30-1)			
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)		
Caproic acid (142-62-1)			
Partition coefficient n-octanol/water (Log Pow)	1.88		
Aldehyde C-6 (66-25-1)			
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	: Avoid release to the environment.

SECTION 13: Disposal consideration	s
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
Ecological information	: Avoid release to the environment.
HP Code	: HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
	HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
	HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			1
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			-
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document descr	iption			1
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPY RAN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9

Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.4. Packing group				
	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes		
No supplementary informatio	n available			
14.6. Special precautions	s for user			
Overland transport				
Classification code (ADR)		M6		
Special provisions (ADR)	:	274, 335, 375, 601		
Limited quantities (ADR)	:	51		
Excepted quantities (ADR)	:	E1		
Packing instructions (ADR)	:	P001, IBC03, LP01, R001		
Special packing provisions (Al		PP1		
Mixed packing provisions (AD		MP19		
Portable tank and bulk contain				
Portable tank and bulk contain	ner special provisions :	TP1, TP29		
(ADR)				
Tank code (ADR)	:	LGBV		
Vehicle for tank carriage	:	AT		
Transport category (ADR)	:	3		
Special provisions for carriage	e - Packages (ADR) :	V12		
Special provisions for carriage	e - Loading, unloading :	CV13		
and handling (ADR)				
Hazard identification number (Kemler No.) :	90		
Orange plates	:	90 3082		
Tunnel restriction code (ADR)	:	-		
EAC code	:	•3Z		
Transport by sea				
Special provisions (IMDG)	:	274, 335, 969		
Limited quantities (IMDG)	:	5 L		
Excepted quantities (IMDG)	:	E1		
Packing instructions (IMDG)	:	LP01, P001		
Special packing provisions (IM	1DG) :	PP1		
IBC packing instructions (IMD	G) :	IBC03		
Tank instructions (IMDG)	:	: T4		
Tank special provisions (IMDC	G) :	: TP1, TP29		
EmS-No. (Fire)		: F-A		
EmS-No. (Spillage)	:	: S-F		
Stowage category (IMDG)	:	A		
Air transport				
PCA Excepted quantities (IAT	A) ·	E1		
PCA Limited quantities (IATA)		Y964		
PCA limited quantity max net		30kgG		
PCA packing instructions (IAT		964		
	, · ·			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	: 450L : 964 : 450L : A97, A158, A197, A215 : 9L
Inland waterway transport Classification code (ADN) Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN)	: M6 : 274, 335, 375, 601 : 5 L : E1 : T : PP : 0
Rail transportClassification code (RID)Special provisions (RID)Limited quantities (RID)Excepted quantities (RID)Packing instructions (RID)Special packing provisions (RID)Mixed packing provisions (RID)Portable tank and bulk container instructions (RID)Portable tank and bulk container special provisions(RID)Tank codes for RID tanks (RID)Transport category (RID)Special provisions for carriage – Packages (RID)Special provisions for carriage - Loading, unloadingand handling (RID)Colis express (express parcels) (RID)Hazard identification number (RID)	 M6 274, 335, 375, 601 5L E1 P001, IBC03, LP01, R001 PP1 MP19 T4 TP1, TP29 LGBV 3 W12 CW13, CW31 CE8 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (RE/	ACH Annex XVII)	
Reference code	Applicable on	Entry title or description
3(a)	(R)-p-mentha-1,8-diene; d-limonene ; Toluene ; .betaPinene ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	FRESH LINEN FR28765 ; benzyl benzoate ; Hexyl cinnamic aldehyde ; benzyl alcohol ; (R)-p- mentha-1,8-diene; d- limonene ; Patchouli oil ; Linalool ; tetrahydro-2- isobutyl-4-methylpyran-4- ol, mixed isomers (cis and trans) ; Hexyl salicylate ; Cyclamal ; Vertenex ; Cedarwood oil, Texas ; Linalyl acetate ; cis-3- Hexenyl salicylate ; citral ; Toluene ; Caproic acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	FRESH LINEN FR28765 ; benzyl benzoate ; Hexyl cinnamic aldehyde ; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB) ; 1-[(2-tert- butyl)cyclohexyloxy]-2- butanol ; (R)-p-mentha- 1,8-diene; d-limonene ; Patchouli oil ; beta-lonone ; Hexyl salicylate ; Cyclamal ; Cedarwood oil, Texas ; cis-3-Hexenyl salicylate ; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	(R)-p-mentha-1,8-diene; d-limonene ; Toluene ; .betaPinene ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	
48.	Toluene	Toluene	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

VOC Directive (2004/42)

VOC content

: 5.4909397 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

15.1.2. National regulations

France

Occupational diseases			
Code De	Description		
RG 4 BIS Ga	Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them		
hy alc din	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide		
Germany			
Employment restrictions		: Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).	
Nater hazard class (WGK) Hazardous Incident Ordinance ((12. BImSchV)	 WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). Is not subject to the Hazardous Incident Ordinance (12. BImSchV) 	
Netherlands			
ABM category		: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment	
SZW-lijst van kankerverwekkende stoffen		: Cedarwood oil, Texas,cis-3-Hexenyl salicylate are listed	
SZW-lijst van mutagene stoffen	1	: cis-3-Hexenyl salicylate is listed	
SZW-lijst van reprotoxische stof	ffen – Borstvoeding	: None of the components are listed	
SZW-lijst van reprotoxische stof /ruchtbaarheid		: None of the components are listed	
SZW-lijst van reprotoxische stof	ffen – Ontwikkeling	: Toluene is listed	
Denmark			
Classification remarks		: Emergency management guidelines for the storage of flammable liquids must be followe	
		the second se	

Young people below the age of 18 years are not allowed to use the product
 Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

Danish National Regulations

No chemical safety assessment has been carried out

SECTION 16: Other i	nformation	
Other information	: None.	
Full text of H- and EUF	I-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	

Safety Data Sheet

Full text of H- and EUH	I-statements:
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.