

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/7/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name Product code Type of product	:	Mixture HOT COCOA FR28789 FR28789 Perfumes, fragrances
Product group	:	Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use,Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Hyggeland Company Russian Federation Krasnodar Stasova st. 184, 7 Phone.: +7 (953) 073-39-63 info@hyggeland.ru

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard,	H400
Category 1	
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause an allergic skin reaction. Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]			
Hazard pictograms (CLP)	GHS07 GHS09		
Signal word (CLP)	: Warning		
Contains	: benzyl benzoate; benzyl alcohol; Cornmint oil (redist); Isovaleraldehyde; COUMARIN		
Hazard statements (CLP)	: H302 - Harmful if swallowed.		
	H315 - Causes skin irritation.		
	H317 - May cause an allergic skin reaction.		
	H319 - Causes serious eye irritation.		
	H410 - Very toxic to aquatic life with long lasting effects.		
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.		
	P264 - Wash hands, forearms and face thoroughly after handling.		
	P270 - Do not eat, drink or smoke when using this product.		
	P272 - Contaminated work clothing should not be allowed out of the workplace.		
	P273 - Avoid release to the environment.		
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing		
Extra phrases	protection.		
Extra phrases	: For professional users only.		
2.3. Other hazards			

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate (Fragrance)	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	20 – 39.9991	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
benzyl alcohol (Fragrance) substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	5 – 9.9998	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Cornmint oil (redist) (Fragrance)	CAS-No.: 68917-18-0 EC-No.: 294-486-3	4.9 – 9.7038	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Vanillin (Fragrance)	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	4 – 7.9998	Eye Irrit. 2, H319
Isovaleraldehyde (Fragrance) substance with national workplace exposure limit(s) (AT, DE, LT, SI)	CAS-No.: 590-86-3 EC-No.: 209-691-5	0.5 – 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT SE 3, H335 Aquatic Chronic 2, H411
COUMARIN (Fragrance)	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.3 – 0.5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
ethyl lactate; ethyl DL-lactate (Fragrance) substance with national workplace exposure limit(s) (FI, LT, SE)	CAS-No.: 97-64-3 EC-No.: 202-598-0 EC Index-No.: 607-129-00-7	0.1 – 0.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	 Call a poison center or a doctor if you feel unwell. Remove person to fresh air and keep comfortable for breathing. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention Wash skin with plenty of water. 		
First-aid measures after eye contact First-aid measures after ingestion	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse mouth. Call a poison center or a doctor if you feel unwell. 		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects after skin contact Symptoms/effects after eye contact	: May cause an allergic skin reaction. Irritation. : Eye irritation.		

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard Hazardous decomposition products in case of fire	: Combustible liquid. : Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipm	ent and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.		
6.1.2. For emergency responders			
Protective equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment a	nd cleaning up		
For containment Methods for cleaning up Other information	 Collect spillage. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site. 		

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Storage conditions Storage temperature Storage area Special rules on packaging Packaging materials	 Store in a well-ventilated place. Keep cool. 25 °C Store in a well-ventilated place. Store away from heat. Store in a closed container. Do not store in corrodable metal.
Switzerland Storage class (LK)	: LK 10/12 - Liquids
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological limit values		
benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m ³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzyl alcohol (100-51-6)				
Czech Republic - Occupational Exposure Limits				
PEL (OEL TWA)	40 mg/m ³			
Finland - Occupational Exposure Limits				
HTP (OEL TWA)	45 mg/m ³			
	10 ppm			
Germany - Occupational Exposure Limits (TRGS 900)				
AGW (OEL TWA)	22 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)			
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)			
Chemical category	Skin notation			
Latvia - Occupational Exposure Limits				
OEL TWA	5 mg/m³			
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA)	5 mg/m³			
OEL chemical category	Skin notation			
Poland - Occupational Exposure Limits				
NDS (OEL TWA)	240 mg/m ³			
Slovenia - Occupational Exposure Limits	·			
OEL TWA	22 mg/m ³			
	5 ppm			
OEL STEL	44 mg/m ³			
	10 ppm			
OEL chemical category	Potential for cutaneous absorption			
Switzerland - Occupational Exposure Limits				
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)			
	5 ppm (aerosol, vapour)			
OEL chemical category	Skin notation			
Isovaleraldehyde (590-86-3)				
Austria - Occupational Exposure Limits				
MAK (OEL TWA)	39 mg/m³			
	10 ppm			
MAK (OEL STEL)	39 mg/m³			
	10 ppm			
OEL C	39 mg/m³			
	10 ppm			
Germany - Occupational Exposure Limits (TRGS 90)0)			
AGW (OEL TWA)	39 mg/m³			
	10 ppm			
	1			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Isovaleraldehyde (590-86-3)			
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	10 mg/m ³		
Slovenia - Occupational Exposure Limits			
OEL TWA	39 mg/m³		
	10 ppm		
OEL STEL	39 mg/m³		
	10 ppm		
ethyl lactate; ethyl DL-lactate (97-64-3)			
Finland - Occupational Exposure Limits			
HTP (OEL TWA)	25 mg/m³		
	5 ppm		
HTP (OEL STEL)	49 mg/m³		
	10 ppm		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	25 mg/m³		
	5 ppm		
TPRV (OEL STEL)	50 mg/m³		
	10 ppm		
Sweden - Occupational Exposure Limits	·		
NGV (OEL TWA)	25 mg/m³ (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined)		
	5 ppm (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined)		
KGV (OEL STEL)	50 mg/m³ (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined)		
	10 ppm (same limit value expressed in ppm shall be applied for those lactates for which no limit values have been defined)		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 81 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.02
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined	in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Harmful if swallowed. Not classified Not classified		
HOT COCOA FR28789			
ATE CLP (oral)	886.341 mg/kg bodyweight		
benzyl benzoate (120-51-4)			
LD50 oral rat	500 mg/kg (Source: NLM_CIP)		
LD50 oral	1160 mg/kg bodyweight		
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)		
Vanillin (121-33-5)			
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)		
LD50 dermal	2600 mg/kg bodyweight		
benzyl alcohol (100-51-6)			
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)		
LD50 oral	1570 mg/kg		
Cornmint oil (redist) (68917-18-0)			
LD50 oral rat	1240 mg/kg (Source: NZ_CCID)		
LD50 oral	1200 mg/kg bodyweight		
Isovaleraldehyde (590-86-3)			
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 dermal rabbit	2730 mg/kg (Source: NLM CIP)
LD50 dermal	2534 mg/kg
LC50 Inhalation - Rat	42.7 mg/l/4h
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
ethyl lactate; ethyl DL-lactate (97-64	3)
LD50 oral rat	8200 mg/kg (Source: NLM_CIP)
LD50 oral	2500 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Not classified Not classified
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Isovaleraldehyde (590-86-3)	
STOT-single exposure	May cause respiratory irritation.
ethyl lactate; ethyl DL-lactate (97-64	3)
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure Aspiration hazard	: Not classified : Not classified
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s

11.2. Information on other nazar

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term : (acute) Hazardous to the aquatic environment, long-term :	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
(chronic)	
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vanillin (121-33-5)			
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])		
benzyl alcohol (100-51-6)			
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)		
Isovaleraldehyde (590-86-3)			
LC50 - Fish [1]	2.98 – 3.54 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
EC50 - Crustacea [1]	177 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	80 mg/l (Species: Desmodesmus subspicatus)		
EC50 96h - Algae [1]	78 mg/l (Species: Desmodesmus subspicatus)		

12.2. Persistence and degradability

HOT COCOA FR28789			
Persistence and degradability	Rapidly degradable		
benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
Vanillin (121-33-5)			
Persistence and degradability	Rapidly degradable		
benzyl alcohol (100-51-6)			
Persistence and degradability	Rapidly degradable		
Cornmint oil (redist) (68917-18-0)			
Persistence and degradability	Rapidly degradable		
Isovaleraldehyde (590-86-3)			
Persistence and degradability	Rapidly degradable		
COUMARIN (91-64-5)			
Persistence and degradability	Rapidly degradable		
ethyl lactate; ethyl DL-lactate (97-64-3)			
Persistence and degradability	Rapidly degradable		
12.3. Bioaccumulative potential			
benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vanillin (121-33-5)			
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)		
benzyl alcohol (100-51-6)			
Partition coefficient n-octanol/water (Log Pow)	1.05		
Isovaleraldehyde (590-86-3)			
Partition coefficient n-octanol/water (Log Pow)	1.5 (at 25 °C (at pH 7)		
ethyl lactate; ethyl DL-lactate (97-64-3)			
Partition coefficient n-octanol/water (Log Pow)	0.7 (at 25 °C (at pH >2-<8)		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			

SECTION 13: Disposal conside	erations
13.1. Waste treatment methods	
Waste treatment methods HP Code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skir irritation or damage to the eye. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for on or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID					
ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number or ID n	14.1. UN number or ID number				
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082	
14.2. UN proper shipping name					
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE)	Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (BENZYL BENZOATE), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
14.4. Packing group	I	1		
	III	III	III	III
14.5. Environmental haz	ards	1		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatic	n available		I	I
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (AD Mixed packing provisions (AD Portable tank and bulk contain (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Hazard identification number Orange plates	: 5I : E1 : P0 DR) : PP MR) : MF ner instructions (ADR) : T4 ner special provisions : TP : LG : AT : 3 e - Packages (ADR) : V1 e - Loading, unloading : CV	4, 335, 375, 601 01, IBC03, LP01, R001 1 219 1, TP29 BV 2 13		
Tunnel restriction code (ADR) EAC code Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IM	: •32 : 27 : 5 L : E1 : LP	2 4, 335, 969 - 01, P001		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	: IBC03 : T4 : TP1, TP29 : F-A : S-F : A
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	 E1 Y964 30kgG 964 450L 964 450L 450L A97, A158, A197, A215 9L
Inland waterway transport Classification code (ADN) Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN)	: M6 : 274, 335, 375, 601 : 5 L : E1 : T : PP : 0
Rail transportClassification code (RID)Special provisions (RID)Limited quantities (RID)Excepted quantities (RID)Packing instructions (RID)Special packing provisions (RID)Mixed packing provisions (RID)Portable tank and bulk container instructions (RID)Portable tank and bulk container special provisions(RID)	 M6 274, 335, 375, 601 5L E1 P001, IBC03, LP01, R001 PP1 MP19 T4 TP1, TP29
Tank codes for RID tanks (RID) Transport category (RID)	: LGBV : 3 : W12 : CW13, CW31 : CE8 : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	Isovaleraldehyde ; ethyl lactate; ethyl DL-lactate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	HOT COCOA FR28789 ; benzyl benzoate ; benzyl alcohol ; Cornmint oil (redist) ; Isovaleraldehyde ; ethyl lactate; ethyl DL-lactate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	HOT COCOA FR28789 ; benzyl benzoate ; Cornmint oil (redist) ; Isovaleraldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Isovaleraldehyde ; ethyl lactate; ethyl DL-lactate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.1.2. National regulations

France

Occupational diseases				
Code Descrip	Description			
hydroca alcohol dimethy	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide			
Germany				
Employment restrictions	 Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG). 			
Water hazard class (WGK) Hazardous Incident Ordinance (12. I	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)			
Netherlands				
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment			
SZW-lijst van kankerverwekkende st	offen : Cornmint oil (redist) is listed			
SZW-lijst van mutagene stoffen	: None of the components are listed			
SZW-lijst van reprotoxische stoffen -				
SZW-lijst van reprotoxische stoffen -	- : None of the components are listed			
Vruchtbaarheid SZW-lijst van reprotoxische stoffen -	- Ontwikkeling : None of the components are listed			
Denmark				
Class for fire hazard	: Class III-1			
Store unit	: 50 liter			
Classification remarks	 Flammable according to the Danish Ministry of Justice; Emergency management guideline for the storage of flammable liquids must be followed 			
Danish National Regulations	 Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product 			

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU