

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/5/2024 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1. Product identifier**

Product form	: Mixture
Product name	: JASMINE & BAMBOO FR23365
Product code	: FR23365
Type of product	: Perfumes, fragrances
Product group	: Trade product

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

## 1.2.1. Relevant identified uses

Main use category	: Professional use,Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

#### 1.2.2. Uses advised against

#### No additional information available

# **1.3. Details of the supplier of the safety data sheet**

Hyggeland Company Russian Federation Krasnodar Stasova st. 184, 7 Phone.: +7 (953) 073-39-63 info@hyggeland.ru

## 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 12/2/2006	[CLP]
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	<ul> <li>Hexyl cinnamic aldehyde; Isocyclocitral; Hexyl salicylate; Citrus medica limonum (Lemon) peel oil ; Triplal (Vertocitral); Cyclamal; Clove Leaf Oil ; isoeugenol; Phenylacetaldehyde</li> </ul>
Hazard statements (CLP)	: H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
Extra phrases	: For professional users only.

## 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# SECTION 3: Composition/information on ingredients

# 3.1. Substances

# Not applicable

# 3.2. Mixtures

Name	Product identifier %		Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	5.6 – 11.2	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319		
Terpineol	CAS-No.: 8000-41-7 EC-No.: 232-268-1	4 – 8	Skin Irrit. 2, H315 Eye Irrit. 2, H319		
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	3.2 - 6.4	Aquatic Chronic 3, H412		
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	1.5 – 3	Skin Sens. 1, H317 Aquatic Chronic 2, H411		
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	1.5 – 3	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410		
Phenylacetaldehyde dimethyl acetal	CAS-No.: 101-48-4 EC-No.: 202-945-6	1.2 – 2.4	Eye Irrit. 2, H319		
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	1.2 – 2.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Hexyl salicylate	CAS-No.: 6259-76-3 EC-No.: 228-408-6	0.506 – 1.12	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410		
Citrus medica limonum (Lemon) peel oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	0.6 – 1.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 2, H411		
Dimethyl anthranilate	CAS-No.: 85-91-6 EC-No.: 201-642-6	0.6 – 1.1	Aquatic Chronic 3, H412		
Isocyclocitral	CAS-No.: 1335-66-6 EC-No.: 215-638-7	0.5 – 1	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412		
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.3 – 0.6	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411		
Clove Leaf Oil	CAS-No.: 8000-34-8 EC-No.: 616-772-2	0.2 - 0.3	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304		
isoeugenol	CAS-No.: 97-54-1 EC-No.: 202-590-7 EC Index-No.: 604-094-00-X; 202-590-1 REACH-no: 17-2119417630- 49	0.1 – 0.25	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Carc. 2, H351 STOT SE 3, H335		
Phenylacetaldehyde	CAS-No.: 122-78-1 EC-No.: 204-574-5 REACH-no: 01-2120766865- 37	0.1 – 0.25	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412		

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
isoeugenol	CAS-No.: 97-54-1 EC-No.: 202-590-7 EC Index-No.: 604-094-00-X; 202-590-1 REACH-no: 17-2119417630- 49	(0.01 ≤ C ≤ 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

# SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Irritation. May cause an allergic skin reaction.</li> <li>Eye irritation.</li> </ul>

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measure	es
6.1. Personal precautions, protective equipn	nent and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Prevent entry to sev	wers and public waters. Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for containment a	nd cleaning up

For containment	:	Collect spillage.
Methods for cleaning up	:	Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or
		diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information

: Dispose of materials or solid residues at an authorized site.

# 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

7.1 Procesutions for cofe handling							
7.1. Precautions for safe handling							
Precautions for safe handling	Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.						
Hygiene measures	<ul> <li>Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>						
7.2. Conditions for safe storage, include	ing any incompat	ibilities					
Storage conditions	from heat, h	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.					
Incompatible products	: Strong base						
Incompatible materials	: Sources of i	gnition. Direct s	unlight.				
Storage temperature	: 25 °C						
Storage area		•	ace. Store away	from heat.			
Special rules on packaging Packaging materials		: Store in a closed container. : Do not store in corrodable metal.					
Germany							
Storage class (LGK, TRGS 510)	: LGK 12 - No	n-combustible	liquids				
Joint storage table	<sup>:</sup> LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A		
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B		
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C		
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B		
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13		
Joint storage not permitted for Joint storage with restrictions permitted for	: LGK 1, LGK : LGK 4.1A, L		10				
source of age with restrictions permitted for	. LOIX 7.17, L	CIT 7.0, LON 0.					

#### Switzerland

Storage class (LK)

# : LK 10/12 - Liquids

10-13

# 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA 62 mg/m <sup>3</sup>		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)			
10 ppm			
Denmark - Occupational Exposure Limits			
OEL TWA	61 mg/m <sup>3</sup>		
	10 ppm		
OEL STEL	122 mg/m <sup>3</sup>		
	20 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA	10 ppm		
OEL STEL	30 ppm (calculated)		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA	10 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
	8 ppm		
OEL STEL	80 mg/m <sup>3</sup>		
	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	62 mg/m³		
	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	10 ppm		
ACGIH chemical category	Not Classifiable as a Human Carcinogen		

# 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 8.2.2. Personal protection equipment

## Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

**Skin and body protection:** Wear suitable protective clothing

Hand protection: Wear protective gloves.

#### 8.2.2.3. Respiratory protection

**Respiratory protection:** Wear appropriate mask

## 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

# Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 95 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 0.004940753 mm Hg (calculated value)
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

#### No additional information available

## 9.2.2. Other safety characteristics

VOC content

: 19.8796 % (calculated value)(CARB VOC) (%w/w)

# SECTION 10: Stability and reactivity

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Not established.

10.3. Possibility of hazardous reactions

Not established.

**10.4. Conditions to avoid** 

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information			
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity (dermal)	Not classified Not classified Not classified		
Phenylethyl alcohol (60-12-8)			
LD50 oral rat	1609 mg/kg (Source: EPA_HPV)		
LD50 oral	1610 mg/kg		
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)		
LC50 Inhalation - Rat	> 4.63 mg/l/4h		
Hexyl cinnamic aldehyde (101-86-0)			
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)		
LD50 oral	3100 mg/kg bodyweight		
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)		
LC50 Inhalation - Rat	> 5 mg/l/4h		
Benzyl acetate (140-11-4)			
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)		
LD50 oral	2490 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)		

# Safety Data Sheet

Amyl salicylate (2050-08-0)			
LD50 oral rat	4100 mg/kg (Source: NZ_CCID)		
LD50 oral	2000 mg/kg bodyweight		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)		
Terpineol (8000-41-7)			
LD50 oral rat	2900 mg/kg (Source: IUCLID)		
LD50 oral	4300 mg/kg bodyweight		
LD50 dermal rabbit	> 3000 mg/kg (Source: IUCLID)		
Phenylacetaldehyde dimethyl acetal (101-48-4	)		
LD50 oral rat	3500 μl/kg (Source: NLM_CIP)		
LD50 oral	2500 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)		
Isocyclocitral (1335-66-6)			
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)		
LD50 oral	3220 mg/kg bodyweight		
Hexyl salicylate (6259-76-3)			
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)		
Citrus medica limonum (Lemon) peel oil (8008-56-8)			
LD50 oral rat	2840 mg/kg (Source: NLM_CIP)		
Dimethyl anthranilate (85-91-6)			
LD50 oral	3700 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)		
Triplal (Vertocitral) (68039-49-6)			
LD50 oral	2330 mg/kg		
Cyclamal (103-95-7)			
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)		
LD50 oral	3810 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)		
Clove Leaf Oil (8000-34-8)			
LD50 oral rat	1370 mg/kg (Source: NZ_CCID)		
LD50 oral	2650 mg/kg bodyweight		
LD50 dermal rabbit	1200 mg/kg (Source: NLM_CIP)		
LD50 dermal	2500 mg/kg bodyweight		
isoeugenol (97-54-1)			
LD50 oral rat	1560 mg/kg (Source: NLM_CIP)		
LD50 oral	1500 mg/kg bodyweight		
LD50 dermal	1912 mg/kg bodyweight		

# Safety Data Sheet

Phenylacetaldehyde (122-78-1)		
LD50 oral	1550 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
isoeugenol (97-54-1)		
IARC group	2B - Possibly carcinogenic to humans	
Reproductive toxicity	Not classified	
STOT-single exposure	: Not classified	
isoeugenol (97-54-1)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure	Not classified	
Aspiration hazard	: Not classified	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
No additional information available		
11.2.2. Other information		
Defendent all a deserves have a la settle state of the state	Described and second states the state of the	

Potential adverse human health effects and	:	Based on available data, the classification criteria are not me
symptoms		

SECTION 12: Ecological information			
12.1. Toxicity			
Hazardous to the aquatic environment, short-term : (acute)	c to aquatic life with long lasting effects. classified c to aquatic life with long lasting effects.		
Phenylethyl alcohol (60-12-8)			
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)		
12.2. Persistence and degradability			
JASMINE & BAMBOO FR23365			
Persistence and degradability Not established.			
Phenylethyl alcohol (60-12-8)			
Persistence and degradability Rapidly degradable			
Hexyl cinnamic aldehyde (101-86-0)			
Persistence and degradability Rapidly degradable			

# Safety Data Sheet

Benzyl acetate (140-11-4)					
Persistence and degradability	Rapidly degradable				
Amyl salicylate (2050-08-0)					
Persistence and degradability	Rapidly degradable				
Terpineol (8000-41-7)					
Persistence and degradability	Rapidly degradable				
Phenylacetaldehyde dimethyl acetal (101-48-4	Phenylacetaldehyde dimethyl acetal (101-48-4)				
Persistence and degradability	Rapidly degradable				
Isocyclocitral (1335-66-6)					
Persistence and degradability	Rapidly degradable				
Hexyl salicylate (6259-76-3)					
Persistence and degradability	Rapidly degradable				
Citrus medica limonum (Lemon) peel oil (800	8-56-8)				
Persistence and degradability	Rapidly degradable				
Dimethyl anthranilate (85-91-6)					
Persistence and degradability	Rapidly degradable				
Triplal (Vertocitral) (68039-49-6)					
Persistence and degradability	Rapidly degradable				
Cyclamal (103-95-7)					
Persistence and degradability	Rapidly degradable				
Clove Leaf Oil (8000-34-8)					
Persistence and degradability	Rapidly degradable				
isoeugenol (97-54-1)					
Persistence and degradability	Rapidly degradable				
Phenylacetaldehyde (122-78-1)					
Persistence and degradability	Rapidly degradable				
12.3. Bioaccumulative potential					
JASMINE & BAMBOO FR23365					
Bioaccumulative potential	Not established.				
Phenylethyl alcohol (60-12-8)					
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)				
Benzyl acetate (140-11-4)					
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)				
Amyl salicylate (2050-08-0)					
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)				
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)				

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Phenylacetaldehyde dimethyl acetal (101-48-4)			
Partition coefficient n-octanol/water (Log Pow)	2.23 (at 24.7 °C)		
Hexyl salicylate (6259-76-3)			
Partition coefficient n-octanol/water (Log Pow)	5.5 (at 30 °C (at pH 7)		
Dimethyl anthranilate (85-91-6)			
Partition coefficient n-octanol/water (Log Pow)	3.084 (at 25 °C (at pH 3.68)		
Cyclamal (103-95-7)			
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)		
Phenylacetaldehyde (122-78-1)			
Partition coefficient n-octanol/water (Log Pow)	1.44 (at 25 °C (at pH 6.4)		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			
Additional information :	Avoid release to the environment.		

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations Ecological information HP Code	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose in a safe manner in accordance with local/national regulations.</li> <li>Avoid release to the environment.</li> <li>HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.</li> <li>HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one</li> </ul>

or more sectors of the environment

**SECTION 14: Transport information** 

# In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID		
14.1. UN number or ID n	14.1. UN number or ID number					
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082		
14.2. UN proper shipping name						
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMYL SALICYLATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMYL SALICYLATE)	Environmentally hazardous substance, liquid, n.o.s. (AMYL SALICYLATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.		

# Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID	
Transport document description					
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMYL SALICYLATE), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AMYL SALICYLATE), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (AMYL SALICYLATE), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	
14.3. Transport hazard o	class(es)				
9	9	9	9	9	
14.4. Packing group	1	1	I		
	III	III	III	III	
14.5. Environmental haz	ards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary informatic	n available				
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (AD Portable tank and bulk contain Portable tank and bulk contain (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Hazard identification number Orange plates	: 5I : E1 : P0 DR) : PF R) : MF ner instructions (ADR) : T4 ner special provisions : TP : LG : AT : 3 e - Packages (ADR) : V1 e - Loading, unloading : CV	4, 335, 375, 601 01, IBC03, LP01, R001 1 219 1, TP29 BV			
Tunnel restriction code (ADR) EAC code <b>Transport by sea</b> Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IM	: •32 : 27 : 5 L : E1 : LP	2 4, 335, 969 - 01, P001			

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	: IBC03 : T4 : TP1, TP29 : F-A : S-F : A
PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	<ul> <li>E1</li> <li>Y964</li> <li>30kgG</li> <li>964</li> <li>450L</li> <li>964</li> <li>450L</li> <li>450L</li> <li>A97, A158, A197, A215</li> <li>9L</li> </ul>
Inland waterway transport Classification code (ADN) Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN)	: M6 : 274, 335, 375, 601 : 5 L : E1 : T : PP : 0
Rail transportClassification code (RID)Special provisions (RID)Limited quantities (RID)Excepted quantities (RID)Packing instructions (RID)Special packing provisions (RID)Mixed packing provisions (RID)Portable tank and bulk container instructions (RID)Portable tank and bulk container special provisions(RID)	<ul> <li>M6</li> <li>274, 335, 375, 601</li> <li>5L</li> <li>E1</li> <li>P001, IBC03, LP01, R001</li> <li>PP1</li> <li>MP19</li> <li>T4</li> <li>TP1, TP29</li> </ul>
Tank codes for RID tanks (RID) Transport category (RID)	: LGBV : 3 : W12 : CW13, CW31 : CE8 : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

EU restriction list (	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	Citrus medica limonum (Lemon) peel oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	JASMINE & BAMBOO FR23365 ; Phenylethyl alcohol ; Hexyl cinnamic aldehyde ; Amyl salicylate ; Terpineol ; Phenylacetaldehyde dimethyl acetal ; Isocyclocitral ; Hexyl salicylate ; Citrus medica limonum (Lemon) peel oil ; Triplal (Vertocitral) ; Cyclamal ; Clove Leaf Oil ; isoeugenol ; Phenylacetaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	JASMINE & BAMBOO FR23365 ; Hexyl cinnamic aldehyde ; Benzyl acetate ; Amyl salicylate ; Isocyclocitral ; Hexyl salicylate ; Citrus medica limonum (Lemon) peel oil ; Dimethyl anthranilate ; Triplal (Vertocitral) ; Cyclamal ; Phenylacetaldehyde	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Citrus medica limonum (Lemon) peel oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

# POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### VOC Directive (2004/42)

VOC content

: 19.8796 % (calculated value)(CARB VOC) (%w/w)

# **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	<ul> <li>WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).</li> <li>Is not subject to the Hazardous Incident Ordinance (12. BImSchV)</li> </ul>
Netherlands	
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Terpineol,Lemon oil ,Triplal (Vertocitral) are listed
SZW-lijst van mutagene stoffen	: Terpineol,Lemon oil ,Triplal (Vertocitral) are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	<ul> <li>Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product</li> </ul>

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# SECTION 16: Other information

Other information

: None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.