

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/5/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: LOST CHERRY FR22257
Product code	: FR22257
Type of product	: Perfumes, fragrances
Product group	: Trade product
i loudot gloup	

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use,Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Hyggeland Company Russian Federation Krasnodar Stasova st. 184, 7 Phone.: +7 (953) 073-39-63 info@hyggeland.ru

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	 Hexyl cinnamic aldehyde; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone; COUMARIN; Vertofix; Cinnamic aldehyde; Guaiac wood oil; 2- Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-
Hazard statements (CLP)	: H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction.
	H319 - Causes serious eye irritation.
	H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P302+P352 - IF ON SKIN: Wash with plenty of water.
Extra phrases	: For professional users only.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	9 – 18	Skin Sens. 1, H317 Aquatic Chronic 2, H411
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	6.3 – 12.6	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	3.6 - 7.2	Eye Irrit. 2, H319
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	3.1 – 6.25	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	2.7 – 5.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	2.3 – 4.5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Anisic aldehyde	CAS-No.: 123-11-5 EC-No.: 204-602-6 REACH-no: 01-2119977101- 43	0.6 – 1.15	Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.6 – 1.1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	0.6 – 1.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	0.5 – 0.9	Acute Tox. 4 (Oral), H302
Vertofix	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651- 28	0.2 – 0.35	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	0.1 – 0.25	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
Guaiac wood oil	CAS-No.: 8016-23-7 EC-No.: 616-975-6 REACH-no: 01-2120138621- 63	0.1 – 0.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.1 – 0.2	Not classified
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-	CAS-No.: 24720-09-0 EC-No.: 246-430-4	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 - 0.0028	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 - 0.0007	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact	 Not expected to present a significant hazard under anticipated conditions of normal use. Irritation. May cause an allergic skin reaction. Eye irritation.
4.3. Indication of any immediate medical a	attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the subst	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures	5
6.1. Personal precautions, protective equipment	ent and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures :	Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment :	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures :	Ventilate area.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for co	ontainment and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

.1. Precautions for safe handling							
recautions for safe handling ygiene measures	:	soap and wa ventilation in Wear person Wash contan allowed out c	ter before eatin process area al protective e ninated clothin	ng, drinking or s to prevent forma quipment. Avoid g before reuse. e. Do not eat, di	moking and wh ation of vapour. I breathing dust Contaminated v	nd other exposed en leaving work. P Avoid contact with /fume/gas/mist/va vork clothing shou hen using this pro	Provide good a skin and ey pours/spray. Ild not be
.2. Conditions for safe storage, inclu	ding an	y incompati	bilities				
torage conditions compatible products compatible materials torage temperature torage area pecial rules on packaging ackaging materials	:	from heat, ho container clo Strong bases Sources of ig 25 °C Store in a we Store in a clo	ot surfaces, spa sed when not s. Strong acids gnition. Direct s	arks, open flame n use. Store in a unlight. ace. Store away	es and other ign a well-ventilated	place away from ition sources. No s place. Keep cool	smoking. Ke
ermany			n-combustible	liquido			
torage class (LGK, TRGS 510) pint storage table	:	LGK 12 - NO	LGK 2A	LGK 2B	LGK 3	LGK 4.1A	
		LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B	
		LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C	
		LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B	
		LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13	
oint storage not permitted for oint storage with restrictions permitted for oint storage permitted for	:	LGK 2A, LGł	GK 4.3, LGK 5 K 2B, LGK 3, L	GK 4.1B, LGK 4		-GK 5.1B, LGK 5.2 0, LGK 11, LGK 12	-
witzerland							
torage class (LK)	:	LK 10/12 - Li	quids				
.3. Specific end use(s)							

Safety Data Sheet

SECTION 8: Exposure controls/personal protection 8.1. Control parameters 8.1.1 National occupational exposure and biological limit values benzaldehyde (100-52-7) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m ³ Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m ³ 1 ppm HTP (OEL C) 17.4 mg/m ³ 4 ppm Hungary - Occupational Exposure Limits
8.1.1 National occupational exposure and biological limit values benzaldehyde (100-52-7) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m³ 1 ppm HTP (OEL C) 17.4 mg/m³ 4 ppm
benzaldehyde (100-52-7) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m³ 1 ppm HTP (OEL C) 17.4 mg/m³ 4 ppm Hungary - Occupational Exposure Limits
Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Finland - Occupational Exposure Limits 4.4 mg/m³ HTP (OEL TWA) 4.4 mg/m³ 1 ppm 1 ppm HTP (OEL C) 17.4 mg/m³ 4 ppm 4 ppm
OEL TWA 5 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m³ 1 ppm HTP (OEL C) 17.4 mg/m³ 4 ppm
Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m³ 1 ppm HTP (OEL C) 17.4 mg/m³ 4 ppm
HTP (OEL TWA) 4.4 mg/m ³ 1 ppm HTP (OEL C) 17.4 mg/m ³ 4 ppm Hungary - Occupational Exposure Limits
I ppm HTP (OEL C) 17.4 mg/m³ 4 ppm Hungary - Occupational Exposure Limits
HTP (OEL C) HTP (OEL C) 17.4 mg/m ³ 4 ppm Hungary - Occupational Exposure Limits
4 ppm Hungary - Occupational Exposure Limits
Hungary - Occupational Exposure Limits
AK (OEL TWA) 5 mg/m ³
CK (OEL STEL) 10 mg/m ³
Latvia - Occupational Exposure Limits
OEL TWA 5 mg/m ³
Lithuania - Occupational Exposure Limits
IPRV (OEL TWA) 5 mg/m ³
Poland - Occupational Exposure Limits
NDS (OEL TWA) 10 mg/m ³
NDSCh (OEL STEL) 40 mg/m ³
Ethyl acetoacetate (141-97-9)
Romania - Occupational Exposure Limits
OEL TWA 100 mg/m ³
19 ppm
OEL STEL 200 mg/m ³
38 ppm
Alcohol C-10 (112-30-1)
Bulgaria - Occupational Exposure Limits
OEL TWA 10 mg/m ³
Germany - Occupational Exposure Limits (TRGS 900)
Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) 66 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and
AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BG
AGW (OEL TWA) 66 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BG values are observed)
AGW (OEL TWA) 66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BG values are observed) Latvia - Occupational Exposure Limits

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)		
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m ³	
	15 ppm	
OEL STEL	200 mg/m ³	
	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m ³	
	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m ³	
NDSCh (OEL STEL)	80 mg/m ³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment: Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold Melting point Freezing point Boiling point Flammability Lower explosion limit	 Liquid light yellow. amber. Conforms to standard. characteristic. Not available Not applicable Not available Not available Not available Not available Not available Not available
Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH Viscosity, kinematic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure Vapour pressure at 50°C Density Relative density Relative vapour density at 20°C	 Not available > 110 °C Not available 0.001119772 mm Hg (calculated value) Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: 3.9844 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined	d in Regulation (EC) No 1272/2008	
Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified		
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)	
LD50 dermal	2600 mg/kg bodyweight	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
Sandela (66068-84-6)		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 5.27 mg/l/4h	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
Anisic aldehyde (123-11-5)		
LD50 oral rat	3210 mg/kg (Source: ECHA)	
LD50 oral	3210 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h Source: ECHA)	

Safety Data Sheet

LD50 oral rat570 mg/kg (Source: NLM_CIP)LD50 oral1000 mg/kg bodyweightLD50 dermal rabbit> 5 g/kg (Source: NLM_HSDB)Phenylethyl alcohol (60-12-8)LD50 oral rat1609 mg/kg (Source: EPA_HPV)LD50 oral rat1610 mg/kgLD50 dermal rabbit2535 mg/kg (Source: EPA_HPV)LD50 dermal rabbit2535 mg/kg (Source: EPA_HPV)LC50 lnhalation - Rat> 4.63 mg/l/4hbenzaldehyde (100-52-7)LD50 oral rat1292 mg/kg (Source: JAPAN_GHS)		
LD50 dermal rabbit > 5 g/kg (Source: NLM_HSDB) Phenylethyl alcohol (60-12-8) LD50 oral rat 1609 mg/kg (Source: EPA_HPV) LD50 oral 1610 mg/kg LD50 dermal rabbit 2535 mg/kg (Source: EPA_HPV) LC50 lnhalation - Rat > 4.63 mg/l/4h benzaldehyde (100-52-7) Image: Comparison of the second seco		
Phenylethyl alcohol (60-12-8) LD50 oral rat 1609 mg/kg (Source: EPA_HPV) LD50 oral 1610 mg/kg LD50 dermal rabbit 2535 mg/kg (Source: EPA_HPV) LC50 Inhalation - Rat > 4.63 mg/l/4h benzaldehyde (100-52-7) Image: Source in the source in the source interval in the so		
LD50 oral rat1609 mg/kg (Source: EPA_HPV)LD50 oral1610 mg/kgLD50 dermal rabbit2535 mg/kg (Source: EPA_HPV)LC50 Inhalation - Rat> 4.63 mg/l/4hbenzaldehyde (100-52-7)		
LD50 oral 1610 mg/kg LD50 dermal rabbit 2535 mg/kg (Source: EPA_HPV) LC50 Inhalation - Rat > 4.63 mg/l/4h benzaldehyde (100-52-7)		
LD50 dermal rabbit 2535 mg/kg (Source: EPA_HPV) LC50 Inhalation - Rat > 4.63 mg/l/4h benzaldehyde (100-52-7)		
LC50 Inhalation - Rat > 4.63 mg/l/4h benzaldehyde (100-52-7)		
benzaldehyde (100-52-7)		
LD50 oral rat 1292 mg/kg (Source: JAPAN_GHS)		
LD50 dermal rabbit > 1250 mg/kg (Source: JAPAN_GHS)		
Vertofix (32388-55-9)		
LD50 oral 4500 mg/kg bodyweight		
LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API)		
Cinnamic aldehyde (104-55-2)		
LD50 oral rat 2220 mg/kg (Source: NLM_CIP)		
LD50 oral 2220 mg/kg		
LD50 dermal rabbit 1260 mg/kg (Source: EPA_HPV)		
Guaiac wood oil (8016-23-7)		
LD50 oral rat > 5 g/kg (Source: NLM_CIP)		
LD50 dermal rabbit > 5 g/kg (Source: NLM_HSDB)		
Ethyl acetoacetate (141-97-9)		
LD50 oral rat 3980 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit > 5000 mg/kg (Source: NLM_CIP)		
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)- (24720-09-0)		
LD50 oral 1670 mg/kg bodyweight		
LD50 dermal rat 2150 – 2780 mg/kg (Source: ECHA_API)		
LD50 dermal 2900 mg/kg bodyweight		
Alcohol C-10 (112-30-1)		
LD50 oral rat 4720 mg/kg (Source: NZ_CCID)		
LD50 dermal rabbit 3560 mg/kg (Source: NLM_CIP)		
Aldehyde C-6 (66-25-1)		
LD50 oral rat 4890 mg/kg (Source: NLM_CIP)		
LD50 dermal rabbit > 8100 mg/kg (Source: ECHA_API)		
Skin corrosion/irritation : Causes skin irritation.		
Serious eye damage/irritation: Causes serious eye irritation.Respiratory or skin sensitisation: May cause an allergic skin reaction.		
Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified		
Carcinogenicity : Not classified		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
11.2. Information on other hazard	
11.2.1. Endocrine disrupting propertie	

No additional information available

11.2.2. Other information

Potential adverse human health effects and : Based on available data, the classification criteria are not met symptoms

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general : Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Not classified	
Hazardous to the aquatic environment, long-term : (chronic)	Toxic to aquatic life with long lasting effects.	
Vanillin (121-33-5)		
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Phenylethyl alcohol (60-12-8)		
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)	
benzaldehyde (100-52-7)		
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)	
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)	
Ethyl acetoacetate (141-97-9)		
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)	
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)	
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)	
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Aldehyde C-6 (66-25-1)	
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)

12.2. Persistence and degradability

LOST CHERRY FR22257		
Persistence and degradability	Not established.	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2)		
Persistence and degradability	Rapidly degradable	
Vanillin (121-33-5)		
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
Persistence and degradability	Rapidly degradable	
Sandela (66068-84-6)		
Persistence and degradability	Rapidly degradable	
COUMARIN (91-64-5)		
Persistence and degradability	Rapidly degradable	
Anisic aldehyde (123-11-5)		
Persistence and degradability	Rapidly degradable	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
Persistence and degradability	Rapidly degradable	
Phenylethyl alcohol (60-12-8)		
Persistence and degradability	Rapidly degradable	
benzaldehyde (100-52-7)		
Persistence and degradability	Rapidly degradable	
Vertofix (32388-55-9)		
Persistence and degradability	Rapidly degradable	
Cinnamic aldehyde (104-55-2)		
Persistence and degradability	Rapidly degradable	
Guaiac wood oil (8016-23-7)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

Ethyl acetoacetate (141-97-9)	
Persistence and degradability	Rapidly degradable
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexer	
Persistence and degradability	Rapidly degradable
Alcohol C-10 (112-30-1)	
Persistence and degradability	Rapidly degradable
Aldehyde C-6 (66-25-1)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
LOST CHERRY FR22257	
Bioaccumulative potential	Not established.
Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
Anisic aldehyde (123-11-5)	
Partition coefficient n-octanol/water (Log Pow)	1.56 (at 25 °C (at pH >7.9-<8.25)
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)
Phenylethyl alcohol (60-12-8)	
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)
benzaldehyde (100-52-7)	
BCF - Fish [1]	(no significant bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)
Vertofix (32388-55-9)	
BCF - Fish [1]	(3920 dimensionless (organ w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)
Ethyl acetoacetate (141-97-9)	,
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)
2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)- (24720-09-0)	
BCF - Fish [1]	(>8.4 - <20)
Partition coefficient n-octanol/water (Log Pow)	3.66 (at 25 °C (at pH 5.82)
Alcohol C-10 (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aldehyde C-6 (66-25-1)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information :	Avoid release to the environment.

13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations Ecological information HP Code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure. HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause ski irritation or damage to the eye. HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for or or more sectors of the environment

SECTION 14: Transport information

SECTION 13: Disposal considerations

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document descri	ption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ISO E SUPER), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
14.3. Transport hazard c	lass(es)			
9	9	9	9	9

Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.4. Packing group		-		
	III	III	III	III
14.5. Environmental haz	ards		1	
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available			
14.6. Special precaution	s for user			
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (A Mixed packing provisions (AD Portable tank and bulk contain Portable tank and bulk contain (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR) Special provisions for carriage Special provisions for carriage and handling (ADR) Hazard identification number of Orange plates	DR) : PR) : her instructions (ADR) : her special provisions : e - Packages (ADR) : a - Loading, unloading : (Kemler No.) :	TP1, TP29 LGBV AT 3 V12		
Tunnel restriction code (ADR) EAC code		- •3Z		
Limited quantities (IMDG):Excepted quantities (IMDG):Packing instructions (IMDG):Special packing provisions (IMDG):IBC packing instructions (IMDG):Tank instructions (IMDG):Tank special provisions (IMDG):EmS-No. (Fire):EmS-No. (Spillage):		274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 TP1, TP29 F-A S-F A		
Air transport PCA Excepted quantities (IAT PCA Limited quantities (IATA) PCA limited quantity max net PCA packing instructions (IAT) quantity (IATA)	E1 Y964 30kgG 964		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	: 450L : 964 : 450L : A97, A158, A197, A215 : 9L
Inland waterway transport Classification code (ADN) Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN)	: M6 : 274, 335, 375, 601 : 5 L : E1 : T : PP : 0
Rail transportClassification code (RID)Special provisions (RID)Limited quantities (RID)Excepted quantities (RID)Packing instructions (RID)Special packing provisions (RID)Mixed packing provisions (RID)Portable tank and bulk container instructions (RID)Portable tank and bulk container special provisions(RID)Tank codes for RID tanks (RID)Transport category (RID)Special provisions for carriage – Packages (RID)Special provisions for carriage - Loading, unloadingand handling (RID)Colis express (express parcels) (RID)Hazard identification number (RID)	 M6 274, 335, 375, 601 5L E1 P001, IBC03, LP01, R001 PP1 MP19 T4 TP1, TP29 LGBV 3 W12 CW13, CW31 CE8 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	LOST CHERRY FR22257 ; Hexyl cinnamic aldehyde ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Sandela ; Phenylethyl alcohol ; benzaldehyde ; Vertofix ; Cinnamic aldehyde ; 2-Buten-1-one, 1-(2,6,6-trimethyl-2- cyclohexen-1-yl)-, (E)-	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	LOST CHERRY FR22257; Hexyl cinnamic aldehyde ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB) ; Sandela ; Anisic aldehyde ; Vertofix ; Cinnamic aldehyde ; 2- Buten-1-one, 1-(2,6,6- trimethyl-2-cyclohexen-1- yl)-, (E)- ; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content

: 3.9844 % (calculated value)(CARB VOC) (%w/w)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) List of sensitizing substances (TRGS 907) Hazardous Incident Ordinance (12. BImSchV)	 WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Contains sensitizing substances according TRGS 907. Is not subject to the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Sandela is listed
SZW-lijst van mutagene stoffen	: Sandela is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information

: None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.