

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/5/2024 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : ORANGE CINNAMON FR22334

Product code : FR22334

Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only
Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Hyggeland Company Russian Federation

Krasnodar

Stasova st. 184, 7

Phone.: +7 (953) 073-39-63 info@hyggeland.ru

# 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2

Serious eye damage/eye irritation, Category 2

H319

Skin sensitisation, Category 1

H317

Aspiration hazard, Category 1

H304

Hazardous to the aquatic environment – Chronic Hazard,

H412

Category 3

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

# 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

GHS07 GHS08

Signal word (CLP) : Danger

Contains : Cinnamic aldehyde; (R)-p-mentha-1,8-diene; d-limonene; Vertenex; Orange oil ; Eugenol;

Eucalyptus oil; Triplal (Vertocitral); Allyl cyclohexylpropionate;

(ETHOXYMETHOXY)CYCLODODECANE; Citrus medica limonum (Lemon) peel oil;

Spearmint oil

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H412 - Harmful to aquatic life with long lasting effects.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Precautionary statements (CLP)

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	7.5 – 14.9001	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	3.5 – 7	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	3 – 5.95	Skin Sens. 1B, H317
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	1.3 – 2.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	1.3 – 2.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2 REACH-no: 01-2119978250- 37	0.6 – 1.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Aldehyde C-10	CAS-No.: 112-31-2 EC-No.: 203-957-4	0.6 – 1.2	Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.6 – 1.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Allyl cyclohexylpropionate	CAS-No.: 2705-87-5 EC-No.: 220-292-5	0.3 – 0.55	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Sens. 1, H317 Aquatic Chronic 1, H410
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371-	0.2 – 0.4948	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
(ETHOXYMETHOXY)CYCLODODECANE	CAS-No.: 58567-11-6 EC-No.: 261-332-1	0.2 – 0.35	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Citrus medica limonum (Lemon) peel oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	0.2 – 0.35	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	0.1 – 0.225	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Spearmint oil	CAS-No.: 8008-79-5 EC-No.: 616-927-4	0.1 – 0.1	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated

clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Do not induce

vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

# 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6/5/2024 (Issue date) EN (English) 4/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products Incompatible materials

Strong bases. Strong acids.Sources of ignition. Direct sunlight.

Storage temperature

: 25 °C

Storage area

: Store in a well-ventilated place. Store away from heat.

Special rules on packaging Packaging materials

Store in a closed container.Do not store in corrodable metal.

#### Germany

Storage class (LGK, TRGS 510)

Joint storage table

: LGK 10 - Combustible liquids

		<u> </u>			
:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

Joint storage with restrictions permitted for

Joint storage permitted for

: LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7

: LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2

: LGK 2B, LGK 3, LGK 4.1B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B,

LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

# Switzerland

Storage class (LK) : LK 6.1 - Toxic materials

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

# (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) Finland - Occupational Exposure Limits HTP (OEL TWA) 140 mg/m³

6/5/2024 (Issue date) EN (English) 5/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HTP (OEL STEL)	25 ppm 280 mg/m³ 50 ppm	
HTP (OEL STEL)	280 mg/m³ 50 ppm	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 900	0)	
A contract of advance minima fragment		
	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
	5 ppm	
OEL STEL	112 mg/m³	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	168 mg/m³	
	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	40 mg/m³	
	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
	14 ppm	
OEL chemical category	Sensitizer	

# 8.1.2. Recommended monitoring procedures

No additional information available

# 8.1.3. Air contaminants formed

No additional information available

# 8.1.4. DNEL and PNEC

No additional information available

# 8.1.5. Control banding

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

# Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

# Respiratory protection:

Wear appropriate mask

# 8.2.2.4. Thermal hazards

No additional information available

# 8.2.3. Environmental exposure controls

# Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour characteristic. Odour threshold Not available Melting point Not applicable Freezing point Not available Boiling point Not available Flammability : Not applicable Lower explosion limit Not available Upper explosion limit : Not available : 81 °C Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available : Not available Viscosity, kinematic : Not available Solubility Partition coefficient n-octanol/water (Log Kow) : Not available

6/5/2024 (Issue date) EN (English) 7/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Not established.

# 10.3. Possibility of hazardous reactions

Not established.

LD50 oral

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	

3370 mg/kg bodyweight

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 dermal rabbit	Vertenex (32210-23-4)	
Orange oil (8086-57-9)         4000 mg/kg (Source: NZ_CCID)           LD50 dermal rabbit         > 5000 mg/kg (Source: CHEMVIEW)           Eugenol (97-53-0)         LD50 dermal rabbit         25000 mg/kg (Source: NZ_CCID)           LD50 oral rat         2500 mg/kg (Source: NLM_CIP)           LD50 oral rat         2480 mg/kg (Source: NLM_CIP)           Aldehyde C-10 (112-31-2)         LD50 oral rat         3730 mg/kg (Source: NLM_HSDB)           LD50 dermal rabbit         5040 mg/kg (Source: NLM_HSDB)           Triplal (Vertocitral) (68039-49-6)         2330 mg/kg           LD50 oral         2330 mg/kg           Allyl cyclohexylpropionate (2705-87-5)         565 mg/kg (Source: NLM_CIP)           LD50 oral rat         585 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         1600 mg/kg (Source: ECHA_API)           LD50 dermal rabbit         1600 mg/kg (Source: NLM_CIP)           LD50 oral rat         500 mg/kg (Source: NLM_CIP)           LD50 oral rat         1190 mg/kg (Source: NLM_CIP)           LD50 dermal rabbit         4000 mg/kg (Source: NLM_CIP)           (ETHOXYMETHOXY)CYCLODDECANE (58567-11-6)         1100 mg/kg (Source: NLM_CIP)           (ETHOX male rabbit         > 5 g/kg (Source: NLM_CIP)           LD50 oral rat         > 2440 mg/kg (Source: CHEMVIEW)           LD50 oral rat         > 3.250	. ,	> 5000 mg/kg (Source: CHEMVIEW)
LD50 oral rat	Orange oil (8008-57-9)	
LD50 darmal rabbit		4400 mg/kg (Source: NZ CCID)
Eugenol (97-53-0)		
LD50 oral rat		,
D50 oral   2500 mg/kg bodyweight		1930 mg/kg (Source: NZ, CCID)
Eucalyptus oil (8000-48-4)		
LD50 oral rat	Eucalyptus oil (8000-48-4)	
LD50 oral rat		2480 mg/kg (Source: NLM_CIP)
LD50 oral rat	Aldehyde C-10 (112-31-2)	
Company   Content   Cont	· · · · · · · · · · · · · · · · · · ·	3730 mg/kg (Source: NLM_HSDB)
LD50 oral   2330 mg/kg	LD50 dermal rabbit	5040 mg/kg (Source: NLM_HSDB)
Allyl cyclohexylpropionate (2705-87-5)   LD50 oral rat	Triplal (Vertocitral) (68039-49-6)	
LD50 oral rat		2330 mg/kg
LD50 oral   380 mg/kg bodyweight	Allyl cyclohexylpropionate (2705-87-5)	
LD50 dermal rabbit  LD50 dermal  1600 mg/kg (Source: ECHA_API)  1600 mg/kg bodyweight  benzyl benzoate (120-51-4)  LD50 oral rat  500 mg/kg (Source: NLM_CIP)  LD50 oral  1160 mg/kg bodyweight  LD50 dermal rabbit  4000 mg/kg (Source: NLM_CIP)  (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  LD50 oral rat  > 5 g/kg (Source: NLM_CIP)  Citrus medica limonum (Lemon) peel oil (8008-56-8)  LD50 oral rat  2840 mg/kg (Source: NLM_CIP)  1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)  LD50 oral rat  > 3250 mg/kg (Source: CHEMVIEW)  LD50 dermal rabbit  > 3250 mg/kg (Source: CHEMVIEW)  LD50 dermal rabbit  > 5,04 mg/l/4h  Spearmint oil (8008-79-5)  LD50 oral  4900 mg/kg  Skin corrosion/irritation  : Causes skin irritation.  Serious eye damage/irritation  : Causes serious eye irritation.	LD50 oral rat	585 mg/kg (Source: NLM_CIP)
LD50 dermal 1600 mg/kg bodyweight  benzyl benzoate (120-51-4)  LD50 oral rat 500 mg/kg (Source: NLM_CIP)  LD50 oral 1160 mg/kg bodyweight  LD50 dermal rabbit 4000 mg/kg (Source: NLM_CIP)  (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  LD50 oral rat > 5 g/kg (Source: NLM_CIP)  LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API)  Citrus medica limonum (Lemon) peel oil (8008-56-8)  LD50 oral rat 2840 mg/kg (Source: NLM_CIP)  1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)  LD50 oral rat > 3250 mg/kg (Source: CHEMVIEW)  LD50 dermal rabbit > 3250 mg/kg (Source: CHEMVIEW)  LD50 dermal rabbit > 5,0/4 mg/l/4h  Spearmint oil (8008-79-5)  LD50 oral rat 5 g/kg (Source: NLM_CIP)  LD50 oral rat 5 g/kg (Source: NLM_CIP)  LD50 oral rat 5 g/kg (Source: CHEMVIEW)  Spearmint oil (8008-79-5)  LD50 oral rat 5 g/kg (Source: NLM_CIP)	LD50 oral	380 mg/kg bodyweight
Denzyl benzoate (120-51-4)   LD50 oral rat	LD50 dermal rabbit	1600 mg/kg (Source: ECHA_API)
LD50 oral rat   S00 mg/kg (Source: NLM_CIP)	LD50 dermal	1600 mg/kg bodyweight
LD50 oral LD50 oral LD50 dermal rabbit LD50 dermal rabbit LD50 dermal rabbit LD50 oral rat LD50 oral rat LD50 oral rat LD50 oral rat LD50 dermal rabbit Source: NLM_CIP) LD50 oral rat LD50 dermal rabbit Source: NLM_CIP) LD50 oral rat Source: NLM_CIP) LD50 oral rat Source: CHEMVIEW) LD50 dermal rabbit Source: CHEMVIEW) LD50 dermal rabbit Source: CHEMVIEW) LD50 oral rat Source: CHEMVIEW) LD50 oral rat Source: CHEMVIEW) LD50 oral rat Source: CHEMVIEW) COSO Inhalation - Rat Source: NLM_CIP) LD50 oral rat Source: NLM_CIP)	benzyl benzoate (120-51-4)	
LD50 dermal rabbit  4000 mg/kg (Source: NLM_CIP)  (ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  LD50 oral rat  > 5 g/kg (Source: NLM_CIP)  LD50 dermal rabbit  > 5000 mg/kg (Source: ECHA_API)  Citrus medica limonum (Lemon) peel oil (8008-56-8)  LD50 oral rat  2840 mg/kg (Source: NLM_CIP)  1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)  LD50 oral rat  > 3250 mg/kg (Source: CHEMVIEW)  LD50 dermal rabbit  > 3250 mg/kg (Source: CHEMVIEW)  LC50 Inhalation - Rat  > 5.04 mg/l/4h  Spearmint oil (8008-79-5)  LD50 oral  4900 mg/kg  Skin corrosion/irritation  : Causes skin irritation.  Serious eye damage/irritation  : Causes serious eye irritation.	LD50 oral rat	500 mg/kg (Source: NLM_CIP)
(ETHOXYMETHOXY)CYCLODODECANE (58567-11-6)  LD50 oral rat	LD50 oral	1160 mg/kg bodyweight
LD50 oral rat         > 5 g/kg (Source: NLM_CIP)           LD50 dermal rabbit         > 5000 mg/kg (Source: ECHA_API)           Citrus medica limonum (Lemon) peel oil (8008-56-8)           LD50 oral rat         2840 mg/kg (Source: NLM_CIP)           1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)           LD50 oral rat         > 3250 mg/kg (Source: CHEMVIEW)           LD50 dermal rabbit         > 3250 mg/kg (Source: CHEMVIEW)           LC50 Inhalation - Rat         > 5.04 mg/l/4h           Spearmint oil (8008-79-5)           LD50 oral rat         5 g/kg (Source: NLM_CIP)           LD50 oral         4900 mg/kg           Skin corrosion/irritation         : Causes skin irritation.           Serious eye damage/irritation         : Causes serious eye irritation.	LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit > 5000 mg/kg (Source: ECHA_API)  Citrus medica limonum (Lemon) peel oil (8008-56-8)  LD50 oral rat 2840 mg/kg (Source: NLM_CIP)  1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)  LD50 oral rat > 3250 mg/kg (Source: CHEMVIEW)  LD50 dermal rabbit > 3250 mg/kg (Source: CHEMVIEW)  LC50 Inhalation - Rat > 5.04 mg/l/4h  Spearmint oil (8008-79-5)  LD50 oral rat 5 g/kg (Source: NLM_CIP)  LD50 oral rat 5 g/kg (Source: NLM_CIP)  LD50 oral  4900 mg/kg  Skin corrosion/irritation : Causes skin irritation.  Serious eye damage/irritation : Causes serious eye irritation.	(ETHOXYMETHOXY)CYCLODODECANE (5856	67-11-6)
Citrus medica limonum (Lemon) peel oil (8008-56-8)  LD50 oral rat	LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 oral rat  2840 mg/kg (Source: NLM_CIP)  1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)  LD50 oral rat  > 3250 mg/kg (Source: CHEMVIEW)  LD50 dermal rabbit  > 3250 mg/kg (Source: CHEMVIEW)  LC50 Inhalation - Rat  > 5.04 mg/l/4h  Spearmint oil (8008-79-5)  LD50 oral rat  5 g/kg (Source: NLM_CIP)  LD50 oral  4900 mg/kg  Skin corrosion/irritation  : Causes skin irritation.  Serious eye damage/irritation  : Causes serious eye irritation.	LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)  LD50 oral rat	Citrus medica limonum (Lemon) peel oil (800	8-56-8)
LD50 oral rat > 3250 mg/kg (Source: CHEMVIEW)  LD50 dermal rabbit > 3250 mg/kg (Source: CHEMVIEW)  LC50 Inhalation - Rat > 5.04 mg/l/4h  Spearmint oil (8008-79-5)  LD50 oral rat 5 g/kg (Source: NLM_CIP)  LD50 oral 4900 mg/kg  Skin corrosion/irritation : Causes skin irritation.  Serious eye damage/irritation : Causes serious eye irritation.	LD50 oral rat	2840 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit > 3250 mg/kg (Source: CHEMVIEW)  LC50 Inhalation - Rat > 5.04 mg/l/4h  Spearmint oil (8008-79-5)  LD50 oral rat 5 g/kg (Source: NLM_CIP)  LD50 oral 4900 mg/kg  Skin corrosion/irritation : Causes skin irritation.  Serious eye damage/irritation : Causes serious eye irritation.	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
LC50 Inhalation - Rat > 5.04 mg/l/4h  Spearmint oil (8008-79-5)  LD50 oral rat 5 g/kg (Source: NLM_CIP)  LD50 oral 4900 mg/kg  Skin corrosion/irritation : Causes skin irritation.  Serious eye damage/irritation : Causes serious eye irritation.	LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)
Spearmint oil (8008-79-5)         LD50 oral rat       5 g/kg (Source: NLM_CIP)         LD50 oral       4900 mg/kg         Skin corrosion/irritation       : Causes skin irritation.         Serious eye damage/irritation       : Causes serious eye irritation.	LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)
LD50 oral rat  5 g/kg (Source: NLM_CIP)  LD50 oral  4900 mg/kg  Skin corrosion/irritation  : Causes skin irritation.  Serious eye damage/irritation  : Causes serious eye irritation.	LC50 Inhalation - Rat	> 5.04 mg/l/4h
LD50 oral 4900 mg/kg  Skin corrosion/irritation : Causes skin irritation.  Serious eye damage/irritation : Causes serious eye irritation.	Spearmint oil (8008-79-5)	
Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation.	LD50 oral rat	5 g/kg (Source: NLM_CIP)
Serious eye damage/irritation : Causes serious eye irritation.		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

# (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

IARC group 3 - Not classifiable

# **Eugenol (97-53-0)**

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

# (R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

Hydrocarbon Yes

#### Orange oil (8008-57-9)

Hydrocarbon Yes

# benzyl benzoate (120-51-4)

Viscosity, kinematic 7.456 mm²/s

#### 11.2. Information on other hazards

# 11.2.1. Endocrine disrupting properties

No additional information available

# 11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

(CHIOHIC)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
Vertenex (32210-23-4)		
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Aldehyde C-10 (112-31-2)		
LC50 - Fish [1]	1.45 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	

6/5/2024 (Issue date) EN (English) 10/16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Allyl cyclohexylpropionate (2705-87-5)	
LC50 - Fish [1]	0.13 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: ECHA)
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
12.2. Persistence and degradability	
ORANGE CINNAMON FR22334	
Persistence and degradability	Not established.
Cinnamic aldehyde (104-55-2)	
Persistence and degradability	Rapidly degradable
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
Persistence and degradability	Rapidly degradable
Vertenex (32210-23-4)	
Persistence and degradability	Rapidly degradable
Orange oil (8008-57-9)	
Persistence and degradability	Rapidly degradable
Eugenol (97-53-0)	
Persistence and degradability	Rapidly degradable
Eucalyptus oil (8000-48-4)	
Persistence and degradability	Not established.
Aldehyde C-10 (112-31-2)	
Persistence and degradability	Rapidly degradable
Triplal (Vertocitral) (68039-49-6)	
Persistence and degradability	Rapidly degradable
Allyl cyclohexylpropionate (2705-87-5)	
Persistence and degradability	Rapidly degradable
benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
(ETHOXYMETHOXY)CYCLODODECANE (5856	67-11-6)
Persistence and degradability	May cause long-term adverse effects in the environment,Not established.

Citrus medica limonum (Lemon) peel oil (8008-56-8)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Parsistance and degradability	Ranidly degradable
Persistence and degradability	Rapidly degradable
	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
Persistence and degradability	Rapidly degradable
Spearmint oil (8008-79-5)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
ORANGE CINNAMON FR22334	
Bioaccumulative potential	Not established.
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Vertenex (32210-23-4)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)
Eugenol (97-53-0)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)
Eucalyptus oil (8000-48-4)	
Bioaccumulative potential	Not established.
Aldehyde C-10 (112-31-2)	
Partition coefficient n-octanol/water (Log Pow)	3.8 (at 35 °C)
Allyl cyclohexylpropionate (2705-87-5)	
Partition coefficient n-octanol/water (Log Pow)	4.28 (at 20 °C (at pH 5.3)
benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
(ETHOXYMETHOXY)CYCLODODECANE (5856	67-11-6)
BCF - Fish [1]	(530 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.4 (at 25 °C)
Bioaccumulative potential	Not established.
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

**Ecological information** 

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary informatio	n available	'		

#### 14.6. Special precautions for user

# Overland transport

Not applicable

# Transport by sea

Not applicable

#### Air transport

Not applicable

#### **Inland waterway transport**

Not applicable

#### Rail transport

Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

# **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	(R)-p-mentha-1,8-diene; d-limonene; Orange oil; Eucalyptus oil; Citrus medica limonum (Lemon) peel oil; Spearmint oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	ORANGE CINNAMON FR22334; Cinnamic aldehyde; (R)-p-mentha- 1,8-diene; d-limonene; Vertenex; Orange oil; Eugenol; Eucalyptus oil; Aldehyde C-10; Triplal (Vertocitral); Allyl cyclohexylpropionate; benzyl benzoate; (ETHOXYMETHOXY)CY CLODODECANE; Citrus medica limonum (Lemon) peel oil; Spearmint oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	ORANGE CINNAMON FR22334; Cinnamic aldehyde; (R)-p-mentha- 1,8-diene; d-limonene; Orange oil; Eucalyptus oil; Aldehyde C-10; Triplal (Vertocitral); Allyl cyclohexylpropionate; benzyl benzoate; (ETHOXYMETHOXY)CY CLODODECANE; Citrus medica limonum (Lemon) peel oil; 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB); Spearmint oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	(R)-p-mentha-1,8-diene; d-limonene; Orange oil; Eucalyptus oil; Citrus medica limonum (Lemon) peel oil; Spearmint oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

# **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Dual-Use Regulation (428/2009)**

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Orange oil ,Eucalyptus oil,Triplal (Vertocitral),Lemon oil are listed

SZW-lijst van mutagene stoffen : Orange oil ,Eucalyptus oil,Triplal (Vertocitral),Lemon oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

Denmark

Class for fire hazard : Class III-1

Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

: None of the components are listed

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4	
Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU