

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 7/17/2017 Revision date: 6/5/2024 Supersedes version of: 3/29/2021 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: SALTED CARAMEL FR25545 Product name

Product code : FR25545

: Perfumes, fragrances Type of product Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

: Industrial use, Professional use Main use category Industrial/Professional use spec

: For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Hyggeland Company Russian Federation

Krasnodar

Stasova st. 184, 7

Phone .: +7 (953) 073-39-63 info@hyggeland.ru

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 Skin sensitisation, Category 1 H317 Carcinogenicity, Category 1B H350 Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment - Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause cancer. Very toxic to aquatic life. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

GHS07 GHS08 GHS09

Signal word (CLP) : Danger

Contains : benzyl benzoate; benzyl alcohol; Acetyl Propionyl; COUMARIN; Heliotropine; 2-furaldehyde;

Cinnamon leaf oil; 1,2-Cyclopentanedione, 3-methyl-

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H350 - May cause cancer.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	43.4 – 86.8	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	1.8 – 3.5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	0.6 – 1.25	Eye Irrit. 2, H319
Acetyl Propionyl substance with national workplace exposure limit(s) (DE, SI, CH)	CAS-No.: 600-14-6 EC-No.: 209-984-8	0.3 – 0.6	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.3 – 0.5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
butyric acid substance with national workplace exposure limit(s) (BG, LT, LV, RO)	CAS-No.: 107-92-6 EC-No.: 203-532-3 EC Index-No.: 607-135-00-X	0.3 – 0.5	Skin Corr. 1B, H314
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.2 – 0.3	Skin Sens. 1B, H317
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.2 – 0.3	Acute Tox. 4 (Oral), H302
2-furaldehyde substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SK, NO, CH)	CAS-No.: 98-01-1 EC-No.: 202-627-7 EC Index-No.: 605-010-00-4	0.1 – 0.2	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Carc. 2, H351 STOT SE 3, H335 Aquatic Chronic 3, H412
Cinnamon leaf oil	CAS-No.: 8015-91-6 EC-No.: 283-479-0 REACH-no: 01-2119487278- 23	0.1 – 0.2	Acute Tox. 3 (Dermal), H311 Eye Irrit. 2, H319 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Aquatic Chronic 3, H412
isobutyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH)	CAS-No.: 110-19-0 EC-No.: 203-745-1 EC Index-No.: 607-026-00-7	0.1 – 0.15	Flam. Liq. 2, H225 STOT SE 3, H336
1,2-Cyclopentanedione, 3-methyl-	CAS-No.: 765-70-8 EC-No.: 212-154-8	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.1 – 0.1	Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible). IF exposed or concerned: Get medical $% \left(1\right) =\left(1\right) \left(1$

advice/attention. Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact : Wash skin with plenty of water. Remove affected clothing and wash all exposed skin area

with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing.

If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain

medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell. Do NOT induce vomiting.

Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing. Do not enter fire area without proper

protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Only qualified personnel

equipped with suitable protective equipment may intervene. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper

protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6/5/2024 (Revision date) EN (English) 4/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Ensure good ventilation of the work station. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked

up.

Incompatible products Incompatible materials

: Strong bases. Strong acids.: Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m³	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	

Safety Data Sheet

benzyl alcohol (100-51-6)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m³
OEL chemical category	Skin notation
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	240 mg/m³
Slovenia - Occupational Exposure Limits	
OEL TWA	22 mg/m³
	5 ppm
OEL STEL	44 mg/m³
	10 ppm
OEL chemical category	Potential for cutaneous absorption
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)
	5 ppm (aerosol, vapour)
OEL chemical category	Skin notation
Acetyl Propionyl (600-14-6)	
Germany - Occupational Exposure Limits (TRGS 9	00)
AGW (OEL TWA)	0.083 mg/m³
	0.02 ppm
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA	0.083 mg/m³
	0.02 ppm
OEL STEL	0.083 mg/m³
	0.02 ppm
OEL chemical category	Potential for cutaneous absorption
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	0.08 mg/m³
	0.02 ppm
KZGW (OEL STEL)	0.16 mg/m³
	0.04 ppm
OEL chemical category	Sensitizer, Skin notation

Safety Data Sheet

butyric acid (107-92-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	15 mg/m³	
	4 ppm	
OEL STEL	30 mg/m³	
	8 ppm	
benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	4.4 mg/m³	
	1 ppm	
HTP (OEL C)	17.4 mg/m³	
	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
2-furaldehyde (98-01-1)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	20 mg/m³	
	5 ppm	
OEL chemical category	Skin notation, Group B Carcinogen	
Belgium - Occupational Exposure Limits		
OEL TWA	8 mg/m³	
	2 ppm	
OEL chemical category	Skin	

Safety Data Sheet

2 furaldohydo (09 04 4)	
2-furaldehyde (98-01-1)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	10 mg/m³ (Furfurol)
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	8 mg/m³
	2 ppm
KGVI (OEL STEL)	20 mg/m³
	5 ppm
OEL chemical category	Skin notation
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	10 mg/m³
OEL chemical category	Potential for cutaneous absorption
Denmark - Occupational Exposure Limits	
OEL TWA	7.9 mg/m³
	2 ppm
OEL STEL	15.8 mg/m³
	4 ppm
OEL chemical category	Potential for cutaneous absorption
Estonia - Occupational Exposure Limits	
OEL TWA	8 mg/m³
	2 ppm
OEL STEL	20 mg/m³
	5 ppm
OEL chemical category	Skin notation
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	8 mg/m³
	2 ppm
HTP (OEL STEL)	20 mg/m³
, , ,	5 ppm
OEL chemical category	Potential for cutaneous absorption
France - Occupational Exposure Limits	<u>'</u>
VLE (OEL C/STEL)	8 mg/m³
(*,	2 ppm
OEL chemical category	Carcinogen category 2
France - Biological limit values	- G
BLV	Parameter: Total furoic acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source)
Greece - Occupational Exposure Limits	
OEL TWA	20 mg/m³
	I.

Safety Data Sheet

2-furaldehyde (98-01-1)	
	5 ppm
OEL STEL	40 mg/m³
	10 ppm
OEL chemical category	skin - potential for cutaneous absorption
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	8 mg/m³
CK (OEL STEL)	20 mg/m³
OEL chemical category	Sensitizer, Potential for cutaneous absorption
Ireland - Occupational Exposure Limits	
OEL TWA	8 mg/m³
	2 ppm
OEL STEL	20 mg/m³
	5 ppm
OEL chemical category	Potential for cutaneous absorption
Latvia - Occupational Exposure Limits	
OEL TWA	10 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	8 mg/m³
	2 ppm
TPRV (OEL STEL)	20 mg/m³
	5 ppm
OEL chemical category	Carcinogen, Skin notation
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	10 mg/m³
NDSCh (OEL STEL)	25 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	2 ppm
OEL chemical category	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans, skin - potential for cutaneous exposure
Romania - Occupational Exposure Limits	
OEL TWA	10 mg/m³
	2.5 ppm
OEL STEL	15 mg/m³
	4 ppm
OEL chemical category	C2
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	7.9 mg/m³
	2 ppm
OEL chemical category	Potential for cutaneous absorption

Safety Data Sheet

2-furaldehyde (98-01-1)	
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	8 mg/m³
	2 ppm
OEL chemical category	skin - potential for cutaneous absorption
Spain - Biological limit values	
BLV	200 mg/l Parameter: Furoic acid - Medium: urine - Sampling time: end of shift (with hydrolysis)
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	8 mg/m³
	2 ppm
KGV (OEL STEL)	20 mg/m³
	5 ppm
OEL chemical category	Skin notation
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	8 mg/m³
	2 ppm
WEL STEL (OEL STEL)	20 mg/m³
	5 ppm
WEL chemical category	Potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	8 mg/m³
	2 ppm
Korttidsverdi (OEL STEL)	16 mg/m³ (value calculated)
	4 ppm (value calculated)
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	8 mg/m³
	2 ppm
OEL chemical category	Skin notation
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	0.2 ppm
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans, Skin - potential significant contribution to overall exposure by the cutaneous route
USA - ACGIH - Biological Exposure Indices	
BEI	200 mg/l Parameter: Furoic acid with hydrolysis - Medium: urine - Sampling time: end of shift (nonspecific)
isobutyl acetate (110-19-0)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	241 mg/m³ (Butyl acetates)
	50 ppm (Butyl acetates)

Safety Data Sheet

isobutyl acetate (110-19-0)	
MAK (OEL STEL)	480 mg/m³ (Butyl acetate)
	100 ppm (Butyl acetate)
Belgium - Occupational Exposure Limits	
OEL TWA	238 mg/m³
	50 ppm
OEL STEL	712 mg/m³
	150 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	241 mg/m³
	50 ppm
OEL STEL	723 mg/m³
	150 ppm
Croatia - Occupational Exposure Limits	·
GVI (OEL TWA)	241 mg/m³
	50 ppm
KGVI (OEL STEL)	723 mg/m³
	150 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA	241 mg/m³
	50 ppm
OEL STEL	723 mg/m³
	150 ppm
Czech Republic - Occupational Exposure Lin	nits
PEL (OEL TWA)	241 mg/m³
Denmark - Occupational Exposure Limits	
OEL TWA	241 mg/m³ (Butyl acetate, all isomers)
	50 ppm (Butyl acetate, all isomers)
OEL STEL	723 mg/m³
	150 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	241 mg/m³
	50 ppm
OEL STEL	723 mg/m³
	150 ppm
Finland - Occupational Exposure Limits	·
HTP (OEL TWA)	240 mg/m³ (Butyl acetate)
	50 ppm (Butyl acetate)
HTP (OEL STEL)	725 mg/m³ (Butyl acetate)

Safety Data Sheet

France - Occupational Exposure Limits VME (OEL TWA) 241 mg/m³ (restrictive limit) 50 ppm (restrictive limit) VLE (OEL C/STEL) 723 mg/m³ (restrictive limit)		
50 ppm (restrictive limit)		
VLE (OEL C/STEL) 723 mg/m³ (restrictive limit)		
150 ppm (restrictive limit)		
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) 300 mg/m³ (the risk of damage to the embryo or fetus can be approximately be a second b	an be excluded when AGW and	
62 ppm (the risk of damage to the embryo or fetus can be values are observed)	be excluded when AGW and BGW	
Greece - Occupational Exposure Limits		
OEL TWA 241 mg/m³		
50 ppm		
OEL STEL 723 mg/m³		
150 ppm		
Hungary - Occupational Exposure Limits		
AK (OEL TWA) 241 mg/m³		
CK (OEL STEL) 723 mg/m³		
OEL chemical category Sensitizer		
Ireland - Occupational Exposure Limits		
OEL TWA 241 mg/m³		
50 ppm		
OEL STEL 723 mg/m³ (calculated)		
150 ppm (calculated)		
Italy - Occupational Exposure Limits		
OEL TWA 241 mg/m³		
50 ppm		
OEL STEL 723 mg/m³		
150 ppm		
Latvia - Occupational Exposure Limits		
OEL TWA 241 mg/m³		
50 ppm		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA) 241 mg/m³		
50 ppm		
TPRV (OEL STEL) 723 mg/m³		
150 ppm		
Luxembourg - Occupational Exposure Limits		
OEL TWA 241 mg/m³		
50 ppm		

Safety Data Sheet

isobutyl acetate (110-19-0)	
OEL STEL	723 mg/m³
	150 ppm
Malta - Occupational Exposure Limits	
OEL TWA	241 mg/m³
	50 ppm
OEL STEL	723 mg/m³
	150 ppm
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	241 mg/m³
	50 ppm
TGG-15min (OEL STEL)	723 mg/m³
	150 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	240 mg/m³
NDSCh (OEL STEL)	720 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA	241 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
OEL STEL	723 mg/m³ (indicative limit value)
	150 ppm (indicative limit value)
Romania - Occupational Exposure Limits	
OEL TWA	241 mg/m³
	50 ppm
OEL STEL	723 mg/m³
	150 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	480 mg/m³
	100 ppm
NPHV (OEL C)	700 mg/m³
Slovenia - Occupational Exposure Limits	
OEL TWA	241 mg/m³
	50 ppm
OEL STEL	723 mg/m³
	150 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	241 mg/m³
	50 ppm
VLA-EC (OEL STEL)	723 mg/m³
	150 ppm

Safety Data Sheet

Sweden - Occupational Exposure Limits NGV (OEL TWA) 241 mg/m³ (Butyl acetates) 50 ppm (Butyl acetates) 50 ppm (Butyl acetates) KGV (OEL STEL) 723 mg/m³ (Butyl acetates) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 724 mg/m³ 150 ppm WEL STEL (OEL STEL) 903 mg/m³	
KGV (OEL STEL) 723 mg/m³ (Butyl acetates) 150 ppm (Butyl acetates) 150 ppm (Butyl acetates) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 724 mg/m³ 150 ppm	
KGV (OEL STEL) 723 mg/m³ (Butyl acetates) 150 ppm (Butyl acetates) United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 724 mg/m³ 150 ppm	
United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 724 mg/m³ 150 ppm	
United Kingdom - Occupational Exposure Limits WEL TWA (OEL TWA) 724 mg/m³ 150 ppm	
WEL TWA (OEL TWA) 724 mg/m³ 150 ppm	
150 ppm	
WEL STEL (OEL STEL) 903 mg/m³	
187 ppm	
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) 241 mg/m³	
50 ppm	
Korttidsverdi (OEL STEL) 723 mg/m³ (value from the regulatio	n)
150 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) 240 mg/m³	
50 ppm	
KZGW (OEL STEL) 720 mg/m³	
150 ppm	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA 50 ppm (Butyl acetates, all isomers)	
ACGIH OEL STEL 150 ppm (Butyl acetates, all isomers	s)
Benzyl acetate (140-11-4)	
Belgium - Occupational Exposure Limits	
OEL TWA 62 mg/m³	
10 ppm	
Denmark - Occupational Exposure Limits	
OEL TWA 61 mg/m³	
10 ppm	
OEL STEL 122 mg/m³	
20 ppm	
Ireland - Occupational Exposure Limits	
OEL TWA 10 ppm	
OEL STEL 30 ppm (calculated)	
Latvia - Occupational Exposure Limits	
OEL TWA 5 mg/m³	
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA) 5 mg/m³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)			
Portugal - Occupational Exposure Limits			
EL TWA 10 ppm			
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	50 mg/m³		
	8 ppm		
OEL STEL	80 mg/m³		
	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	62 mg/m³		
	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA 10 ppm			
ACGIH chemical category Not Classifiable as a Human Carcinogen			

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Wear protective gloves.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

: light yellow. amber. Conforms to standard. Colour

Odour characteristic. characteristic.

Odour threshold Not available Melting point : Not applicable Freezing point Not available Boiling point Not available Flammability : Not applicable Lower explosion limit Not available Upper explosion limit : Not available Flash point : 93.3 °C : Not available Auto-ignition temperature Decomposition temperature : Not available : Not available рΗ Viscosity, kinematic Not available Solubility Not available Partition coefficient n-octanol/water (Log Kow)

: 0.004453913 mm Hg (calculated value) Vapour pressure

: Not available

Vapour pressure at 50°C : Not available Density : Not available Relative density : ≈ 1.13 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 2.85 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	Not classified		
SALTED CARAMEL FR25545			
ATE CLP (oral)	534.188 mg/kg bodyweight		
benzyl benzoate (120-51-4)			
LD50 oral rat	500 mg/kg (Source: NLM_CIP)		
LD50 oral	1160 mg/kg bodyweight		
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)		
benzyl alcohol (100-51-6)			
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)		
LD50 oral	1570 mg/kg		
Vanillin (121-33-5)			
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)		
LD50 dermal	0 mg/kg bodyweight		
Acetyl Propionyl (600-14-6)			
LD50 oral rat	3 g/kg (Source: NLM_CIP)		
LD50 oral	3000 mg/kg		
LD50 dermal rabbit	> 2000 mg/kg (Source: NIOSH)		
COUMARIN (91-64-5)			
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)		
LD50 dermal rat	293 mg/kg (Source: ECHA_API)		
butyric acid (107-92-6)			
LD50 oral rat	2 g/kg (Source: NLM_CIP)		
LD50 oral	1630 mg/kg bodyweight		
LD50 dermal rabbit	530 mg/kg (Source: NLM_HSDB)		

Safety Data Sheet

Heliotropine (120-57-0)			
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)		
LD50 oral	2700 mg/kg bodyweight		
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)		
benzaldehyde (100-52-7)			
D50 oral rat 1292 mg/kg (Source: JAPAN_GHS)			
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)		
2-furaldehyde (98-01-1)			
LD50 oral rat	125 mg/kg (Source: JAPAN_GHS)		
LD50 dermal rabbit	500 – 1000 mg/kg (Source: JAPAN_GHS)		
LC50 Inhalation - Rat	756 mg/m³ (Exposure time: 1 h Source: WHO)		
LC50 Inhalation - Rat (Vapours)	1 mg/l		
Cinnamon leaf oil (8015-91-6)			
LD50 oral rat	2650 mg/kg (Source: NZ_CCID)		
LD50 oral	2650 mg/kg		
LD50 dermal rabbit	702 mg/kg (Source: ECHA_API)		
isobutyl acetate (110-19-0)			
LD50 oral rat	15400 mg/kg (Source: JAPAN_GHS)		
LD50 dermal rabbit	> 17400 mg/kg (Source: NLM_CIP)		
1,2-Cyclopentanedione, 3-methyl- (765-70-8)			
LD50 oral	1067 mg/kg bodyweight		
Benzyl acetate (140-11-4)			
Benzyl acetate (140-11-4)			
Benzyl acetate (140-11-4) LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)		
	2490 mg/kg (Source: JAPAN_GHS) 2490 mg/kg bodyweight		
LD50 oral rat			
LD50 oral rat LD50 oral LD50 dermal rabbit Skin corrosion/irritation :	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified		
LD50 oral rat LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation :	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified Not classified		
LD50 oral rat LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation : Respiratory or skin sensitisation :	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified		
LD50 oral rat LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation :	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified Not classified May cause an allergic skin reaction.		
LD50 oral rat LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation :: Respiratory or skin sensitisation :: Germ cell mutagenicity ::	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified Not classified May cause an allergic skin reaction. Not classified		
LD50 oral rat LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation :: Respiratory or skin sensitisation :: Germ cell mutagenicity :: Carcinogenicity ::	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified Not classified May cause an allergic skin reaction. Not classified		
LD50 oral LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation :: Respiratory or skin sensitisation :: Germ cell mutagenicity :: Carcinogenicity :: COUMARIN (91-64-5)	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified Not classified May cause an allergic skin reaction. Not classified May cause cancer.		
LD50 oral LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity : Carcinogenicity : COUMARIN (91-64-5) IARC group	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified Not classified May cause an allergic skin reaction. Not classified May cause cancer.		
LD50 oral LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity : Carcinogenicity : COUMARIN (91-64-5) IARC group 2-furaldehyde (98-01-1)	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified Not classified May cause an allergic skin reaction. Not classified May cause cancer. 3 - Not classifiable		
LD50 oral LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity :: Carcinogenicity :: COUMARIN (91-64-5) IARC group 2-furaldehyde (98-01-1) IARC group Benzyl acetate (140-11-4) IARC group	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified Not classified May cause an allergic skin reaction. Not classified May cause cancer. 3 - Not classifiable		
LD50 oral LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity : Carcinogenicity : COUMARIN (91-64-5) IARC group 2-furaldehyde (98-01-1) IARC group Benzyl acetate (140-11-4) IARC group Reproductive toxicity :	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified Not classified May cause an allergic skin reaction. Not classified May cause cancer. 3 - Not classifiable 3 - Not classifiable Not classifiable Not classified		
LD50 oral LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity :: Carcinogenicity :: COUMARIN (91-64-5) IARC group 2-furaldehyde (98-01-1) IARC group Benzyl acetate (140-11-4) IARC group Reproductive toxicity :: STOT-single exposure	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified Not classified May cause an allergic skin reaction. Not classified May cause cancer. 3 - Not classifiable 3 - Not classifiable		
LD50 oral LD50 oral LD50 dermal rabbit Skin corrosion/irritation : Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity : Carcinogenicity : COUMARIN (91-64-5) IARC group 2-furaldehyde (98-01-1) IARC group Benzyl acetate (140-11-4) IARC group Reproductive toxicity :	2490 mg/kg bodyweight > 5000 mg/kg (Source: JAPAN_GHS) Not classified Not classified May cause an allergic skin reaction. Not classified May cause cancer. 3 - Not classifiable 3 - Not classifiable Not classifiable Not classified		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

isobutyl acetate (110-19-0)			
STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure :	Not classified		
Acetyl Propionyl (600-14-6)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard : Not classified			
benzyl benzoate (120-51-4)			
Viscosity, kinematic	7.456 mm²/s		
Heliotropine (120-57-0)			
Viscosity, kinematic	Not applicable		

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(chronic)			
nzyl benzoate (120-51-4)			
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
NOEC (chronic)	0.168 mg/l		
benzyl alcohol (100-51-6)			
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
LC50 - Fish [2]	mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)		
Vanillin (121-33-5)			
LC50 - Fish [1] 53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow Source: EPA)			
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])		
butyric acid (107-92-6)			
EC50 72h - Algae [1]	46.7 mg/l (Species: Desmodesmus subspicatus)		
Heliotropine (120-57-0)			
LC50 - Fish [1] 2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)			

Safety Data Sheet

benzaldehyde (100-52-7)			
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)		
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)		
2-furaldehyde (98-01-1)			
LC50 - Fish [1]	13.4 – 19.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
LC50 - Fish [2]	16.79 – 26.35 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)		
isobutyl acetate (110-19-0)			
LC50 - Fish [1] 17 mg/l (Exposure time: 96 h - Species: Oryzias latipes Source: ECHA)			
12.2. Persistence and degradability			
SALTED CARAMEL FR25545			
Persistence and degradability	Not established.		
benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
benzyl alcohol (100-51-6)			
Persistence and degradability	Rapidly degradable		
Vanillin (121-33-5)			
Persistence and degradability	Rapidly degradable		
Acetyl Propionyl (600-14-6)			
Persistence and degradability Rapidly degradable			
COUMARIN (91-64-5)			
Persistence and degradability Rapidly degradable			
butyric acid (107-92-6)			
Persistence and degradability	Rapidly degradable		
Heliotropine (120-57-0)			
Persistence and degradability	Rapidly degradable		
benzaldehyde (100-52-7)			
Persistence and degradability	Rapidly degradable		
2-furaldehyde (98-01-1)			
Persistence and degradability	Rapidly degradable		
Cinnamon leaf oil (8015-91-6)			
Persistence and degradability	Rapidly degradable		
isobutyl acetate (110-19-0)			
Persistence and degradability	Rapidly degradable		
1,2-Cyclopentanedione, 3-methyl- (765-70-8)			
Persistence and degradability	Rapidly degradable		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

enzyl acetate (140-11-4)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	

SALTED CARAMEL FR25545

Bioaccumulative potential	Not established.

benzyl benzoate (120-51-4)

Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)

Bioaccumulative potential Not established.

benzyl alcohol (100-51-6)

Partition coefficient n-octanol/water (Log Pow) 1.05

Vanillin (121-33-5)

Partition coefficient n-octanol/water (Log Pow) 1.23 (at 22 °C)

butyric acid (107-92-6)

Partition coefficient n-octanol/water (Log Pow) 1.1 (at 25 °C (at pH 3)

Heliotropine (120-57-0)

Partition coefficient n-octanol/water (Log Pow) 1.2 (at 35 °C)

benzaldehyde (100-52-7)

BCF - Fish [1]	(no significant bioaccumulation)

Partition coefficient n-octanol/water (Log Pow) 1.4 (at 25 °C)

2-furaldehyde (98-01-1)

Partition coefficient n-octanol/water (Log Pow) 0.67

isobutyl acetate (110-19-0)

BCF - Fish [1]	(no significant bioconcentration)
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 7)

Benzyl acetate (140-11-4)

Partition coefficient n-octanol/water (Log Pow) 1.96 (at 25 °C (at pH 7)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

6/5/2024 (Revision date) EN (English) 21/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
- HP7 "Carcinogenic:" waste which induces cancer or increases its incidence
- HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID number						
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082		
14.2. UN proper shippin	4.2. UN proper shipping name					
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.		
Transport document descr	iption					
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III		
14.3. Transport hazard	class(es)					
9	9	9	9	9		
**************************************	**************************************	**************************************	**************************************	**************************************		
14.4. Packing group						
III	III	III	III	III		
14.5. Environmental haz	14.5. Environmental hazards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes		
No supplementary information	No supplementary information available					

14.6. Special precautions for user

Overland transport

Classification code (ADR)

Special provisions (ADR) : 274, 335, 375, 601

6/5/2024 (Revision date) EN (English) 22/27

: M6

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR)

EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) · T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T4

Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	Acetyl Propionyl ; 2- furaldehyde ; isobutyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	SALTED CARAMEL FR25545; benzyl benzoate; benzyl alcohol; Acetyl Propionyl; butyric acid; benzaldehyde; 2- furaldehyde; Cinnamon leaf oil; isobutyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	SALTED CARAMEL FR25545; benzyl benzoate; 2-furaldehyde; Cinnamon leaf oil; Benzyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	Acetyl Propionyl ; 2- furaldehyde ; isobutyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content : 2.85 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.		Category, Subcategory	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 74	Occupational disorders caused by furfural and furfuryl alcohol	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must

be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Cinnamon leaf oil is listed

SZW-lijst van mutagene stoffen : Cinnamon leaf oil is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

6/5/2024 (Revision date) EN (English) 25/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Danish National Regulations

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH	-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Carc. 1B	Carcinogenicity, Category 1B	
Carc. 2	Carcinogenicity, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H351	Suspected of causing cancer.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Muta. 2	Germ cell mutagenicity, Category 2	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU