

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/18/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Trade name Product code	:	Mixture FIR & BALSAM FR95609 FR95609
Type of product Product group		Perfumes, fragrances Trade product

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### 1.2.1. Relevant identified uses

Main use category	: Professional use,Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

#### 1.2.2. Uses advised against

#### No additional information available

### 1.3. Details of the supplier of the safety data sheet

Hyggeland Company Russian Federation Krasnodar Stasova 184, 7 Phone.: +7 (953) 073-39-63 info@hyggeland.ru https://hyggeland.ru/

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/20	08 [CLP]
Acute toxicity (oral), Category 4	H302
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard,	H400
Category 1	
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Signal word (CLP) Contains	<ul> <li>Warning</li> <li>benzyl benzoate; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone;</li> <li>Benzyl salicylate; (R)-p-mentha-1,8-diene; d-limonene; Triplal (Vertocitral); Eucalyptus oil;</li> </ul>
Hazard statements (CLP)	benzyl alcohol; Cinnamic aldehyde; Eugenol; COUMARIN; Geranyl acetate; L-Carvone : H302 - Harmful if swallowed. H317 - May cause an allergic skin reaction. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	<ul> <li>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</li> </ul>
Extra phrases	: For professional users only.
2.3. Other hazards	

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	26.7 – 53.42	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	3.9 – 7.7	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Cedarwood oil, Texas	CAS-No.: 68990-83-0 EC-No.: 294-461-7	2.4 – 4.7	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	1 – 2	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.8 – 1.5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

## Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.3 – 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.3 – 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2 REACH-no: 01-2119978250- 37	0.3 – 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.2 – 0.4	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Camphene	CAS-No.: 79-92-5 EC-No.: 201-234-8	0.2 - 0.3	Flam. Sol. 2, H228 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	0.2 – 0.3	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.2 - 0.3	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.1 – 0.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
L-Carvone	CAS-No.: 6485-40-1 EC-No.: 229-352-5 EC Index-No.: 606-148-00-8	0.1 – 0.1	Skin Sens. 1B, H317
acetophenone substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO)	CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169- 37	0 – 0.04	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	(0.01 ≤ C < 100) Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	<ul> <li>Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.</li> <li>Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.</li> </ul>
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects	, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>May cause an allergic skin reaction.</li> </ul>

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Sand. Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the subst	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release r	neasures
6.1. Personal precautions, protective	e equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Prevent e	entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for contai	nment and cleaning up

For containment Methods for cleaning up	<ul> <li>Collect spillage.</li> <li>Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or</li> </ul>
Other information	<ul><li>diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>
6.4. Reference to other sections	

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage						
7.1. Precautions for safe handling						
Precautions for safe handling Hygiene measures	soap and water ventilation in pr Avoid breathing : Contaminated v contaminated c	<ul> <li>Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.</li> <li>Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>				
7.2. Conditions for safe storage, includi	ng any incompatibi	lities				
Storage conditions Incompatible products Incompatible materials Storage temperature Storage area Special rules on packaging Packaging materials Germany	<ul> <li>Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.</li> <li>Strong bases. Strong acids.</li> <li>Sources of ignition. Direct sunlight.</li> <li>25 °C</li> <li>Store in a well-ventilated place. Store away from heat.</li> <li>Store in a closed container.</li> <li>Do not store in corrodable metal.</li> </ul>					
Storage class (LGK, TRGS 510)	: LGK 12 - Non-c	: LGK 12 - Non-combustible liquids				
Joint storage table	EGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A	
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B	
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C	
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B	
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13	
Joint storage not permitted for Joint storage with restrictions permitted for	: LGK 1, LGK 6.2 : LGK 4.1A, LGK	,	1C			

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Joint storage permitted for	: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m <sup>3</sup>	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 9	00)	
AGW (OEL TWA)	28 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m <sup>3</sup>	
	5 ppm	
OEL STEL	112 mg/m <sup>3</sup>	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	168 mg/m <sup>3</sup>	
	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	40 mg/m <sup>3</sup>	

## Safety Data Sheet

K2GW (OEL STEL)         80 mg/m²           K2GW (OEL STEL)         80 mg/m²           OEL chemical category         Semaitizer           benzyl alcohol (100-51-6)         Bulgaria - Occupational Exposure Limits           Cacch Republic - Occupational Exposure Limits         S mg/m²           Cacch Republic - Occupational Exposure Limits         40 mg/m²           PEL (OEL TWA)         40 mg/m²           Filinad - Occupational Exposure Limits         10 ppm           Germany - Occupational Exposure Limits (TROS 800)         AGW (OEL TWA)           AGW (OEL TWA)         22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and EGW values are observed)           Germany - Occupational Exposure Limits (TROS 800)         AGW (OEL TWA)           AGW (OEL TWA)         22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and EGW values are observed)           Chemical category         Skin notation           Latvia - Occupational Exposure Limits         EUTWA           VP (OEL TWA)         5 mg/m²           OEL TWA         5 mg/m²           OEL TWA         240 mg/m²           NOS (OEL TWA)         5 mg/m²           OEL TWA         240 mg/m²           Siveria - Occupational Exposure Limits         Siveria - Occupational Exposure Limits           OEL TWA	(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
14 pm           OEL chamical category         Sensilizer           benzyl alcohol (100-51-6)         Bulgara - Occupational Exposure Limits           OEL TWA         \$ mg/m²           Catch Republic - Occupational Exposure Limits         40 mg/m²           Finland - Occupational Exposure Limits         40 mg/m²           Finland - Occupational Exposure Limits         45 mg/m²           Off Catch Republic - Occupational Exposure Limits (TRGS 900)         7000000000000000000000000000000000000		7 ppm	
Del. chemical category         Sensitizer           Balgaria - Occupational Exposure Limits         s rag/m²           Czech Republic - Occupational Exposure Limits         40 rag/m²           Finland - Occupational Exposure Limits         40 rag/m²           FIRIAN - Occupational Exposure Limits         45 rag/m²           HTP (OEL TWA)         40 rag/m²           Oermany - Occupational Exposure Limits         45 rag/m²           AGW (OEL TWA)         45 rag/m²           AGW (OEL TWA)         5 rag/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           AGW (OEL TWA)         5 rag/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Chemical category         S kin notation           Latvia - Occupational Exposure Limits         5 rag/m²           Uthuania - Occupational Exposure Limits         5 rag/m²           Uthuania - Occupational Exposure Limits         5 rag/m²           OEL TWA)         5 rag/m²           OEL TWA         5 rag/m²           OEL TWA         5 rag/m²           OEL chemical category         S rag/m²           OEL TWA         5 rag/m²           OEL TWA         5 rag/m²           OEL TWA         6 rag/m²           OEL TWA	KZGW (OEL STEL)	80 mg/m³	
barzył alcohol (100-51-6)           Bulgaria - Occupational Exposure Limits           Czech Ropublic - Occupational Exposure Limits           PEL (OEL TWA)         40 mg/m²           Czech Ropublic - Occupational Exposure Limits           PEL (OEL TWA)         40 mg/m²           Germany - Occupational Exposure Limits         45 mg/m²           Tip (OEL TWA)         45 mg/m²           Germany - Occupational Exposure Limits (TRGS 900)         22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         5 pm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Chemical category         Sin molation         5 pm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Chemical category         Sin molation         5 pm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Chemical category         Sin molation         5 pm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           OEL themical category         Skin molation         5 pm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           OEL trwA         24 mg/m²         5 pm (the risk of damage to the embryo or fetus can be exc		14 ppm	
Bulgaria - Occupational Exposure Limits         5 mg/m³           Czech Republic - Occupational Exposure Limits         40 mg/m³           Finland - Occupational Exposure Limits         45 mg/m³           HTP (OEL TWA)         45 mg/m³           OEL TWA)         45 mg/m³           10 ppm         6           Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	OEL chemical category	Sensitizer	
OEL TWA         5 mg/m <sup>4</sup> Czech Ropublic - Occupational Exposure Limits         40 mg/m <sup>2</sup> Finland - Occupational Exposure Limits         45 mg/m <sup>3</sup> The OEL TWA         45 mg/m <sup>3</sup> 10 pm         10 pm           Germany - Occupational Exposure Limits (TRGS 90)         22 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Sopm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         5 pp (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Sopm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         5 pp (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Sopm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         5 pp (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Sop (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         5 pp (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Sop (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         5 pp (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           OEL thwali - Occupational Exposure Limits         5 pp (the risk of damage to the embryo or fetu	benzyl alcohol (100-51-6)		
Cacch Republic - Occupational Exposure Limits           PEL (OEL TWA)         40 mg/m³           Finland - Occupational Exposure Limits         45 mg/m³           The OEL TWA)         45 mg/m³           10 ppm         10 ppm           Germany - Occupational Exposure Limits (TRGS 900)         30 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           AGW (OEL TWA)         22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Chemical category         Sin notation           Latvia - Occupational Exposure Limits         5 mg/m³           OEL TWA         6 mg/m³           OEL TWA         5 mg/m³           OEL TWA         6 mg/m³           OEL TWA         6 mg/m³           OEL TWA         20 mg/m³           OEL TWA         20 mg/m³           OEL TWA         20 mg/m³           OEL TWA	Bulgaria - Occupational Exposure Limits		
PEL (OEL TWA)         40 mg/m³           Finiand - Occupational Exposure Limits         45 mg/m³           HTP (OEL TWA)         46 mg/m³           10 ppm         10 ppm           Germany - Occupational Exposure Limits (TRGS 900)         22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Sppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Chemical category         Sik notation         5 mg/m²           OEL TWA         5 mg/m²         5 mg/m²           OEL TWA         6 mg/m²         5 mg/m²           OEL TWA         6 mg/m²         5 mg/m²           OEL TWA         5 mg/m²         5 mg/m²           OEL TWA         20 mg/m²         5 mg/m²           OEL TWA         20 mg/m²         5 mg/m²           OEL TWA         20 mg/m²         5 mg/m²	OEL TWA	5 mg/m³	
Finand - Occupational Exposure Limits         45 mg/m <sup>3</sup> HTP (OEL TWA)         45 mg/m <sup>3</sup> Germany - Occupational Exposure Limits (TRGS 900)         22 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           AGW (OEL TWA)         22 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Chemical category         Skin notation           Latvia - Occupational Exposure Limits         5 mg/m <sup>3</sup> OEL TWA         5 mg/m <sup>3</sup> OEL Chemical category         Skin notation           Poland - Occupational Exposure Limits         Feed (the mg/m)           NDS (OEL TWA)         240 mg/m <sup>3</sup> Storenia - Occupational Exposure Limits         22 mg/m <sup>3</sup> OEL chemical category         9 to mg/m <sup>3</sup> Storenia - Occupational Exposure Limits         10 ppm           OEL TWA         22 mg/m <sup>3</sup> Storenia - Occupational Exposure Limits         10 ppm           OEL chemical category         9 totential for cutaneous absorption	Czech Republic - Occupational Exposure Limits		
HTP (OEL TWA)         45 mg/m³           Germany - Occupational Exposure Limits (TRGS 9000000000000000000000000000000000000	PEL (OEL TWA)	40 mg/m³	
In ppm           Germany - Occupational Exposure Limits (TRGS 90)           AGW (OEL TWA)         22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           S ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Chemical category         Skin notation         Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           OEL TWA         5 mg/m³         Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           OEL TWA         5 mg/m³         Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           OEL TWA         5 mg/m³         Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           OEL TWA         5 mg/m³         Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Solutional Exposure Limits         5 mg/m³         Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Solution and occupational Exposure Limits         Skin notation         Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           OEL themical category         Potential for cutaneous absorption	Finland - Occupational Exposure Limits		
Germany - Occupational Exposure Limits (TRGS 900)         AGW (OEL TWA)       22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         Germany - Occupational Exposure Limits       5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         Chemical category       Skin notation         Latvia - Occupational Exposure Limits       5 mg/m²         OEL TWA       5 mg/m²         DEL chemical category       Skin notation         Poly (OEL TWA)       5 mg/m²         OEL chemical category       Skin notation         Poly (OEL TWA)       5 mg/m²         OEL chemical category       Skin notation         Poland - Occupational Exposure Limits       Values are observed)         OEL trava       240 mg/m²         Slovenia - Occupational Exposure Limits       Values are observed)         OEL TWA       22 mg/m²         OEL TWA       22 mg/m²         OEL TWA       22 mg/m²         OEL Chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits       22 mg/m² (aerosol, vapour)         OEL chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits       5 ppm (aerosol, vapour) <td< td=""><td>HTP (OEL TWA)</td><td>45 mg/m³</td></td<>	HTP (OEL TWA)	45 mg/m³	
AGW (OEL TWA)       22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         Sequence       5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)         Chemical category       Skin notation         Latvia - Occupational Exposure Limits       5 mg/m³         OEL TWA       5 mg/m³         Lithuania - Occupational Exposure Limits       5 mg/m³         IPRV (OEL TWA)       5 mg/m³         OEL chemical category       Skin notation         Poland - Occupational Exposure Limits       5 mg/m³         OEL TWA)       240 mg/m³         Slovenia - Occupational Exposure Limits       5 mg/m³         OEL TWA)       240 mg/m³         Slovenia - Occupational Exposure Limits       10 pg/m³         OEL TWA       22 mg/m³         OEL TWA       22 mg/m³         OEL TWA       22 mg/m³         OEL Chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits       10 ppm         OEL chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits       22 mg/m³ (aerosol, vapour)         Skin notation       5 ppm (aerosol, vapour)         Skin notation       5 ppm (aerosol, vap		10 ppm	
BGW values are observed)           5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Chemical category         Skin notation           Latvia - Occupational Exposure Limits         5 mg/m³           OEL TWA         \$ mg/m³           OEL chemical category         Skin notation           Poland - Occupational Exposure Limits         5 mg/m³           OEL chemical category         Skin notation           Poland - Occupational Exposure Limits         5 mg/m³           NDS (OEL TWA)         240 mg/m³           Slovenia - Occupational Exposure Limits         5 ppm           OEL TWA         22 mg/m³           Silvenia - Occupational Exposure Limits         5 ppm           OEL TWA         22 mg/m³           Silvenia - Occupational Exposure Limits         10 ppm           OEL chemical category         Potential for cutaneous absorption           Switzerland - Occupational Exposure Limits         10 ppm           OEL chemical category         Skin notation           Switzerland - Occupational Exposure Limits         5 ppm (aerosol, vapour)           OEL chemical category         Skin notation           Switzerland - Occupational Exposure Limits         5 ppm (aerosol, vapour)           OEL chemical category         Skin nota	Germany - Occupational Exposure Limits (TRGS 90	)0)	
values are observed)     values are observed)       Chemical category     Skin notation       Latvia - Occupational Exposure Limits     5 mg/m³       OEL TWA     5 mg/m³       Lithuania - Occupational Exposure Limits     5 mg/m³       IPRV (OEL TWA)     5 mg/m³       OEL chemical category     Skin notation       Poland - Occupational Exposure Limits     Values are observed)       NDS (OEL TWA)     240 mg/m³       Slovenia - Occupational Exposure Limits     22 mg/m³       OEL TWA     22 mg/m³       OEL Chemical category     Poential for cutaneous absorption       Switzerland - Occupational Exposure Limits     Dential for cutaneous absorption       Switzerland - Occupational Exposure Limits     22 mg/m³ (aerosol, vapour)       OEL chemical category     S in notation       OEL chemical category     S kin notation       Switzerland - Occupational Exposure Limits     Strip (aerosol, vapour)       OEL chemical category     S in notation       Chemical category     S kin notation       Cel TWA)     Sin polarition       Cel TWA     Sin motation	AGW (OEL TWA)		
Latvia - Occupational Exposure Limits         OEL TWA       5 mg/m³         Lithuania - Occupational Exposure Limits         IPRV (OEL TWA)       5 mg/m³         OEL chemical category       Skin notation         Poland - Occupational Exposure Limits       240 mg/m³         NDS (OEL TWA)       240 mg/m³         Slovenia - Occupational Exposure Limits       240 mg/m³         OEL TWA       22 mg/m³         OEL TWA       22 mg/m³         OEL TWA       22 mg/m³         OEL STEL       44 mg/m³         10 ppm       0EL chemical category         OEL chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits       MAK (OEL TWA)         MAK (OEL TWA)       22 mg/m³ (aerosol, vapour)         OEL chemical category       Skin notation         acetophenone (98-86-2)       Skin notation         Belgium - Occupational Exposure Limits       OEL TWA			
OEL TWA     5 mg/m³       Lithuania - Occupational Exposure Limits       IPRV (OEL TWA)     5 mg/m³       OEL chemical category     Skin notation       Poland - Occupational Exposure Limits     240 mg/m³       NDS (OEL TWA)     240 mg/m³       Slovenia - Occupational Exposure Limits     22 mg/m³       OEL TWA     22 mg/m³       OEL TWA     22 mg/m³       OEL STEL     44 mg/m³       10 ppm     0       OEL chemical category     Potential for cutaneous absorption       Switzerland - Occupational Exposure Limits     MAK (OEL TWA)       MAK (OEL TWA)     22 mg/m³ (aerosol, vapour)       OEL chemical category     Skin notation       acetophenone (98-86-2)     Skin notation       Belgium - Occupational Exposure Limits     50 mg/m³	Chemical category	Skin notation	
Lithuania - Occupational Exposure Limits         5 mg/m <sup>a</sup> IPRV (OEL TWA)         5 mg/m <sup>a</sup> OEL chemical category         Skin notation           Poland - Occupational Exposure Limits         240 mg/m <sup>a</sup> NDS (OEL TWA)         240 mg/m <sup>a</sup> Slovenia - Occupational Exposure Limits         22 mg/m <sup>a</sup> OEL TWA         22 mg/m <sup>a</sup> OEL chemical category         Potential for cutaneous absorption           Switzerland - Occupational Exposure Limits         35 ppm           MAK (OEL TWA)         22 mg/m <sup>a</sup> (aerosol, vapour)           Stor notation         5 ppm (aerosol, vapour)           OEL chemical category         Skin notation           acetophenone (98-86-2)         Skin notation           Belgium - Occupational Exposure Limits         50 mg/m <sup>a</sup>	Latvia - Occupational Exposure Limits		
IPRV (OEL TWA)     5 mg/m <sup>3</sup> OEL chemical category     Skin notation       Poland - Occupational Exposure Limits     240 mg/m <sup>3</sup> Stovenia - Occupational Exposure Limits     22 mg/m <sup>3</sup> OEL TWA     22 mg/m <sup>3</sup> OEL STEL     44 mg/m <sup>3</sup> 10 ppm     0       OEL chemical category     Potential for cutaneous absorption       Switzerland - Occupational Exposure Limits     22 mg/m <sup>3</sup> (aerosol, vapour)       OEL chemical category     Skin notation       Switzerland - Occupational Exposure Limits     22 mg/m <sup>3</sup> (aerosol, vapour)       OEL chemical category     Skin notation       Septim (aerosol, vapour)     5 ppm (aerosol, vapour)       OEL chemical category     Skin notation	OEL TWA	5 mg/m³	
OEL chemical category     Skin notation       Poland - Occupational Exposure Limits     240 mg/m³       NDS (OEL TWA)     240 mg/m³       Slovenia - Occupational Exposure Limits     22 mg/m³       OEL TWA     22 mg/m³       OEL STEL     44 mg/m³       10 ppm     10 ppm       OEL chemical category     Potential for cutaneous absorption       Switzerland - Occupational Exposure Limits     22 mg/m³ (aerosol, vapour)       OEL chemical category     Skin notation       acetophenone (98-86-2)     Skin notation       Belgium - Occupational Exposure Limits     50 mg/m³	Lithuania - Occupational Exposure Limits	·	
Poland - Occupational Exposure Limits       240 mg/m³         Slovenia - Occupational Exposure Limits       22 mg/m³         OEL TWA       22 mg/m³         0EL TWA       44 mg/m³         0EL STEL       44 mg/m³         0EL chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits       22 mg/m³ (aerosol, vapour)         MAK (OEL TWA)       22 mg/m³ (aerosol, vapour)         5 ppm (aerosol, vapour)       5 ppm (aerosol, vapour)         OEL chemical category       Skin notation         acetophenone (98-86-2)         Belgium - Occupational Exposure Limits       50 mg/m³	IPRV (OEL TWA)	5 mg/m³	
NDS (OEL TWA)         240 mg/m³           Slovenia - Occupational Exposure Limits         22 mg/m³           OEL TWA         22 mg/m³           5 ppm         5 ppm           OEL STEL         44 mg/m³           10 ppm         10 ppm           OEL chemical category         Potential for cutaneous absorption           Switzerland - Occupational Exposure Limits         22 mg/m³ (aerosol, vapour)           MAK (OEL TWA)         22 mg/m³ (aerosol, vapour)           5 ppm (aerosol, vapour)         5 ppm (aerosol, vapour)           OEL chemical category         Skin notation           acetophenone (98-86-2)           Belgium - Occupational Exposure Limits         50 mg/m³	OEL chemical category	Skin notation	
Slovenia - Occupational Exposure Limits         OEL TWA       22 mg/m³         5 ppm         OEL STEL       44 mg/m³         10 ppm         OEL chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits         MAK (OEL TWA)       22 mg/m³ (aerosol, vapour)         Set chemical category       Skin notation         acetophenone (98-86-2)       Skin notation         Belgium - Occupational Exposure Limits       50 mg/m³	Poland - Occupational Exposure Limits		
OEL TWA       22 mg/m³         5 ppm         OEL STEL       44 mg/m³         10 ppm         OEL chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits       22 mg/m³ (aerosol, vapour)         MAK (OEL TWA)       22 mg/m³ (aerosol, vapour)         OEL chemical category       Skin notation         acetophenone (98-86-2)       Skin notation         Belgium - Occupational Exposure Limits       50 mg/m³	NDS (OEL TWA)	240 mg/m <sup>3</sup>	
Solution       Solution         Solution       Solution         Solution       Solution         OEL STEL       44 mg/m³         10 ppm       In ppm         OEL chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits       Potential for cutaneous absorption         MAK (OEL TWA)       22 mg/m³ (aerosol, vapour)         Set chemical category       Skin notation         OEL chemical category       Skin notation         acetophenone (98-86-2)       Skin notation         Belgium - Occupational Exposure Limits       Solution	Slovenia - Occupational Exposure Limits		
OEL STEL       44 mg/m³         10 ppm       10 ppm         OEL chemical category       Potential for cutaneous absorption         Switzerland - Occupational Exposure Limits       22 mg/m³ (aerosol, vapour)         MAK (OEL TWA)       22 mg/m³ (aerosol, vapour)         5 ppm (aerosol, vapour)       5 ppm (aerosol, vapour)         OEL chemical category       Skin notation         acetophenone (98-86-2)         Belgium - Occupational Exposure Limits       50 mg/m³	OEL TWA	22 mg/m <sup>3</sup>	
Image: Description of the section		5 ppm	
OEL chemical category     Potential for cutaneous absorption       Switzerland - Occupational Exposure Limits     22 mg/m³ (aerosol, vapour)       MAK (OEL TWA)     22 mg/m³ (aerosol, vapour)       5 ppm (aerosol, vapour)       OEL chemical category     Skin notation       acetophenone (98-86-2)       Belgium - Occupational Exposure Limits       OEL TWA     50 mg/m³	OEL STEL	44 mg/m³	
Switzerland - Occupational Exposure Limits         MAK (OEL TWA)       22 mg/m³ (aerosol, vapour)         5 ppm (aerosol, vapour)         OEL chemical category       Skin notation         acetophenone (98-86-2)         Belgium - Occupational Exposure Limits       50 mg/m³		10 ppm	
MAK (OEL TWA)       22 mg/m³ (aerosol, vapour)         5 ppm (aerosol, vapour)         OEL chemical category       Skin notation         acetophenone (98-86-2)         Belgium - Occupational Exposure Limits         OEL TWA       50 mg/m³	OEL chemical category	Potential for cutaneous absorption	
Sppm (aerosol, vapour)       OEL chemical category     Skin notation       acetophenone (98-86-2)       Belgium - Occupational Exposure Limits       OEL TWA     50 mg/m³	Switzerland - Occupational Exposure Limits		
OEL chemical category     Skin notation       acetophenone (98-86-2)     Belgium - Occupational Exposure Limits       OEL TWA     50 mg/m³	MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)	
acetophenone (98-86-2)       Belgium - Occupational Exposure Limits       OEL TWA     50 mg/m³		5 ppm (aerosol, vapour)	
Belgium - Occupational Exposure Limits       OEL TWA       50 mg/m³	OEL chemical category	Skin notation	
OEL TWA 50 mg/m <sup>3</sup>	acetophenone (98-86-2)		
	Belgium - Occupational Exposure Limits		
10 nnm	OEL TWA	50 mg/m³	
		10 ppm	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

acetophenone (98-86-2)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Denmark - Occupational Exposure Limits		
OEL TWA	49 mg/m³	
	10 ppm	
OEL STEL	98 mg/m³	
	20 ppm	
Finland - Occupational Exposure Limits	· ·	
HTP (OEL TWA)	25 mg/m³	
	5 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	50 mg/m <sup>3</sup>	
Ireland - Occupational Exposure Limits		
OEL TWA	49 mg/m³	
	10 ppm	
OEL STEL	147 mg/m <sup>3</sup> (calculated)	
	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	50 mg/m³	
NDSCh (OEL STEL)	100 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m <sup>3</sup>	
	20 ppm	
OEL STEL	200 mg/m <sup>3</sup>	
	41 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	50 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

#### Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

**Skin and body protection:** Wear suitable protective clothing

Hand protection: Wear protective gloves.

#### 8.2.2.3. Respiratory protection

**Respiratory protection:** Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

**Other information:** Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lower explosion limit	: Not available
•	
Upper explosion limit	: Not available
Flash point	: > 93.3 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 0.001722772 mm Hg (calculated value)
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content

: 4.08 % (calculated value)(CARB VOC) (%w/w)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal)	Harmful if swallowed. Not classified Not classified	
FIR & BALSAM FR95609		
ATE CLP (oral)	935.979 mg/kg bodyweight	
benzyl benzoate (120-51-4)		
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)	

## Safety Data Sheet

benzyl benzoate (120-51-4)		
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Triplal (Vertocitral) (68039-49-6)		
LD50 oral	2330 mg/kg	
Eucalyptus oil (8000-48-4)		
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)	
benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
LD50 oral	1570 mg/kg	
Camphene (79-92-5)		
LD50 oral rat	5600 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
LC50 Inhalation - Rat	> 2.58 mg/l/4h	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
Geranyl acetate (105-87-3)		
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

L-Carvone (6485-40-1)		
LD50 oral rat	5400 mg/kg (Source: KR_NIER)	
LD50 oral	2500 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
LD50 dermal	3800 mg/kg bodyweight	
acetophenone (98-86-2)	·	
LD50 oral rat	2081 mg/kg (Source: ECHA_API)	
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	3300 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 2.13 mg/l (Exposure time: 8 h Source: CHEMVIEW)	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	Not classified	
Respiratory or skin sensitisation :	May cause an allergic skin reaction.	
Germ cell mutagenicity :	Not classified	
Carcinogenicity	Not classified	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Eugenol (97-53-0)		
IARC group	3 - Not classifiable	
COUMARIN (91-64-5)		
IARC group	3 - Not classifiable	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure	Not classified	
	Not classified	
benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.456 mm²/s	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Hydrocarbon	Yes	
Camphene (79-92-5)		
Hydrocarbon	Yes	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
No additional information available		

#### 11.2.2. Other information

Potential adverse human health effects and : Based on available data, the classification criteria are not met symptoms

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

## Safety Data Sheet

Hazardous to the aquatic environment, short–term (acute) Hazardous to the aquatic environment, long–term (chronic)	<ul><li>: Very toxic to aquatic life.</li><li>: Toxic to aquatic life with long lasting effects.</li></ul>	
benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
Benzyl salicylate (118-58-1)		
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethy	/lindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
(R)-p-mentha-1,8-diene; d-limonene (5989-2	7-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	
Camphene (79-92-5)		
LC50 - Fish [1]	0.72 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [flow-through] Source: IUCLID)	
LC50 - Fish [2]	150 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID)	
EC50 - Crustacea [1]	22 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	> 1000 mg/l (Species: Desmodesmus subspicatus)	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
L-Carvone (6485-40-1)		
LC50 - Fish [1]	6.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	
acetophenone (98-86-2)		
LC50 - Fish [1]	162 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	155 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
12.2. Persistence and degradability		
FIR & BALSAM FR95609		
Persistence and degradability	Not established.	

## Safety Data Sheet

benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	rl-2-naphthalenyl)ethanone (54464-57-2)
Persistence and degradability	Rapidly degradable
Cedarwood oil, Texas (68990-83-0)	
Persistence and degradability	Not established.
Benzyl salicylate (118-58-1)	
Persistence and degradability	Rapidly degradable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
Persistence and degradability	Rapidly degradable
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
Persistence and degradability	Rapidly degradable
Triplal (Vertocitral) (68039-49-6)	
Persistence and degradability	Rapidly degradable
Eucalyptus oil (8000-48-4)	
Persistence and degradability	Not established.
benzyl alcohol (100-51-6)	
Persistence and degradability	Rapidly degradable
Camphene (79-92-5)	
Persistence and degradability	Rapidly degradable
Cinnamic aldehyde (104-55-2)	
Persistence and degradability	Rapidly degradable
Eugenol (97-53-0)	
Persistence and degradability	Rapidly degradable
COUMARIN (91-64-5)	
Persistence and degradability	Rapidly degradable
Geranyl acetate (105-87-3)	
Persistence and degradability	Rapidly degradable
L-Carvone (6485-40-1)	
Persistence and degradability	Rapidly degradable
acetophenone (98-86-2)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
FIR & BALSAM FR95609	
Bioaccumulative potential	Not established.
	·

## Safety Data Sheet

benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Cedarwood oil, Texas (68990-83-0)	
Bioaccumulative potential	Not established.
Benzyl salicylate (118-58-1)	
Partition coefficient n-octanol/water (Log Pow)	4
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethy	lindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
(R)-p-mentha-1,8-diene; d-limonene (5989-27	7-5)
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Eucalyptus oil (8000-48-4)	
Bioaccumulative potential	Not established.
benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.05
Camphene (79-92-5)	
Partition coefficient n-octanol/water (Log Pow)	4.22 (at 37 °C (at pH 7.2)
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)
Eugenol (97-53-0)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)
Geranyl acetate (105-87-3)	
Partition coefficient n-octanol/water (Log Pow)	4.04
L-Carvone (6485-40-1)	
Partition coefficient n-octanol/water (Log Pow)	2.74 (at 37 °C (at pH 7.2)
acetophenone (98-86-2)	
Partition coefficient n-octanol/water (Log Pow)	1.63 – 1.65
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	: Avoid release to the environment.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION** 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations Ecological information HP Code : Dispose of contents/container in accordance with licensed collector's sorting instructions.


: Dispose in a safe manner in accordance with local/national regulations.

- : Avoid release to the environment.
  - HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

### **SECTION 14: Transport information**



Limited quantities (ADR)

: 51

## Safety Data Sheet

	d by Regulation (EO) 2020/070
Excepted quantities (ADR)	: E1
,	
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(ADR)	
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading	: CV13
and handling (ADR)	
Hazard identification number (Kemler No.)	: 90
Orange plates	
Orange plates	· 90
	90 3082
	3082
	5002
Tunnel restriction code (ADR)	: -
EAC code	: •3Z
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
	: IBC03
IBC packing instructions (IMDG)	: T4
Tank instructions (IMDG)	
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
()	
Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	274, 335, 375, 601
Limited quantities (ADN)	: 5L
	: E1
Excepted quantities (ADN)	
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Pell transmit	
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions (RID)	-	T4 TP1, TP29
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Special provisions for carriage - Loading, unloading	:	CW13, CW31
and handling (RID)		
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	(R)-p-mentha-1,8-diene; d-limonene ; Eucalyptus oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	FIR & BALSAM FR95609 ; benzyl benzoate ; 1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Cedarwood oil, Texas ; Benzyl salicylate ; (R)-p- mentha-1,8-diene; d- limonene ; Triplal (Vertocitral) ; Eucalyptus oil ; benzyl alcohol ; Cinnamic aldehyde ; Eugenol ; Geranyl acetate ; L-Carvone ; acetophenone	

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	FIR & BALSAM FR95609 ; benzyl benzoate ; 1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Cedarwood oil, Texas ; Benzyl salicylate ; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB) ; (R)-p-mentha- 1,8-diene; d-limonene ; Triplal (Vertocitral) ; Eucalyptus oil ; Cinnamic aldehyde ; Geranyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	(R)-p-mentha-1,8-diene; d-limonene ; Eucalyptus oil ; Camphene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

#### VOC Directive (2004/42)

VOC content

: 4.08 % (calculated value)(CARB VOC) (%w/w)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK)	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
List of sensitizing substances (TRGS 907)	: Contains sensitizing substances according TRGS 907.
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Netherlands	
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Cedarwood oil, Texas, Triplal (Vertocitral), Eucalyptus oil are listed
SZW-lijst van mutagene stoffen	: Triplal (Vertocitral),Eucalyptus oil are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Other information

: None.

Full text of H- and EUH	I-statements:
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU