

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/18/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : FROSTED SPRUCE FR99876

Product code : FR99876

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Hyggeland Company Russian Federation Krasnodar

Stasova 184, 7

Phone .: +7 (953) 073-39-63

info@hyggeland.ru https://hyggeland.ru/

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Carcinogenicity, Category 1B H350
Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause cancer. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS08

GHS09

Signal word (CLP) : Danger

Contains : benzyl benzoate; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; Orange Oil; Eugenol; Vertenex; Amyl cinnamic aldehyde; Cinnamic aldehyde; COUMARIN;

Oxypheylon (Raspberry ketone) crystals; Patchouli oil; Allyl heptanoate; Heliotropine;

Cinnamon leaf oil; Eucalyptus oil; Cyclamal; Aldehyde C-16; Linalool

Hazard statements (CLP) : H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H350 - May cause cancer.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	24.8 – 49.5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	2.1 – 4.25	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange Oil	CAS-No.: 8028-48-6 EC-No.: 232-433-8	1.8 – 3.6	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	1.8 – 3.6	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	1.6 – 3.2	Skin Sens. 1B, H317
Amyl cinnamic aldehyde	CAS-No.: 122-40-7 EC-No.: 204-541-5	1.4 – 2.75	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242-	1.3 – 2.65	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	1.2 – 2.4	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	0.9 – 1.8811	Eye Irrit. 2, H319
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	0.7 – 1.45	Eye Irrit. 2, H319
Dihydromyrcenol	CAS-No.: 18479-58-8 EC-No.: 242-362-4 REACH-no: 01-2119457274- 37	0.7 – 1.45	Skin Irrit. 2, H315 Eye Irrit. 2, H319
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.7 – 1.3	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Oxypheylon (Raspberry ketone) crystals	CAS-No.: 5471-51-2 EC-No.: 226-806-4	0.6 – 1.2	Acute Tox. 4 (Oral), H302
Patchouli oil	CAS-No.: 8014-09-3 EC-No.: 616-944-7 EC Index-No.: 616-944-7	0.4 – 0.8	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Sandal Mysore Core	CAS-No.: 28219-60-5 EC-No.: 248-907-2	0.4 – 0.7	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cedarwood oil, Texas	CAS-No.: 68990-83-0 EC-No.: 294-461-7	0.4 – 0.7	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Camphor substance with national workplace exposure limit(s) (AT, BE, BG, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, RO, SK, NO, CH)	CAS-No.: 76-22-2 EC-No.: 200-945-0	0.2 – 0.4	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.2 – 0.3	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.1 – 0.25	Skin Sens. 1B, H317
Cinnamon leaf oil	CAS-No.: 8015-91-6 EC-No.: 283-479-0 REACH-no: 01-2119487278- 23	0.1 – 0.25	Acute Tox. 3 (Dermal), H311 Eye Irrit. 2, H319 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Aquatic Chronic 3, H412
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.1 – 0.25	Aquatic Chronic 3, H412
Clonal	CAS-No.: 2437-25-4 EC-No.: 219-440-1	0.1 – 0.25	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 (M=10)
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2 REACH-no: 01-2119978250- 37	0.1 – 0.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.1 – 0.2239	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.1 – 0.2	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.1 – 0.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 EC Index-No.: 606-155-00-6 REACH-no: 01-2119935242- 45	(0.01 ≤ C < 100) Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

9/18/2024 (Issue date) EN (English) 5/24

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Only qualified personnel equipped with suitable

protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be

cleaned regularly. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the

workplace. Do not eat, drink or smoke when using this product. Always wash hands after

handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep

cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

9/18/2024 (Issue date) EN (English) 6/24

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germany

Storage class (LGK, TRGS 510) : LGK 6.1D - Non-combustible substances of acute toxicity, category 3 / hazardous

substances that are toxic or produce chronic effects

Joint storage table : LGK 2 LGK 2 LGK 3 LGK 3

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 2A, LGK 4.1A, LGK 5.1A, LGK 5.1C, LGK 5.2, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 3, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1B

Joint storage permitted for : LGK 2B, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11,

LGK 12, LGK 13, LGK 10-13

Switzerland

Storage class (LK) : LK 6.1 - Toxic materials

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Camphor (76-22-2)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	13 mg/m³
	2 ppm
Belgium - Occupational Exposure Limits	
OEL TWA	12 mg/m³
	2 ppm
OEL STEL	19 mg/m³
	3 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	12 mg/m³
OEL STEL	18 mg/m³
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	13 mg/m³
	2 ppm
KGVI (OEL STEL)	19 mg/m³
	3 ppm
Denmark - Occupational Exposure Limits	
OEL TWA	12 mg/m³
	2 ppm
OEL STEL	24 mg/m³
	4 ppm

9/18/2024 (Issue date) EN (English) 7/24

Safety Data Sheet

HTP (OEL TWA)	Camphor (76-22-2)	
0.3 ppm	Finland - Occupational Exposure Limits	
HTP (OEL STEL) 5.7 mg/m² 0.9 ppm France - Occupational Exposure Limits VME (OEL TWA) 12 mg/m² (Inhalable fraction) OEL STEL 18 mg/m² 2 ppm OEL TWA 12 mg/m² (Inhalable fraction) OEL STEL 18 mg/m² 2 ppm OEL STEL 18 mg/m² 3 ppm OEL TWA 12 mg/m² NDS (OEL TWA) 12 mg/m² NDS (OEL TWA) 12 mg/m² 18 mg/m² Portugal - Occupational Exposure Limits OEL TWA 2 ppm OEL STEL 3 ppm OEL STEL 3 ppm OEL STEL 3 mg/m² 6 ppm OEL STEL 3 mg/m² 6 ppm OEL STEL 3 mg/m² 1 mg/m² 5 ppm Slovakia - Occupational Exposure Limits OEL TWA 1 mg/m² 2 ppm NPHV (OEL TWA) 13 mg/m² 2 ppm	HTP (OEL TWA)	1.9 mg/m³
0.9 ppm		0.3 ppm
France - Occupational Exposure Limits VME (OEL TWA) 12 mg/m² 2 ppm Greece - Occupational Exposure Limits OEL TWA 12 mg/m² 13 ppm OEL STEL 18 mg/m² 3 ppm OEL STEL 18 mg/m² 3 ppm OEL TWA 12 mg/m² 12 mg/m² 13 mg/m² 14 mg/m² 15 mg/m² 17 mg/m² 18 mg/m² 19 mg/m² 19 mg/m² 10 mg/m² 11 mg/m² 12 mg/m² 13 mg/m² 14 mg/m² 14 mg/m² 15 ppm Slovakia - Occupational Exposure Limits OEL TWA 1 mg/m² 2 ppm NPHV (OEL TWA) 13 mg/m² 2 ppm	HTP (OEL STEL)	5.7 mg/m³
VME (OEL TWA) 12 mg/m² / 2 ppm Greece - Occupational Exposure Limits 12 mg/m² (inhalable fraction) OEL TWA 12 mg/m² (inhalable fraction) OEL STEL 18 mg/m² Ireland - Occupational Exposure Limits 12 mg/m² OEL STEL 18 mg/m³ 19 ppm 3 ppm Lithuania - Occupational Exposure Limits Image: Mg/m² NDS (OEL TWA) 3 mg/m² Poland - Occupational Exposure Limits 12 mg/m³ NDS (OEL TWA) 12 mg/m³ NDS (OEL TWA) 12 mg/m³ NDS (OEL TWA) 1 mg/m³ OEL TWA 2 ppm OEL TWA 2 ppm OEL STEL 3 ppm OEL STEL 3 ppm OEL TWA 1 mg/m³ OEL TWA 1 mg/m³ OEL TWA 1 mg/m³ OEL STEL 3 mg/m³ Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 13 mg/m³ 2 ppm 2 ppm NPHV (OEL TWA) 2 mg/m² Spain - Occupational Exposure Limits		0.9 ppm
2 ppm	France - Occupational Exposure Limits	
Section Comparison Compa	VME (OEL TWA)	12 mg/m³
OEL TWA 12 mg/m³ (inhalable fraction) OEL STEL 18 mg/m³ Ireland - Occupational Exposure Limits 12 mg/m³ OEL TWA 12 mg/m³ OEL STEL 18 mg/m³ OEL STEL 18 mg/m³ Ithuania - Occupational Exposure Limits Image: Compational Exposure Limits IPRV (OEL TWA) 3 mg/m³ Poland - Occupational Exposure Limits Image: Compational Exposure Limits NDSCh (OEL STEL) 18 mg/m³ Portugal - Occupational Exposure Limits OEL TWA OEL STEL 3 pm OEL STEL 3 pm OEL STEL 3 pm OEL STEL 3 mg/m³ OEL TWA 4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits Tmg/m³ OEL STEL 3 mg/m³ 0EL TWA 18 ppm Slovakia - Occupational Exposure Limits Tmg/m³ NPHV (OEL TWA) 13 mg/m³ 12 pm NPHV (OEL TWA) 13 mg/m³ 2 ppm VLA-ED (OEL TWA) 13 mg/m³ 2 ppm 2 ppm		2 ppm
OEL STEL 18 mg/m³ Ireland - Occupational Exposure Limits 12 mg/m³ OEL STEL 18 mg/m³ 3 ppm 3 ppm Lithuania - Occupational Exposure Limits IPPV (OEL TWA) 3 mg/m² Poland - Occupational Exposure Limits NDS (OEL TWA) 12 mg/m³ NDS (OEL STEL) 18 mg/m³ Portugal - Occupational Exposure Limits 2 ppm OEL STEL 3 ppm OEL STEL 3 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL STEL 3 mg/m³ 6 ppm 6 ppm OEL STEL 3 mg/m³ 18 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 13 mg/m³ 2 ppm Portugal - Occupational Exposure Limits VLA-ED (OEL TWA) 2 mg/m³ 2 ppm 2 ppm	Greece - Occupational Exposure Limits	
Treland - Occupational Exposure Limits	OEL TWA	12 mg/m³ (inhalable fraction)
OEL TWA 12 mg/m³ 2 ppm 2 ppm OEL STEL 18 mg/m³ 3 ppm 18 mg/m³ Lithuania - Occupational Exposure Limits 18 mg/m³ IPRV (OEL TWA) 3 mg/m³ Poland - Occupational Exposure Limits 18 mg/m³ NDSCh (OEL STEL) 18 mg/m³ Portugal - Occupational Exposure Limits 2 ppm OEL TWA 2 ppm OEL STEL 3 ppm OEL Chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits 1 mg/m³ OEL TWA 1 mg/m³ 6 ppm 6 ppm OEL STEL 3 mg/m³ 18 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 13 mg/m³ 2 ppm NPHV (OEL C) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 13 mg/m³ 2 ppm	OEL STEL	18 mg/m³
2 ppm	Ireland - Occupational Exposure Limits	
DEL STEL 18 mg/m² J ppm 3 ppm Lithuania - Occupational Exposure Limits 3 mg/m² PRV (OEL TWA) 3 mg/m² Poland - Occupational Exposure Limits 12 mg/m² NDS (OEL STEL) 18 mg/m² Portugal - Occupational Exposure Limits 2 ppm OEL TWA 2 ppm OEL STEL 3 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits 1 mg/m² 6 ppm 6 ppm OEL STEL 3 mg/m² 18 ppm 18 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) NPHV (OEL TWA) 13 mg/m² 2 ppm NPHV (OEL C) Spain - Occupational Exposure Limits VLA-ED (OEL TWA) VLA-ED (OEL TWA) 13 mg/m² 2 ppm 14 m	OEL TWA	12 mg/m³
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) Poland - Occupational Exposure Limits NDS (OEL TWA) 12 mg/m³ NDSCh (OEL STEL) 18 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 2 ppm OEL STEL 3 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 1 mg/m³ 6 ppm OEL STEL 3 mg/m³ 18 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 13 mg/m³ 2 ppm NPHV (OEL TWA) 19 mg/m³ 2 ppm NPHV (OEL TWA) 19 mg/m³ 2 ppm		2 ppm
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 3 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 12 mg/m³ NDSCh (OEL STEL) 18 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 2 ppm OEL STEL 3 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits 1 mg/m³ 0EL TWA 1 mg/m³ 6 ppm 2 ppm OEL STEL 3 mg/m³ Slovakia - Occupational Exposure Limits NPHV (OEL TWA) NPHV (OEL TWA) 13 mg/m³ 2 ppm 2 ppm NPHV (OEL TWA) 13 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 19 mg/m³ 2 ppm VLA-EC (OEL STEL) 19 mg/m³	OEL STEL	18 mg/m³
PRV (OEL TWA) 3 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 12 mg/m³ NDSCh (OEL STEL) 18 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 2 ppm OEL STEL 3 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 1 mg/m³ 6 ppm OEL STEL 3 mg/m³ 18 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 13 mg/m³ 2 ppm NPHV (OEL C) 26 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL STEL) 19 mg/m³ 2 ppm VLA-EC (OEL STEL) 19 mg/m³ 10 mg/m³ 1		3 ppm
Poland - Occupational Exposure Limits 12 mg/m³ 18	Lithuania - Occupational Exposure Limits	
NDS (OEL TWA) 12 mg/m³ NDSCh (OEL STEL) 18 mg/m³	IPRV (OEL TWA)	3 mg/m³
NDSCh (OEL STEL) 18 mg/m³	Poland - Occupational Exposure Limits	
Portugal - Occupational Exposure Limits	NDS (OEL TWA)	12 mg/m³
OEL TWA 2 ppm OEL STEL 3 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 1 mg/m³ 6 ppm 6 ppm OEL STEL 3 mg/m³ 18 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 13 mg/m³ 2 ppm NPHV (OEL C) 26 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 13 mg/m³ 2 ppm VLA-ED (OEL STEL) 19 mg/m³	NDSCh (OEL STEL)	18 mg/m³
OEL STEL 3 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen Romania - Occupational Exposure Limits OEL TWA 1 mg/m³ 6 ppm OEL STEL 3 mg/m³ 18 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 13 mg/m³ 2 ppm NPHV (OEL C) 26 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 13 mg/m³ 2 ppm VLA-EC (OEL STEL) 19 mg/m³	Portugal - Occupational Exposure Limits	
OEL chemical category Romania - Occupational Exposure Limits OEL TWA 1 mg/m³ 6 ppm OEL STEL 3 mg/m³ 18 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 13 mg/m³ 2 ppm NPHV (OEL C) 26 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 13 mg/m³ 2 ppm 14 mg/m³ 2 ppm 15 mg/m³ 2 ppm 16 mg/m³ 2 ppm 17 mg/m³ 2 ppm 18 mg/m³ 2 ppm 19 mg/m³ 3 mg/m³	OEL TWA	2 ppm
Topin	OEL STEL	3 ppm
OEL TWA 1 mg/m³ 6 ppm 3 mg/m³ OEL STEL 3 mg/m³ Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 13 mg/m³ 2 ppm NPHV (OEL C) 26 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 13 mg/m³ 2 ppm VLA-EC (OEL STEL) 19 mg/m³	OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
6 ppm	Romania - Occupational Exposure Limits	
OEL STEL 3 mg/m³ 18 ppm Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 13 mg/m³ 2 ppm NPHV (OEL C) 26 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 13 mg/m³ 2 ppm VLA-EC (OEL STEL) 19 mg/m³	OEL TWA	1 mg/m³
18 ppm		6 ppm
Slovakia - Occupational Exposure Limits NPHV (OEL TWA)	OEL STEL	3 mg/m³
NPHV (OEL TWA) 13 mg/m³ 2 ppm NPHV (OEL C) 26 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 13 mg/m³ 2 ppm VLA-EC (OEL STEL) 19 mg/m³		18 ppm
2 ppm	Slovakia - Occupational Exposure Limits	
NPHV (OEL C) 26 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 13 mg/m³ 2 ppm VLA-EC (OEL STEL) 19 mg/m³	NPHV (OEL TWA)	13 mg/m³
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 13 mg/m³ 2 ppm VLA-EC (OEL STEL) 19 mg/m³		2 ppm
VLA-ED (OEL TWA) 13 mg/m³ 2 ppm VLA-EC (OEL STEL) 19 mg/m³	NPHV (OEL C)	26 mg/m³
2 ppm VLA-EC (OEL STEL) 19 mg/m³	Spain - Occupational Exposure Limits	
VLA-EC (OEL STEL) 19 mg/m³	VLA-ED (OEL TWA)	13 mg/m³
		2 ppm
3 ppm	VLA-EC (OEL STEL)	19 mg/m³
		3 ppm

Safety Data Sheet

Camphor (76-22-2)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	13 mg/m³	
,	2 ppm	
WEL STEL (OEL STEL)	19 mg/m³	
,	3 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	12 mg/m³	
, ,	2 ppm	
Korttidsverdi (OEL STEL)	18 mg/m³ (value calculated)	
, , ,	4 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	13 mg/m³ (aerosol, vapour)	
	2 ppm (aerosol, vapour)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	2 ppm (synthetic)	
ACGIH OEL STEL	3 ppm (synthetic)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen synthetic	
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl acetate (140-11-4)	
OEL STEL	80 mg/m³
	13 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	62 mg/m³
	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.

Odour : characteristic. Odour threshold : Not available Melting point : Not applicable : Not available Freezing point : Not available Boiling point : Not applicable Flammability Lower explosion limit : Not available Upper explosion limit : Not available : > 93.3 °C Flash point : Not available Auto-ignition temperature Decomposition temperature : Not available рΗ Not available Viscosity, kinematic : Not available

Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.001621272 mm Hg (calculated value)

Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 6.05 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation) :	Not classified	
FROSTED SPRUCE FR99876		
ATE CLP (oral)	931.321 mg/kg bodyweight	
benzyl benzoate (120-51-4)		
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Orange Oil (8028-48-6)		
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
LC50 Inhalation - Rat	> 2.58 mg/l/4h	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	3370 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Amyl cinnamic aldehyde (122-40-7)		
LD50 oral rat	3730 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 2000 mg/kg (Source: CHEMVIEW)	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)		
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)	

Safety Data Sheet

Ethyl vanillin (121-32-4)		
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Dihydromyrcenol (18479-58-8)		
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)	
LD50 oral	3020 mg/kg	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)	
LD50 oral rat	1320 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Patchouli oil (8014-09-3)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
Camphor (76-22-2)		
LD50 oral	1500 mg/kg	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Allyl heptanoate (142-19-8)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	218 mg/kg	
LD50 dermal rabbit	810 mg/kg (Source: ECHA_API)	
LD50 dermal	810 mg/kg	
Heliotropine (120-57-0)		
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)	
LD50 oral	2700 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
Cinnamon leaf oil (8015-91-6)		
LD50 oral rat	2650 mg/kg (Source: NZ_CCID)	
LD50 oral	2650 mg/kg	
LD50 dermal rabbit	702 mg/kg (Source: ECHA_API)	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Clonal (2437-25-4)		
LD50 oral rat	> 2000 mg/kg (Source: ECHA)	
LD50 oral	3400 mg/kg bodyweight	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

· · · · · · · · · · · · · · · · · · ·	
Eucalyptus oil (8000-48-4)	
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)
Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)
LD50 oral	3810 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
Aldehyde C-16 (77-83-8)	
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Linalool (78-70-6)	
LD50 oral	2790 mg/kg
Skin corrosion/irritation :	Causes skin irritation.
	Causes serious eye irritation.
Respiratory or skin sensitisation :	
•	May cause an allergic skin reaction.
,	Not classified
Carcinogenicity :	May cause cancer.
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
	Not classified
Camphor (76-22-2)	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure :	Not classified
	Not classified
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
Heliotropine (120-57-0)	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

9/18/2024 (Issue date) EN (English) 14/24

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

-		- 4					
		-1	. 1		V		11/
	74			u	$\boldsymbol{\Lambda}$	G	LV

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
0.168 mg/l		
13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)		
8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)		
deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
0.452 mg/l Wolf, 1996d-27682		
> 0.14 mg/l REACH DOSSIER Pimephales promelas		
260 μg/l REACH Dossier		
0.131 mg/l REACH Dossier		
81.4-94.3~mg/l (Exposure time: $96~h$ - Species: Pimephales promelas [flow-through] Source: EPA)		
2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)		
0.43 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)		
88.3 mg/l (Species: Desmodesmus subspicatus)		

12.2. Persistence and degradability

FROSTED SPRUCE FR99876				
Persistence and degradability Not established.				
benzyl benzoate (120-51-4)				
Persistence and degradability May cause long-term adverse effects in the environment.				
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (54464-57-2)				
Persistence and degradability Rapidly degradable				

9/18/2024 (Issue date) EN (English) 15/24

Safety Data Sheet

Orange Oil (8028-48-6)	
Persistence and degradability	Rapidly degradable
Eugenol (97-53-0)	
Persistence and degradability	Rapidly degradable
Vertenex (32210-23-4)	
Persistence and degradability	Rapidly degradable
Amyl cinnamic aldehyde (122-40-7)	
Persistence and degradability	Rapidly degradable
Cinnamic aldehyde (104-55-2)	
Persistence and degradability	Rapidly degradable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
Persistence and degradability	Rapidly degradable
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)
Persistence and degradability	Rapidly degradable
Ethyl vanillin (121-32-4)	
Persistence and degradability	Rapidly degradable
Dihydromyrcenol (18479-58-8)	
Persistence and degradability	Rapidly degradable
COUMARIN (91-64-5)	
Persistence and degradability	Rapidly degradable
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)
Persistence and degradability	Rapidly degradable
Patchouli oil (8014-09-3)	
Persistence and degradability	Rapidly degradable
Sandal Mysore Core (28219-60-5)	
Persistence and degradability	Rapidly degradable
Cedarwood oil, Texas (68990-83-0)	
Persistence and degradability	Not established.
Camphor (76-22-2)	
Persistence and degradability	Rapidly degradable
Allyl heptanoate (142-19-8)	
Persistence and degradability	Rapidly degradable
Heliotropine (120-57-0)	
Persistence and degradability	Rapidly degradable
Cinnamon leaf oil (8015-91-6)	
Persistence and degradability	Rapidly degradable

Safety Data Sheet

Benzyl acetate (140-11-4)	
Persistence and degradability	Rapidly degradable
Clonal (2437-25-4)	
Persistence and degradability	Rapidly degradable
Eucalyptus oil (8000-48-4)	
Persistence and degradability	Not established.
Cyclamal (103-95-7)	
Persistence and degradability	Rapidly degradable
Aldehyde C-16 (77-83-8)	
Persistence and degradability	Rapidly degradable
Linalool (78-70-6)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
FROSTED SPRUCE FR99876	
Bioaccumulative potential	Not established.
benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Eugenol (97-53-0)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)
Vertenex (32210-23-4)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)
Amyl cinnamic aldehyde (122-40-7)	
Partition coefficient n-octanol/water (Log Pow)	2.498 (at 25 °C (at pH 6.2)
Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)
Ethyl vanillin (121-32-4)	
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)
Dihydromyrcenol (18479-58-8)	
Partition coefficient n-octanol/water (Log Pow)	3.25 (at 40 °C (at pH 7)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Oxypheylon (Raspberry ketone) crystals (5471-51-2)				
Partition coefficient n-octanol/water (Log Pow)	1.33 (at 20 °C)			
Cedarwood oil, Texas (68990-83-0)				
Bioaccumulative potential	Not established.			
Camphor (76-22-2)				
Partition coefficient n-octanol/water (Log Pow)	2.414 (at 25 °C)			
Allyl heptanoate (142-19-8)				
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)			
Heliotropine (120-57-0)				
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)			
Benzyl acetate (140-11-4)				
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)			
Eucalyptus oil (8000-48-4)				
Bioaccumulative potential	Not established.			
Cyclamal (103-95-7)				
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)			
Aldehyde C-16 (77-83-8)				
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)			

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
 - HP7 "Carcinogenic:" waste which induces cancer or increases its incidence
 - HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
 - HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID number						
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082		
14.2. UN proper shippin	g name					
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)		
Transport document descr	iption					
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III		
14.3. Transport hazard	class(es)					
9	9	9	9	9		
**************************************	**************************************	**************************************	**************************************	**************************************		
14.4. Packing group						
III	III	III	III	III		
14.5. Environmental haz	zards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes		
No supplementary information	on available	1				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3082

Orange plates : 90

Tunnel restriction code (ADR)

EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) : PP1 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC03 : T4 Tank instructions (IMDG) Tank special provisions (IMDG) TP1, TP29 : F-A EmS-No. (Fire) EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

Transport category (RID) : 3

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list	(REACH Annex XVII)	
Reference code	Applicable on	Entry title or description
3(a)	Orange Oil ; Eucalyptus oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	FROSTED SPRUCE FR99876; benzyl benzoate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Orange Oil; Eugenol; Vertenex; Amyl cinnamic aldehyde; Cinnamic aldehyde; tetrahydro-2- isobutyl-4-methylpyran-4- ol, mixed isomers (cis and trans); Dihydromyrcenol; Patchouli oil; Sandal Mysore Core; Cedarwood oil, Texas; Allyl heptanoate; Cinnamon leaf oil; Clonal; Eucalyptus oil; Cyclamal; Aldehyde C-16; Linalool	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	FROSTED SPRUCE FR99876; benzyl benzoate; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; Orange Oil; Amyl cinnamic aldehyde; Cinnamic aldehyde; Cinnamic aldehyde; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB); Patchouli oil; Sandal Mysore Core; Cedarwood oil, Texas; Allyl heptanoate; Cinnamon leaf oil; Benzyl acetate; Clonal; Eucalyptus oil; Cyclamal; Aldehyde C-16	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
40.	Orange Oil ; Camphor ; Eucalyptus oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 6.05 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must

be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the

shipping route (according to § 10).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Orange Oil, Cedarwood oil, Texas, Cinnamon leaf oil , Eucalyptus oil are listed

SZW-lijst van mutagene stoffen : Orange Oil,Cinnamon leaf oil ,Eucalyptus oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

9/18/2024 (Issue date) EN (English) 22/24

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

The requirements from the Danish Working Environment Authorities regarding work with

carcinogens must be followed during use and disposal

Switzerland

Chemicals Ordinance (ChemO, SR 813.11) : Group 1

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUF	I-statements:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU